

WIDEST RANGE OF HAND TOOLS IN INDIA

DE NEERS[®]

Revolution in Hand Tools



**HAND TOOLS : NON SPARKING TOOLS :
INSULATED STEEL TOOLS :
INSULATED NON SPARKING TOOLS :
STAINLESS STEEL TOOLS : TOOL KITS :
TOOL TROLLEYS : TOOL CABINETS**

www.deneerstools.com

**ISO CERTIFIED
COMPANY**

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

   /DeNeersTools

**Price List No.09
04-11-2024**



Revolution in Hand Tools

“From Chairman’s Desk”

DE NEERS TOOLS is an ISO 9001:2015 Certified and ISO 14001:2015 accredited Company. Today we are the fourth generation serving the Hand Tools Industry since 1951. Generation after generation, we have adopted new and improved modern systems and best practices to satisfy our customers’ need to the fullest.



Mr. Neeraj Aggarwal

DE NEERS is one of the leading Hand Tools manufactures in India. Our well acclaimed Managing Director, **Mr. NEERAJ AGGARWAL**, with his committed and diligent workforce, has a focused and target oriented approach towards meeting customer requirement and ensuring the quality of their products. DE NEERS Tools, the best hand tool manufactures, endeavour to offer the best quality products at the most competitive prices. We aim to provide hand tools of the utmost quality worth our customer’s money. We continuously work on innovation and research to develop products that can bring a kind of revolution in the hand tools industry.

DE NEERS is known as one of the reputed suppliers of hand tools that provides the broadest range of hand tools in India. Our extensive range of products includes Spanners, Wrenches, Pliers, Cutters, Allen Keys, Hammers, Socketry, Screw Drivers, Tool Kits, Tool Cabinets, Tool Trolleys, etc. We also specialise in providing Safety Tools like Non-Sparking Tools, Insulated Steel Tools, Non-Sparking Insulated Tools, Stainless Steel Anti-magnetic Tools and Titanium Tools with our range of hand tools.

We are counted among the leading hand tool distributors & hand tools exporters due to our consistent hard work to deliver quality products. We aim to provide professional hand tools of the utmost quality, made from German technology with the essence of “Make in India.” Our R&D department has experienced and dedicated personnel that keep a regular check on the latest trends and opportunities in the market and focus on improving the design and structure of the products. Our focus is on producing tools that can stand up to the demands of the professionals who use them every day. DE NEERS is famous for providing the broadest range of its customers in India, making us the best hand tool manufacturer.

When it comes to increasing workplace safety in different industrial environments, our tools act as support. These tools find their applications in Aerospace, Marine, Petrochemical, Medical, Defence, and

Our DE NEERS team welcomes you all with a keen interest in a long-lasting association.

SERVING THE HAND TOOLS INDUSTRY SINCE 1951

WE PROMOTE



DE NEERS[®]

Revolution in Hand Tools

Our Presence



MORE THAN

1M+


HAPPY CUSTOMERS



MORE THAN

260+

HAPPY DEALERS



MORE THAN

300+

AUTO WORKSHOPS



MORE THAN

200+

COMMITTED WORKFORCE
TO SERVE YOU BETTER

DE NEERS[®]

Revolution in Hand Tools

What We Do?

We are Amazon of

HAND TOOLS

NON SPARKING TOOLS

TOOL KITS

INSULATED NON SPARKING TOOLS

TOOL TROLLEYS

INSULATED STEEL TOOLS

TOOL CABINETS

STAINLESS STEEL TOOLS

Serving All Industries



Automotive




Textile



Mining



Healthcare
& Pharma



Steel Industries



Infrastructure



Electronics



Engineering



Petro Chemical
/ Oil & Gas



Cement



Agriculture



Power Sector

OUR ESTEEMED CUSTOMERS

| | |
|--|---|
| » ACE DESIGNERS LIMITED | » LALITPUR POWER GENERATION COMPANY LIMITED, (BAJAJ ENERGY) |
| » ANDHRA ORGANICS LIMITED | » LARSEN & TOUBRO HYDROCARBON ENGINEERING |
| » APOLLO PIPES LIMITED | » LOHIA CORPORATION LIMITED |
| » ASSAM PETRO-CHEMICALS LIMITED | » MAHANADI COALFIELDS LIMITED |
| » ATS ELGI LIMITED | » MAHINDRA & MAHINDRA LIMITED |
| » BHARAT HEAVY ELECTRICALS LIMITED | » MICROTEK INTERNATIONAL PRIVATE LIMITED |
| » BHARAT PETROLEUM CORPORATION LIMITED | » MITSUBISHI HEAVY INDUSTRY VST DIESEL ENGINES (P) LTD |
| » BRAHMAPUTRA CRACKER AND POLYMER LIMITED | » NATIONAL THERMAL POWER CORPORATION LIMITED |
| » BRIDGE AND ROOF CO.(I) LIMITED | » NIMBOL CEMENT PLANT |
| » CENTRAL RAILWAY | » NORTHERN CENTRAL RAILWAY |
| » CHITTARANJAN LOCOMOTIVE WORKS | » NUBERG ENGINEERING LIMITED. |
| » DELTON CABLES LIMITED | » NUCLEAR POWER CORPORATION OF INDIA LTD. |
| » DIESEL LOCO MODERNISATION WORKS | » OIL AND NATURAL GAS CORPORATION |
| » EASTERN RAILWAY | » ORIENT ELECTRIC LIMITED |
| » GAIL (INDIA) LTD. | » POLYCAB INDIA LIMITED |
| » GODAWARI POWER & ISPAT LIMITED | » RAIL COACH FACTORY |
| » HARYANA POWER GENERATION CORP LIMITED. | » RAAJRATNA METAL INDUSTRIES LIMITED |
| » HAVELLS INDIA LIMITED. | » RAJASTHAN STATE MINES & MINERALS LIMITED |
| » HINDALCO INDUSTRIES LIMITED | » SAFE EXPRESS PVT. LTD. |
| » HINDUSTAN PETROLEUM CORPORATION LIMITED | » SIMAR INFRASTRUCTURES LTD. |
| » HONDA MOTORCYCLE AND SCOOTER INDIA PVT. LTD. | » SOUTH EASTERN RAILWAY (WORKSHOP CARRIAGE) |
| » INDIAN COMPRESSORS LIMITED | » SOUTHERN RAILWAY |
| » INDIAN OIL ADANI GAS PRIVATE LIMITED | » SRB INTERNATIONAL PVT. LTD. |
| » INDIAN OIL CORPORATION LIMITED | » TATA PROJECT LIMITED |
| » JINDAL SAW LIMITED | » TATA STEEL LIMITED |
| » JUPITER INTERNATIONAL LIMITED | » TORRENT POWER LIMITED |
| » JBM AUTO LIMITED | » VE COMMERCIAL VEHICLES LIMITED |
| » KANODIA CEMENT PLANT | » VAAMAN ENGINEERS INDIA LIMITED |

OUR CREDENTIALS

सौराष्ट्र-केन्द्रीय खनिज एवं ईंधन अनुसंधान संस्थान
CSIR-Central Institute of Mining and Fuel Research
 (Council of Scientific & Industrial Research)
 बरना रोड, धारवाड़-382015, गुजरात, भारत
 Baroda Road, Dharwad - 382015, Gujarat, India
सुरक्षा एवं संरक्षण मूल्यांकन / FLAMPROOF & EQUIPMENT SAFETY
परीक्षण प्रमाण पत्र / TEST CERTIFICATE **मूल्य रहित**
 (Flamproof & Equipment Safety) **ORIGINAL COP**

No. INCON/TEST/2021/11110 Date: 11th November, 2021
 Equipment ID No. 19031 Code No. FES14031-01
 Your Ref. No. Nil Date: Nil

आइटम : 6% DEX NEEDS Tools tested, 435 FIE, Pimpri, Industrial Area, Dharwad

मामूला : Same as above

दिनांक : 08/11/2021

विशेषता : The analysis & comparison declared by the Manufacturer
 Non-Sparking sample made of different composition from Pure Copper alloy tools in size of length between 10mm length to 150mm composition 2/20. The chemical composition declared by Manufacturer is as follows.

| Alloy | Cu (%) | Al (%) | Fe (%) | C (%) | Mn (%) | Si (%) | S (%) |
|----------------|---------|--------|---------|-------|--------|--------|-------|
| Brayton Copper | Over 92 | - | 1.4-1.7 | 1.2 | 0.3 | - | Small |

सामग्री : A fabricated tool for non-sparking tool test apparatus

| TEST REQUIREMENT | Condition/Setting (See Test Spec.) | Result |
|------------------------------|--|-----------------------------|
| Class 1 as per IS: 4356-1984 | The environment is in the condition of Class 1 (non-sparking) as per IS: 4356-1984 | Non-Sparking test COMPLETED |

टिप्पणी : Non-Sparking sample made of Brayton Copper Alloy as declared by the manufacturer meets the test requirements of class 1 of IS: 4356-1984 and given mechanical material may be used as "non-sparking" material.

Approved by: *[Signature]* Check & Approved by: *[Signature]*
 (A. KUMAR) Chief Engineer (Flamproof & Equipment Safety)
 CSIR-Central Institute of Mining & Fuel Research, Baroda Road, Dharwad-382015, Gujarat, India

WE PROMOTE



उद्यम पंजीयन प्रमाणपत्र
 Government of India
 Ministry of Micro, Small and Medium Enterprises

UDYAM REGISTRATION CERTIFICATE

UDYAM REGISTRATION NUMBER: UDYAM-DL-02-0000001
 MSME REGISTRATION NUMBER: DL/MSME/2019/0000001

TYPE OF ENTERPRISE

| Sr No. | Classification Code | Enterprise Type | Classification Date |
|--------|---------------------|-----------------|---------------------|
| 1 | 2824-25 | Manufacture | 27/04/2019 |
| 2 | 2824-29 | Manufacture | 27/04/2019 |
| 3 | 2824-26 | Manufacture | 27/04/2019 |
| 4 | 2824-27 | Manufacture | 26/04/2022 |

INDUSTRY TYPE: MANUFACTURING

SOCIAL CATEGORY OF ENTREPRENEUR: GENERAL

NAME OF ENTREPRENEUR: **DR. ANAND KUMAR**

OFFICIAL ADDRESS OF ENTERPRISE

| Particulars | Address | Pin Code | State |
|--------------------|--|----------|---------|
| Registered Office | Plot No. 10, Sector 10, Gurgaon, Haryana | 122002 | Haryana |
| Manufacturing Unit | Plot No. 10, Sector 10, Gurgaon, Haryana | 122002 | Haryana |

DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE: 26/07/2019

DATE OF COMMENCEMENT OF PRODUCTION: 28/07/2019

NATIONAL PROMOTRY CLASSIFICATION CODES

| Sr No. | MSME Code | MSME Code | MSME Code | Industry |
|--------|---|--|---|---------------|
| 1 | 28-Manufacture of metal structures | 2824-Foundry and casting of metal parts and castings | 2824-Manufacture of other metal castings | Manufacturing |
| 2 | 28-Manufacture of fabricated metal products, except machinery and equipment | 2824-Foundry and casting of metal parts and castings | 2824-Manufacture of metal structures with rough, semi-finished, or cast parts | Manufacturing |
| 3 | 28-Manufacture of fabricated metal products, except machinery and equipment | 2824-Foundry and casting of metal parts and castings | 2824-Manufacture of metal structures with rough, semi-finished, or cast parts | Manufacturing |

सौराष्ट्र-केन्द्रीय खनिज एवं ईंधन अनुसंधान संस्थान
CSIR-Central Institute of Mining and Fuel Research
 (Council of Scientific & Industrial Research)
 बरना रोड, धारवाड़-382015, गुजरात, भारत
 Baroda Road, Dharwad - 382015, Gujarat, India
सुरक्षा एवं संरक्षण मूल्यांकन / FLAMPROOF & EQUIPMENT SAFETY
परीक्षण प्रमाण पत्र / TEST CERTIFICATE
 (Flamproof & Equipment Safety)

Test Report No. INCON/TEST/2021/11111 Date: 11th November, 2021
 Equipment ID No. 19031 Code No. FES14031-01
 Your Ref. No. Nil Date: Nil

आइटम : 6% DEX NEEDS Tools tested, 435 FIE, Pimpri, Industrial Area, Dharwad

मामूला : Same as above

दिनांक : 08/11/2021

विशेषता : The analysis & comparison declared by the Manufacturer
 Non-Sparking sample made of different composition from Pure Copper alloy tools in size of length between 10mm length to 150mm composition 2/20. The chemical composition declared by Manufacturer is as follows.

| Alloy | Al (%) | Al ₂ O ₃ (%) | Mn (%) | Si (%) | C (%) | Others (%) |
|-----------------|--------|------------------------------------|--------|--------|-------|------------|
| Aluminum Bronze | 6.8 | 5.11 | 1.2 | 1.2 | 0.05 | 1.1 |

सामग्री : A fabricated tool for non-sparking tool test apparatus

| TEST REQUIREMENT | Condition/Setting (See Test Spec.) | Result |
|------------------------------|--|-----------------------------|
| Class 1 as per IS: 4356-1984 | The environment is in the condition of Class 1 (non-sparking) as per IS: 4356-1984 | Non-Sparking test COMPLETED |

टिप्पणी : Non-Sparking sample made of Aluminum Bronze as declared by the manufacturer meets the test requirements of class 1 of IS: 4356-1984 and given mechanical material may be used as "non-sparking" material.

Approved by: *[Signature]* Check & Approved by: *[Signature]*
 (A. K. SHrivastava) Chief Engineer (Flamproof & Equipment Safety)
 CSIR-Central Institute of Mining & Fuel Research, Baroda Road, Dharwad-382015, Gujarat, India

Ministry of Electronics and Information Technology
 Government of India

Be Vocal About Local
Certificate

This is to certify that

DE ANIR'S TOOLS LIMITED

has taken the 'Be Vocal About Local' and committed himself/herself to consciously support and promote products that are Made in India.

August, 10 2021

BE VOCAL ABOUT LOCAL

OUR CREDENTIALS



Certificate of Registration

This is to certify that

DE NEERS TOOLS LIMITED
 HEAD OFFICE - 44, F.E.E., PATPARGANJ INDUSTRIAL AREA,
 DELHI - 110012, INDIA
 WORKS - PLOT NO. 83, SITE 4, SAHIBABAD INDUSTRIAL AREA,
 GHAZIABAD, UTTAR PRADESH, 201016, INDIA

has been independently assessed by QRO
 and is compliant with the requirement of

ISO 9001:2015
Quality Management System

For the following scope of activities:

MANUFACTURING & MARKETING OF HAND TOOLS, TOOL RITE, TOOL TROLLEYS, TOOL CABINET, TOOL BOXES, NON-SPARKING TOOLS, STAINLESS STEEL, ANTIMAGNETIC TOOLS, TITANIUM TOOLS, VDE INSULATED NON-SPARKING TOOLS, VDE INSULATED STEEL TOOLS.

Date of Certification: 30 October 2021 2nd Surveillance Audit Date: 04 October 2026
 1st Renewance Audit Date: 04 October 2027 Certificate Expiry: 04 October 2027

Certificate Number: 305024100925Q






Notice: If this certificate is subject to periodic surveillance audits or to any surveillance, or to follow ISO 9001, you must have done all the work. If you are unable to do so, you should be notified to the certification body in a timely manner. The validity of this certificate can be verified in our program. The certificate of registration remains the property of QRO Certification LLP and shall be returned immediately upon request.

India Office - QRO Certification LLP
 44, 44/2, F.E.E. and E.P.E., Patparganj Industrial Area, New Delhi-110012, INDIA
 Website: www.qualityresearch.org



Certificate of Registration

This is to certify that

DE NEERS TOOLS LIMITED
 HEAD OFFICE - 44, F.E.E., PATPARGANJ INDUSTRIAL AREA,
 DELHI - 110012, INDIA
 WORKS - PLOT NO. 83, SITE 4, SAHIBABAD INDUSTRIAL AREA,
 GHAZIABAD, UTTAR PRADESH, 201016, INDIA

has been independently assessed by QRO
 and is compliant with the requirement of

ISO 14001:2015
Environmental Management System

For the following scope of activities:

MANUFACTURING & MARKETING OF HAND TOOLS, TOOL RITE, TOOL TROLLEYS, TOOL CABINET, TOOL BOXES, NON-SPARKING TOOLS, STAINLESS STEEL, ANTIMAGNETIC TOOLS, TITANIUM TOOLS, VDE INSULATED NON-SPARKING TOOLS, VDE INSULATED STEEL TOOLS.

Date of Certification: 30 October 2021 2nd Surveillance Audit Date: 04 October 2026
 1st Renewance Audit Date: 04 October 2027 Certificate Expiry: 04 October 2027

Certificate Number: 305024100926E






Notice: If this certificate is subject to periodic surveillance audits or to any surveillance, or to follow ISO 14001, you must have done all the work. If you are unable to do so, you should be notified to the certification body in a timely manner. The validity of this certificate can be verified in our program. The certificate of registration remains the property of QRO Certification LLP and shall be returned immediately upon request.

India Office - QRO Certification LLP
 44, 44/2, F.E.E. and E.P.E., Patparganj Industrial Area, New Delhi-110012, INDIA
 Website: www.qualityresearch.org



Certificate of Registration

This is to certify that

DE NEERS TOOLS LIMITED
 HEAD OFFICE - 44, F.E.E., PATPARGANJ INDUSTRIAL AREA, DELHI - 110012, INDIA
 WORKS - PLOT NO. 83, SITE 4, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,
 UTTAR PRADESH, 201016, INDIA

has been independently assessed by QRO
 and is compliant with the requirement of

ISO 45001:2018
Occupational Health and Safety Management System

For the following scope of activities:

MANUFACTURING & MARKETING OF HAND TOOLS, TOOL RITE, TOOL TROLLEYS, TOOL CABINET, TOOL BOXES, NON-SPARKING TOOLS, STAINLESS STEEL, ANTIMAGNETIC TOOLS, TITANIUM TOOLS, VDE INSULATED NON-SPARKING TOOLS, VDE INSULATED STEEL TOOLS.

Date of Certification: 30 October 2021 2nd Surveillance Audit Date: 04 October 2026
 1st Renewance Audit Date: 04 October 2027 Certificate Expiry: 04 October 2027

Certificate Number: 305024100925H5






Notice: If this certificate is subject to periodic surveillance audits or to any surveillance, or to follow ISO 45001, you must have done all the work. If you are unable to do so, you should be notified to the certification body in a timely manner. The validity of this certificate can be verified in our program. The certificate of registration remains the property of QRO Certification LLP and shall be returned immediately upon request.

India Office - QRO Certification LLP
 44, 44/2, F.E.E. and E.P.E., Patparganj Industrial Area, New Delhi-110012, INDIA
 Website: www.qualityresearch.org



UPCOMING PRODUCTS



RATES ON REQUEST

RING SPANNERS ELLIPTICAL

DE NEERS[®]

Revolution in Hand Tools



www.deneerstools.com

DOUBLE END SPANNERS ELLIPTICAL

DE NEERS[®]

Revolution in Hand Tools



www.deneerstools.com

DE NEERS[®]

Revolution in Hand Tools



www.deneerstools.com

COMBINATION SPANNERS ELLIPTICAL

DE NEERS[®]

Revolution in Hand Tools



www.deneerstools.com

DE NEERS®

Revolution in Hand Tools



www.deneerstools.com

DE NEERS®

Revolution in Hand Tools



www.deneerstools.com

DE NEERS®

Revolution in Hand Tools



www.deneerstools.com

DE NEERS[®]

Revolution in Hand Tools



NON SPARKING TOOLS (BE-CU)

www.deneerstools.com

DE NEERS[®]

Revolution in Hand Tools

INSULATED STEEL TOOLS



www.deneerstools.com

DE NEERS®

Revolution in Hand Tools



www.deneerstools.com

DE NEERS®

Revolution in Hand Tools



www.deneerstools.com

INDEX

SPANNERS - PAGES- 31 to 68



PLIERS - PAGES- 67 to 72



INDEX

WRENCHES - PAGES- 76 to 96



CUTTERS - PAGES- 97 to 104



HAMMERS - PAGES 105 to 117



INDEX

HAMMERS - PAGES 105 to 117



SCREW DRIVERS - PAGES 118 to 131



SOCKETERY CHROME - PAGES 132 to 144



SOCKETERY IMPACT - PAGES- 145 to 169




INDEX

TOOL BOXES & KITS - PAGES 221 to 231



NON SPARKING TOOLS - PAGES 232 to 280



DOUBLE OPEN END SPANNERS (POLISHED HEAD)


DN[®]
DIN 3110

HIGH GRADE
Cr-V

HSN : 82041110

CHROME VANADIUM STEEL

S
P
A
N
N
E
R
S



Generally Conforming to IS 2028-2004

| Code | Size (mm) | (₹) |
|-----------|-----------|-----|
| DE6x7HP | 6x7 | 28 |
| DE8x9HP | 8x9 | 38 |
| DE10x11HP | 10x11 | 42 |
| DE12x13HP | 12x13 | 50 |
| DE14x15HP | 14x15 | 54 |
| DE16x17HP | 16x17 | 67 |
| DE18x19HP | 18x19 | 84 |
| DE20x22HP | 20x22 | 102 |
| DE21x23HP | 21x23 | 134 |
| DE24x27HP | 24x27 | 157 |
| DE25x28HP | 25x28 | 215 |
| DE30x32HP | 30x32 | 230 |

| Code | Pcs. Per Set | SETS | (₹) |
|----------|--------------|---|------|
| | | Sizes | |
| 12-8MHP | 8 Pcs | 6x7-20x22mm (Head Polished) IN POUCH PACK ONLY | 475 |
| 12-12MHP | 12 Pcs | 6x7-30x32mm (Head Polished) IN POUCH PACK ONLY | 1190 |

DOUBLE OPEN END SPANNERS

HSN : 82041110

Generally Conforming to IS 2028-2004

| Code | Size | (₹) |
|----------|-------------|-----|
| | Metric (mm) | |
| DE5x5.5 | 5x5.5 | 50 |
| DE5.5 x7 | 5.5 x7 | 50 |
| DE6x7 | 6x7 | 25 |
| DE6x8 | 6x8 | 50 |
| DE7x8 | 7x8 | 50 |
| DE8x9 | 8x9 | 29 |
| DE8x10 | 8x10 | 40 |
| DE9x10 | 9x10 | 44 |
| DE9x11 | 9x11 | 44 |
| DE10x11 | 10x11 | 32 |
| DE10x12 | 10x12 | 50 |
| DE10x13 | 10x13 | 50 |
| DE11x12 | 11x12 | 55 |
| DE11x13 | 11x13 | 50 |
| DE12x13 | 12x13 | 38 |
| DE12x14 | 12x14 | 52 |
| DE13x14 | 13x14 | 60 |
| DE13x15 | 13x15 | 65 |
| DE14x15 | 14x15 | 43 |
| DE13x16 | 13x16 | 70 |
| DE13x17 | 13x17 | 60 |
| DE14x17 | 14x17 | 58 |
| DE16x17 | 16x17 | 55 |
| DE16x18 | 16x18 | 80 |
| DE17x19 | 17x19 | 69 |
| DE18x19 | 18x19 | 69 |
| DE17x22 | 17x22 | 110 |
| DE18x21 | 18x21 | 130 |
| DE19x22 | 19x22 | 76 |
| DE19x21 | 19x21 | 120 |
| DE19x24 | 19x24 | 130 |
| DE20x22 | 20x22 | 81 |
| DE21x23 | 21x23 | 106 |
| DE22x24 | 22x24 | 126 |
| DE24x26 | 24x26 | 127 |
| DE24x27 | 24x27 | 127 |
| DE25x28 | 25x28 | 149 |
| DE22x27 | 22x27 | 225 |
| DE24x30 | 24x30 | 350 |
| DE27x30 | 27x30 | 350 |
| DE27x32 | 27x32 | 200 |
| DE30x32 | 30x32 | 175 |
| DE30x33 | 30x33 | 400 |
| DE31x33 | 31x33 | 400 |
| DE31x34 | 31x34 | 400 |
| DE33x34 | 33x34 | 400 |



DN[®]
DIN 3110

HIGH GRADE
Cr-V

CHROME VANADIUM STEEL

| Code | Whitworth Sizes | (₹) |
|---------------|-----------------|-----|
| DE1/8x3/16W | 1/8x3/16 WW | 33 |
| DE3/16x1/4W | 3/16x1/4 WW | 38 |
| DE1/4x5/16W | 1/4x5/16 WW | 43 |
| DE5/16x3/8W | 5/16x3/8 WW | 55 |
| DE5/16x7/16W | 5/16x7/16 WW | 70 |
| DE3/8x7/16W | 3/8x7/16 WW | 72 |
| DE7/16x1/2W | 7/16x1/2 WW | 82 |
| DE7/16x9/16W | 7/16x9/16 WW | 103 |
| DE1/2x9/16W | 1/2x9/16 WW | 130 |
| DE9/16x5/8W | 9/16x5/8 WW | 150 |
| DE9/16x11/16W | 9/16x11/16 WW | 180 |
| DE5/8x3/4W | 5/8x3/4 WW | 200 |
| DE11/16x3/4W | 11/16x3/4 WW | 220 |

DOUBLE OPEN END SPANNERS-SETS



Each Head Set at 15° Angle, Ground precisely to exact nominal size which ensures secure bolt fitting and long life of both Bolt & Spanner.

Generally Conforming to IS 2028-2004

| Code | Pce. Per Set | SETS | (₹) |
|---------|--------------|---|-----|
| | | Sizes | |
| 12-6M | 6 Pcs | 6x7-16x17mm | 240 |
| 12-8M | 8 Pcs | 6x7-20x22mm | 350 |
| 12-10M | 10 Pcs | 6x7-24x27mm | 580 |
| 12-100M | 10 Pcs | 6x7-30x32mm | 650 |
| 12-12M | 12 Pcs | 6x7-30x32mm | 870 |
| 12-6W | 6 Pcs | 1/8x3/16, 3/16x1/4, 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2ww | 350 |
| 12-9W | 9 Pcs | 1/8x3/16, 3/16x1/4, 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4ww | 780 |

DOUBLE OPEN END SPANNERS

HSN : 82041110



DN[®]
DIN 3110

HIGH GRADE
Cr-V

CHROME VANADIUM STEEL

Generally Conforming to IS 2028-2004

| Code | Size AMERICAN (SAE) | (₹) |
|-----------------|------------------------|-----|
| DE1/4x5/16A | 1/4x5/16 SAE | 42 |
| DE5/16x3/8A | 5/16x3/8 SAE | 50 |
| DE3/8x7/16A | 3/8x7/16 SAE | 53 |
| DE7/16x1/2A | 7/16x1/2 SAE | 60 |
| DE1/2x9/16A | 1/2x9/16 SAE | 54 |
| DE9/16x5/8A | 9/16x5/8 SAE | 85 |
| DE19/32x11/16A | 19/32x11/16 SAE | 105 |
| DE5/8x11/16A | 5/8x11/16 SAE | 105 |
| DE5/8x3/4A | 5/8x3/4 SAE | 105 |
| DE3/4x7/8A | 3/4x7/8 SAE | 135 |
| DE25/32x7/8A | 25/32x7/8 SAE | 160 |
| DE13/16x7/8A | 13/16x7/8 SAE | 160 |
| DE15/16x1A | 15/16x1 SAE | 240 |
| DE1x1.1/8A | 1x1.1/8 SAE | 280 |
| DE1.1/16x1.1/8A | 1.1/16x1.1/8 SAE | 330 |
| DE1.1/16x1.1/4A | 1.1/16x1.1/4 SAE | 330 |
| DE1.1/8x1.1/4A | 1.1/8x1.1/4 SAE | 330 |

DOUBLE OPEN END SPANNERS SETS



| Set No. | Pcs. Per Set | SETS | (₹) |
|--------------|--------------------|---|------|
| | | Sizes | |
| 12-8 SAE | 8 Pcs | 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4 & 25/32x7/8 SAE | 580 |
| 12-12 SAE | 12 Pcs | 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4, 25/32x7/8, 3/4x7/8, 15/16x1, 1.1/16x1.1/8, 1.1/8x1.1/4 SAE | 1450 |

DOUBLE OPEN END SPANNERS

(HEAVY DUTY) HSN : 82041110



DN[®]
DIN 895

HIGH GRADE
Cr-V

CHROME VANADIUM STEEL

Generally Conforming to DIN 895, IS 2028-2004

| Code | Size | (₹) |
|---------|----------------|------|
| | Metric (mm) | |
| DE32x36 | 32x36 | 275 |
| DE33x37 | 33x37 | 500 |
| DE33x38 | 33x38 | 500 |
| DE34x36 | 34x36 | 345 |
| DE34x37 | 34x37 | 550 |
| DE34x38 | 34x38 | 380 |
| DE35x37 | 35x37 | 550 |
| DE35x38 | 35x38 | 550 |
| DE36x38 | 36x38 | 420 |
| DE36x40 | 36x40 | 600 |
| DE36x41 | 36x41 | 350 |
| DE37x42 | 37x42 | 600 |
| DE37x43 | 37x43 | 600 |
| DE38x43 | 38x43 | 600 |
| DE41x46 | 41x46 | 450 |
| DE42x47 | 42x47 | 900 |
| DE42x48 | 42x48 | 900 |
| DE43x46 | 43x46 | 900 |
| DE43x48 | 43x48 | 900 |
| DE46x50 | 46x50 | 660 |
| DE46x51 | 46x51 | 1000 |
| DE47x50 | 47x50 | 1000 |
| DE47x51 | 47x51 | 1000 |
| DE47x56 | 47x56 | 2000 |
| DE47x52 | 47x52 | 1250 |
| DE48x50 | 48x50 | 1250 |
| DE48x52 | 48x52 | 1250 |
| DE50x55 | 50x55 | 1250 |
| DE51x56 | 51x56 | 2000 |
| DE51x57 | 51x57 | 2000 |
| DE52x57 | 52x57 | 2000 |
| DE55x60 | 55x60 | 1600 |
| DE56x61 | 56x61 | 2500 |
| DE56x62 | 56x62 | 2500 |
| DE57x61 | 57x61 | 2500 |
| DE57x62 | 57x62 | 2500 |

DOUBLE OPEN END SPANNERS

(HEAVY DUTY)

HSN : 82041110

DN[®]
DIN 895

HIGH GRADE
Cr-V

CHROME VANADIUM STEEL



Generally Conforming to DIN 895, IS 2028-2004

| Code | Size Metric (mm) | (₹) |
|----------|------------------------|-------|
| DE60x65 | 60x65 | 4300 |
| DE65x70 | 65x70 | 5000 |
| DE70x75 | 70x75 | 9000 |
| DE75x80 | 75x80 | 8000 |
| DE80x85 | 80x85 | 25000 |
| DE85x90 | 85x90 | 26000 |
| DE90x95 | 90x95 | 30000 |
| DE95x100 | 95x100 | 38000 |

Generally Conforming to DIN 895, IS 2028-2004

| Code | Whitworth Sizes | (₹) |
|----------------|--------------------|------|
| DE3/4x7/8W | 3/4x7/8 WW | 275 |
| DE7/8x1W | 7/8x1 WW | 350 |
| DE1x1.1/8W | 1x1.1/8 WW | 450 |
| DE7/8x1.1/8W | 7/8x1.1/8 WW | 440 |
| DE1.1/8x1.1/4W | 1.1/8x1.1/4 WW | 650 |
| DE1.1/8x1.3/8W | 1.1/8x1.3/8 WW | 1050 |

DOUBLE END VALVE WHEEL WRENCH

HSN : 82041110



| Code | Size (mm) | (₹) |
|--------|--------------|-------|
| DN-001 | 200 | 6840 |
| DN-002 | 250 | 9120 |
| DN-003 | 450 | 22040 |

ALUMINUM VALVE WRENCH

HSN : 82041110



| Code | Length | Opening | (₹) |
|--------|--------|---------|-------|
| DN-004 | 13-5/8 | 1.3/8 | 19760 |
| DN-005 | 17-5/8 | 1.3/4 | 22800 |
| DN-006 | 25-1/2 | 2.1/2 | 39520 |



DE NEERS®

Revolution in Hand Tools

DOUBLE OPEN END SPANNERS ELLIPTICAL MIRROR FINISH

DN[®]
DIN 3110

HIGH GRADE
Cr-V
CHROME VANADIUM STEEL



**DOUBLE OPEN END SPANNERS
ELLIPTICAL MIRROR FINISH**

HSN : 82041110



HIGH GRADE
Cr-V

DN[®]

Generally Conforming to IS 2028-2004

CHROME VANADIUM STEEL

DIN 3110

| Code | Size (mm) | (₹) |
|------------|-----------|-----|
| DE6x7ELP | 6x7 | 43 |
| DE8x9ELP | 8x9 | 48 |
| DE8x10ELP | 8x10 | 48 |
| DE9x11ELP | 9x11 | 57 |
| DE10x11ELP | 10x11 | 57 |
| DE10x12ELP | 10x12 | 57 |
| DE11x13ELP | 11x13 | 66 |
| DE12x13ELP | 12x13 | 57 |
| DE12x14ELP | 12x14 | 63 |
| DE14x15ELP | 14x15 | 80 |
| DE16x17ELP | 16x17 | 92 |
| DE16x18ELP | 16x18 | 90 |
| DE18x19ELP | 18x19 | 124 |
| DE19x22ELP | 19x22 | 150 |
| DE20x22ELP | 20x22 | 160 |
| DE21x23ELP | 21x23 | 186 |
| DE22x24ELP | 22x24 | 200 |
| DE24x26ELP | 24x26 | 200 |
| DE24x27ELP | 24x27 | 220 |
| DE25x28ELP | 25x28 | 260 |
| DE27x30ELP | 27x30 | 400 |
| DE27x32ELP | 27x32 | 400 |
| DE30x32ELP | 30x32 | 325 |

DOUBLE OPEN END SPANNERS ELLIPTICAL MIRROR FINISH SETS



| Set No. | Pcs. Per Set | SETS | (₹) |
|-----------|--------------|------------------------------------|------|
| | | Sizes: | |
| 12ELP-8M | 8 Pcs | 6x7-20x22mm (in Pouch Packing) | 900 |
| 12ELP-12M | 12 Pcs | 6x7-30x32mm (in Pouch Packing) | 2050 |

**GEAR WRENCH - STRAIGHT
(ELLIPTICAL / SATIN FINISH)**

HSN : 82041110



HIGH GRADE
Cr-V

CHROME VANADIUM STEEL

Open end with high torque and ring end manufactured with 72/90 teeth ratcheting mechanism, especially suited for confined areas.

| Code | Sizes (mm) | (₹) |
|------|------------|-------|
| GW6 | 6 | 300 |
| GW7 | 7 | 300 |
| GW8 | 8 | 380 |
| GW9 | 9 | 380 |
| GW10 | 10 | 240 |
| GW11 | 11 | 240 |
| GW12 | 12 | 275 |
| GW13 | 13 | 275 |
| GW14 | 14 | 275 |
| GW15 | 15 | 300 |
| GW16 | 16 | 360 |
| GW17 | 17 | 400 |
| GW18 | 18 | 600 |
| GW19 | 19 | 600 |
| GW20 | 20 | 750 |
| GW21 | 21 | 660 |
| GW22 | 22 | 800 |
| GW23 | 23 | 1200 |
| GW24 | 24 | 1200 |
| GW25 | 25 | 1440 |
| GW26 | 26 | 1900 |
| GW27 | 27 | 1656 |
| GW28 | 28 | 1800 |
| GW29 | 29 | 2500 |
| GW30 | 30 | 1800 |
| GW32 | 32 | 2000 |
| GW34 | 34 | 6960 |
| GW36 | 36 | 9000 |
| GW38 | 38 | 9000 |
| GW41 | 41 | 11000 |
| GW46 | 46 | 15000 |
| GW50 | 50 | 20000 |
| GW55 | 55 | 29000 |
| GW60 | 60 | 36000 |
| GW65 | 65 | 48000 |
| GW70 | 70 | 60000 |

| Code | Sizes (SAE) | (₹) |
|----------|-------------|-----|
| GW5/16A | 5/16 A | 400 |
| GW3/8A | 3/8 A | 400 |
| GW7/16A | 7/16 A | 450 |
| GW1/2A | 1/2 A | 480 |
| GW9/16A | 9/16 A | 480 |
| GW5/8A | 5/8 A | 600 |
| GW11/16A | 11/16 A | 800 |
| GW3/4A | 3/4 A | 800 |



GEAR WRENCH SETS

| Set No. | Pcs. Per Set | SETS | (₹) |
|---------|--------------|---|-------|
| | | Sizes | |
| GW-12M | 12 | 6 - 21mm or 6 - 22mm (in Pouch Packing) | 5250 |
| GW-16M | 16 | 6 - 32mm (in Pouch Packing) | 11500 |

GEAR WRENCH - FLEXIBLE

HSN : 82041110



Open end with high torque and ring end manufactured with 72/90 teeth ratcheting mechanism, especially suited for confined areas.

| Code | Sizes (mm) | (₹) |
|-------|------------|------|
| GW6F | 6 | 400 |
| GW7F | 7 | 400 |
| GW8F | 8 | 500 |
| GW9F | 9 | 500 |
| GW10F | 10 | 330 |
| GW11F | 11 | 330 |
| GW12F | 12 | 375 |
| GW13F | 13 | 375 |
| GW14F | 14 | 375 |
| GW15F | 15 | 400 |
| GW16F | 16 | 490 |
| GW17F | 17 | 550 |
| GW18F | 18 | 810 |
| GW19F | 19 | 810 |
| GW20F | 20 | 1000 |
| GW21F | 21 | 900 |
| GW22F | 22 | 1080 |
| GW23F | 23 | 1620 |
| GW24F | 24 | 1620 |
| GW25F | 25 | 1950 |
| GW26F | 26 | 2575 |
| GW27F | 27 | 2250 |
| GW28F | 28 | 2430 |
| GW29F | 29 | 3375 |
| GW30F | 30 | 2430 |
| GW32F | 32 | 2700 |

FLARE NUT RATCHET WRENCH



HSN : 82041110

| Code | Size (mm) | (₹) |
|--------|-----------|------|
| DN-007 | 8x9 | 1500 |
| DN-008 | 8x10 | 1500 |
| DN-009 | 9x11 | 1700 |
| DN-010 | 10x11 | 1700 |
| DN-011 | 10x12 | 1700 |
| DN-012 | 11x12 | 1700 |
| DN-013 | 11x13 | 1800 |
| DN-014 | 12x13 | 1800 |
| DN-015 | 12x14 | 2100 |
| DN-016 | 13x14 | 2100 |
| DN-017 | 14x17 | 2500 |
| DN-018 | 15x17 | 2500 |
| DN-019 | 16x17 | 2500 |
| DN-020 | 17x19 | 2800 |
| DN-021 | 19x21 | 3000 |
| DN-022 | 19x22 | 3000 |
| DN-023 | 22x24 | 3800 |
| DN-024 | 24x32 | 6000 |
| DN-025 | 27x30 | 7000 |

FLEXIBLE STUBBY RATCHET WRENCH



HSN : 82041110

| Code | Size (mm) | (₹) |
|--------|-----------|------|
| DN-044 | 8 | 700 |
| DN-045 | 9 | 700 |
| DN-046 | 10 | 750 |
| DN-047 | 11 | 800 |
| DN-048 | 12 | 800 |
| DN-049 | 13 | 900 |
| DN-050 | 14 | 1000 |
| DN-051 | 15 | 1000 |
| DN-052 | 16 | 1100 |
| DN-053 | 17 | 1200 |
| DN-054 | 18 | 1300 |
| DN-055 | 19 | 1300 |

STUBBY RATCHET WRENCH



HSN : 82041110

| Code | Size (mm) | (₹) |
|--------|-----------|------|
| DN-029 | 8 | 600 |
| DN-030 | 9 | 600 |
| DN-031 | 10 | 600 |
| DN-032 | 11 | 600 |
| DN-033 | 12 | 700 |
| DN-034 | 13 | 700 |
| DN-035 | 14 | 800 |
| DN-036 | 15 | 800 |
| DN-037 | 16 | 900 |
| DN-038 | 17 | 1000 |
| DN-039 | 18 | 1000 |
| DN-040 | 19 | 1100 |

RATCHET SOCKET WRENCH



HSN : 82041110

| Code | Size (mm) | (₹) |
|--------|-----------|------|
| DN-061 | 10x12 | 2000 |
| DN-062 | 11x13 | 2000 |
| DN-063 | 12x14 | 2500 |
| DN-064 | 13x17 | 2500 |
| DN-065 | 14x17 | 2500 |
| DN-066 | 16x18 | 3000 |
| DN-067 | 17x21 | 3000 |
| DN-068 | 17x19 | 1300 |
| DN-069 | 19x21 | 3000 |
| DN-070 | 19x22 | 1400 |
| DN-071 | 21x23 | 5000 |
| DN-072 | 21x24 | 5000 |
| DN-073 | 19x24 | 5000 |
| DN-074 | 21x26 | 5000 |
| DN-075 | 22x24 | 5500 |
| DN-076 | 24x27 | 7000 |
| DN-077 | 27x30 | 7500 |
| DN-078 | 30x32 | 7000 |

ER-UM TYPE WRENCH SPANNER (CNC MACHINE SPANNER)



Suitable for ER Nut Collect Chuck Holder
of CNC Milling Lathe Tool.

HSN : 82041110

| Code | Sizes | (₹) |
|----------|-------|-----|
| ER-25 UM | 25 | 450 |
| ER-32 UM | 32 | 500 |
| ER-40 UM | 40 | 550 |
| ER-50 UM | 50 | 600 |

**C SHAPE REVERSIBLE
DOUBLE RING RATCHET WRENCH**

HSN : 82041110

| Code | Size (mm) | (₹) |
|--------|-----------|------|
| DN-084 | 8x9 | 1600 |
| DN-085 | 10x11 | 1700 |
| DN-086 | 12x13 | 1800 |
| DN-087 | 14x15 | 1900 |
| DN-088 | 16x17 | 2000 |
| DN-089 | 18x19 | 2100 |
| DN-090 | 20x22 | 2200 |
| DN-091 | 22x24 | 2500 |
| DN-092 | 23x24 | 3000 |



DOUBLE END TORX RING RATCHET WRENCH

HSN : 82041110

| Code | Size (mm) | (₹) |
|--------|-----------|------|
| DN-097 | E6 x E8 | 1500 |
| DN-098 | E10 x E12 | 1700 |
| DN-099 | E14 x E18 | 2000 |
| DN-100 | E20 x E24 | 2800 |



**S SHAPE REVERSIBLE RATCHET
DOUBLE RING**

HSN : 82041110

| Code | Size (mm) | (₹) |
|--------|-----------|------|
| DN-104 | 8x9 | 3000 |
| DN-105 | 10x11 | 3200 |
| DN-106 | 12x13 | 3400 |
| DN-107 | 14x15 | 3600 |
| DN-108 | 16x17 | 3800 |
| DN-109 | 17x19 | 4000 |
| DN-110 | 18x19 | 4200 |
| DN-111 | 20x22 | 4500 |
| DN-112 | 22x24 | 5500 |
| DN-113 | 23x24 | 6500 |



DOUBLE RATCHET OFFSET SPANNER

HSN : 82041110

| Code | Size (mm) | (₹) |
|--------|-----------|------|
| DN-117 | 6x7 | 800 |
| DN-118 | 6x8 | 1000 |
| DN-119 | 8x9 | 700 |
| DN-120 | 8x10 | 1100 |
| DN-121 | 10x11 | 800 |
| DN-122 | 10x12 | 1100 |
| DN-123 | 11x13 | 1100 |
| DN-124 | 12x13 | 900 |
| DN-125 | 14x15 | 1000 |
| DN-126 | 14x17 | 1500 |
| DN-127 | 19x21 | 1800 |
| DN-128 | 20x22 | 2000 |



**FLARE NUT SPANNER
ELLIPTICAL MIRROR FINISH**



DN[®]

DIN 3118

Generally Conforming to IS 2029-1998

| Code | Sizes | (₹) |
|----------|-------|-----|
| FNS6x8 | 6x8 | 150 |
| FNS7x11 | 7x11 | 150 |
| FNS8x9 | 8x9 | 150 |
| FNS8x10 | 8x10 | 127 |
| FNS9x10 | 9x10 | 127 |
| FNS9x11 | 9x11 | 140 |
| FNS10x11 | 10x11 | 132 |
| FNS9x12 | 9x12 | 140 |
| FNS10x12 | 10x12 | 140 |
| FNS10x13 | 10x13 | 180 |
| FNS11x12 | 11x12 | 180 |
| FNS11x13 | 11x13 | 146 |
| FNS12x13 | 12x13 | 185 |
| FNS12x14 | 12x14 | 180 |
| FNS13x14 | 13x14 | 210 |
| FNS13x15 | 13x15 | 210 |
| FNS13x16 | 13x16 | 228 |
| FNS13x17 | 13x17 | 240 |
| FNS14x15 | 14x15 | 216 |
| FNS14x16 | 14x16 | 395 |
| FNS14x17 | 14x17 | 260 |
| FNS14x19 | 14x19 | 300 |

HIGH GRADE
Cr-V

HSN : 82041110

CHROME VANADIUM STEEL

| Code | Sizes | (₹) |
|---------------|------------|-----|
| FNS15x16 | 15x16 | 410 |
| FNS15x17 | 15x17 | 270 |
| FNS16x17 | 16x17 | 270 |
| FNS16x18 | 16x18 | 300 |
| FNS17x19 | 17x19 | 330 |
| FNS18x19 | 18x19 | 420 |
| FNS19x21 | 19x21 | 420 |
| FNS19x22 | 19x22 | 420 |
| FNS21x22 | 21x22 | 550 |
| FNS21x23 | 21x23 | 836 |
| FNS22x24 | 22x24 | 550 |
| FNS24x27 | 24x27 | 600 |
| FNS25x32 | 25x32 | 800 |
| FNS30x32 | 30x32 | 800 |
| FNS3/8x7/16A | 3/8x7/16A | 180 |
| FNS5/16x3/8A | 5/16x3/8A | 304 |
| FNS1/2x9/16A | 1/2x9/16A | 200 |
| FNS5/8x11/16A | 5/8x11/16A | 300 |
| FNS5/8x3/4A | 5/8x3/4A | 638 |
| FNS11/16x3/4A | 11/16x3/4A | 684 |
| FNS3/4x13/16A | 3/4x13/16A | 420 |
| FNS7/16x1/2A | 7/16x1/2A | 410 |

**S
P
A
N
N
E
R
S**

**S-SHAPE SPANNER
ELLIPTICAL MIRROR / MATT FINISH**



HIGH GRADE
Cr-V

CHROME VANADIUM STEEL

HSN : 82041110

| Code | Sizes | (₹) |
|---------------|----------------|-----|
| SS8x10 | 8x10 | 330 |
| SS10x11 | 10x11 | 330 |
| SS11x13 | 11x13 | 385 |
| SS12x13 | 12x13 | 352 |
| SS14x15 | 14x15 | 374 |
| SS16x17 | 16x17 | 400 |
| SS17x19 | 17x19 | 550 |
| SS18x19 | 18x19 | 462 |
| SS20x22 | 20x22 | 462 |
| SS5/16x3/8A | 5/16x3/8 SAE | 350 |
| SS3/8x13/32A | 3/8x13/32 SAE | 300 |
| SS3/8x7/16A | 3/8x7/16 SAE | 450 |
| SS7/16x1/2A | 7/16x1/2 SAE | 300 |
| SS9/16x19/32A | 9/16x19/32 SAE | 300 |
| SS5/8x11/16A | 5/8x11/16 SAE | 360 |
| SS3/4x11/16A | 3/4x11/16 SAE | 420 |

**BI-HEXAGON RING SPANNERS-
SHALLOW OFFSET**

HSN : 82041110

**Head
Polished**

**BI-HEXAGON RING SPANNERS-
SHALLOW OFFSET**

**WW
SIZES**



HIGH GRADE
Cr-V

DN[®]

DIN 838

Generally Conforming to IS 2029-1998

CHROME VANADIUM STEEL

| Code | Size Metric (mm) | (₹) |
|---------|------------------------|-----|
| RS6x7 | 6x7 | 45 |
| RS6x8 | 6x8 | 84 |
| RS7x8 | 7x8 | 84 |
| RS7x9 | 7x9 | 84 |
| RS8x9 | 8x9 | 70 |
| RS8x10 | 8x10 | 100 |
| RS9x10 | 9x10 | 100 |
| RS10x11 | 10x11 | 70 |
| RS10x12 | 10x12 | 105 |
| RS10x13 | 10x13 | 120 |
| RS11x13 | 11x13 | 120 |
| RS12x13 | 12x13 | 75 |
| RS12x14 | 12x14 | 120 |
| RS14x15 | 14x15 | 83 |
| RS13x14 | 13x14 | 145 |
| RS13x15 | 13x15 | 145 |
| RS13x16 | 13x16 | 170 |
| RS13x17 | 13x17 | 120 |
| RS14x17 | 14x17 | 105 |
| RS16x17 | 16x17 | 108 |
| RS17x19 | 17x19 | 120 |
| RS17x22 | 17x22 | 250 |
| RS18x19 | 18x19 | 121 |
| RS18x21 | 18x21 | 220 |
| RS19x21 | 19x21 | 220 |
| RS19x22 | 19x22 | 156 |
| RS20x22 | 20x22 | 155 |
| RS21x22 | 21x22 | 230 |
| RS21x23 | 21x23 | 180 |
| RS19x24 | 19x24 | 240 |
| RS22x24 | 22x24 | 240 |
| RS22x27 | 22x27 | 300 |
| RS24x26 | 24x26 | 200 |
| RS24x27 | 24x27 | 200 |
| RS25x28 | 25x28 | 260 |
| RS24x30 | 24x30 | 460 |
| RS24x32 | 24x32 | 420 |
| RS27x30 | 27x30 | 460 |
| RS27x32 | 27x32 | 380 |
| RS30x32 | 30x32 | 337 |
| RS32x33 | 32x33 | 480 |

| Code | Whitworth Sizes | (₹) |
|---------------|--------------------|-----|
| RS1/8x3/16W | 1/8x3/16 WW | 70 |
| RS3/16x1/4W | 3/16x1/4 WW | 75 |
| RS1/4x5/16W | 1/4x5/16 WW | 83 |
| RS5/16x3/8W | 5/16x3/8 WW | 105 |
| RS5/16x7/16W | 5/16x7/16 WW | 140 |
| RS3/8x7/16W | 3/8x7/16 WW | 157 |
| RS7/16x1/2W | 7/16x1/2 WW | 160 |
| RS7/16x9/16W | 7/16x9/16 WW | 190 |
| RS1/2x9/16W | 1/2x9/16 WW | 220 |
| RS9/16x5/8W | 9/16x5/8 WW | 265 |
| RS11/16x3/4W | 11/16x3/4 WW | 360 |
| RS9/16x11/16W | 9/16x11/16 WW | 340 |
| RS5/8x3/4W | 5/8x3/4 WW | 380 |

RING SPANNER SETS



Hardened & Tempered, Chrome Plated
Shallow Offset, Strong & Thin Walls

Generally Conforming to IS 2029-1998

**Head
Polished**

| Set No. | Pcs. Per Set | SETS | (₹) |
|---------|--------------------|---|------|
| | | Sizes | |
| 13-6M | 6 Pcs | 6x7 - 16x17mm | 500 |
| 13-8M | 8 Pcs | 6x7 - 20x22mm | 675 |
| 13-10M | 10 Pcs | 6x7 - 24x27mm | 1120 |
| 13-100M | 10 Pcs | 6x7 - 30x32mm | 1260 |
| 13-12M | 12 Pcs | 6x7 - 30x32mm | 1600 |
| 13-6W | 6 Pcs | 1/8x3/16, 3/16x1/4, 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2 WW | 750 |
| 13-9W | 9 Pcs | 1/8x3/16, 3/16x1/4, 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4 WW | 1650 |

RING SPANNERS

HSN : 82041110

**SAE
SIZES**



Forged from Chrome Vanadium Steel
Hardened & Tempered, Chrome Plated
Shallow Offset, Strong & Thin Walls

Generally Conforming to IS 2029-1998

**Head
Polished**

| Code | Size AMERICAN (SAE) | (₹) |
|-----------------|------------------------|-----|
| RS1/4x5/16A | 1/4x5/16 SAE | 96 |
| RS5/16x3/8A | 5/16x3/8 SAE | 108 |
| RS3/8x7/16A | 3/8x7/16 SAE | 117 |
| RS7/16x1/2A | 7/16x1/2 SAE | 120 |
| RS1/2x9/16A | 1/2x9/16 SAE | 120 |
| RS9/16x5/8A | 9/16x5/8 SAE | 180 |
| RS19/32x11/16A | 19/32x11/16 SAE | 180 |
| RS5/8x11/16A | 5/8x11/16 SAE | 180 |
| RS5/8x3/4A | 5/8x3/4 SAE | 195 |
| RS3/4x7/8A | 3/4x7/8 SAE | 240 |
| RS25/32x7/8A | 25/32x7/8 SAE | 270 |
| RS13/16x7/8A | 13/16x7/8 SAE | 270 |
| RS15/16x1A | 15/16x1 SAE | 360 |
| RS1x1.1/8A | 1x1.1/8 SAE | 390 |
| RS1.1/16x1.1/8A | 1.1/16x1.1/8 SAE | 540 |
| RS1.1/16x1.1/4A | 1.1/16x1.1/4 SAE | 570 |
| RS1.1/8x1.1/4A | 1.1/8x1.1/4 SAE | 570 |

RING SPANNERS SETS



| Set No. | Pcs. Per Set | SETS | (₹) |
|--------------|--------------------|---|------|
| | | Sizes | |
| 13-8 SAE | 8 Pcs | 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4 & 25/32x7/8 SAE | 1140 |
| 13-12 SAE | 12 Pcs | 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4, 25/32x7/8, 3/4x7/8, 15/16x1, 1.1/16x1.1/8, 1.1/8x1.1/4 SAE | 2520 |

RING SPANNER - HEAVY DUTY

HSN : 82041110



Forged from Chrome Vanadium / Alloy Steel
Hardened & Tempered, Chrome Plated

Generally Conforming to IS 2029-1998

**Head
Polished**

| Code | Size Metric (mm) | (₹) |
|---------|------------------------|-------|
| RS32x36 | 32x36 | 575 |
| RS33x34 | 33x34 | 1000 |
| RS33x37 | 33x37 | 1000 |
| RS33x38 | 33x38 | 1000 |
| RS34x36 | 34x36 | 700 |
| RS34x37 | 34x37 | 1000 |
| RS34x38 | 34x38 | 760 |
| RS35x37 | 35x37 | 1200 |
| RS35x38 | 35x38 | 1200 |
| RS36x38 | 36x38 | 900 |
| RS36x40 | 36x40 | 1200 |
| RS36x41 | 36x41 | 710 |
| RS37x42 | 37x42 | 1200 |
| RS37x43 | 37x43 | 1300 |
| RS38x43 | 38x43 | 1500 |
| RS41x46 | 41x46 | 1650 |
| RS42x47 | 42x47 | 2400 |
| RS42x48 | 42x48 | 2400 |
| RS43x46 | 43x46 | 2400 |
| RS43x48 | 43x48 | 2400 |
| RS46x50 | 46x50 | 2000 |
| RS47x50 | 47x50 | 3200 |
| RS47x51 | 47x51 | 3200 |
| RS47x52 | 47x52 | 3200 |
| RS47x56 | 47x56 | 3200 |
| RS48x50 | 48x50 | 3200 |
| RS48x52 | 48x52 | 3200 |
| RS48x56 | 48x56 | 4600 |
| RS50x55 | 50x55 | 3250 |
| RS51x56 | 51x56 | 5000 |
| RS51x57 | 51x57 | 5000 |
| RS52x57 | 52x57 | 5000 |
| RS55x60 | 55x60 | 3400 |
| RS56x61 | 56x61 | 6500 |
| RS56x62 | 56x62 | 6500 |
| RS57x61 | 57x61 | 6500 |
| RS57x62 | 57x62 | 6500 |
| RS60x65 | 60x65 | 6000 |
| RS65x70 | 65x70 | 11000 |

RING SPANNER - HEAVY DUTY

HSN : 82041110



DN[®]

DIN 838

Generally Conforming to IS 2029-1998

| Code | Size (mm) | (₹) |
|----------|-----------|-------|
| RS70x75 | 70x75 | 16000 |
| RS75x80 | 75x80 | 16500 |
| RS80x85 | 80x85 | 35000 |
| RS85x90 | 85x90 | 40000 |
| RS90x95 | 90x95 | 55000 |
| RS95x100 | 95x100 | 62000 |

HIGH GRADE
Cr-V

CHROME VANADIUM STEEL

| Code | Whitworth Sizes | (₹) |
|----------------|-----------------|------|
| RS3/4x7/8W | 3/4x7/8 WW | 575 |
| RS7/8x1W | 7/8x1 WW | 710 |
| RS1x1.1/8W | 1x1.1/8 WW | 1650 |
| RS7/8x1.1/8W | 7/8x1.1/8 WW | 1750 |
| RS1.1/8x1.1/4W | 1.1/8x1.1/4 WW | 2000 |
| RS1.1/8x1.3/8W | 1.1/8x1.3/8 WW | 2400 |

N-in-1 Universal Spanner



HSN : 82041110

| Code | Thickness x Length | Size | (₹) |
|--------|--------------------|---------|------|
| DN-149 | 6mm x 145mm | 6-11mm | 300 |
| DN-150 | 6mm x 180mm | 6-15mm | 400 |
| DN-151 | 6mm x 240mm | 10-19mm | 600 |
| DN-152 | 8mm x 290mm | 16-27mm | 950 |
| DN-153 | 8mm x 340mm | 17-32mm | 1250 |

Combination Self-Tightening Spanner



HSN : 82041110

| Code | Thickness x Length | Size | (₹) |
|--------|--------------------|---------|-----|
| DN-201 | 6mm x 250mm | 8-25mm | 450 |
| DN-202 | 8mm x 270mm | 14-25mm | 600 |

Double Ring Self-Tightening Spanner



HSN : 82041110

| Code | Thickness x Length | Size | (₹) |
|--------|--------------------|--------|-----|
| DN-174 | 5mm x 150mm | 3-17mm | 200 |
| DN-175 | 4.5mm x 160mm | 8-22mm | 300 |
| DN-176 | 6mm x 230mm | 8-22mm | 400 |
| DN-177 | 6mm x 270mm | 8-22mm | 450 |
| DN-178 | 8mm x 270mm | 8-22mm | 500 |
| DN-179 | 6mm x 270mm | 8-24mm | 450 |
| DN-180 | 8mm x 270mm | 8-24mm | 500 |

Double Open Self-Tightening Spanner



HSN : 82041110

| Code | Thickness x Length | Size | (₹) |
|--------|--------------------|--------|-----|
| DN-223 | 6mm x 230mm | 6-25mm | 450 |
| DN-224 | 6mm x 270mm | 6-25mm | 500 |
| DN-225 | 8mm x 270mm | 6-25mm | 600 |

LONG SINGLE ENDED RING RATCHET WRENCH

**S
P
A
N
N
E
R
S**



HSN : 82041110

| Code | Size (mm) | (₹) |
|--------|-----------|-------|
| DN-246 | 30 | 3200 |
| DN-247 | 36 | 4000 |
| DN-248 | 41 | 6000 |
| DN-249 | 46 | 8000 |
| DN-250 | 48 | 8000 |
| DN-251 | 50 | 8000 |
| DN-252 | 55 | 9000 |
| DN-253 | 60 | 12000 |
| DN-254 | 65 | 14000 |
| DN-255 | 70 | 15000 |
| DN-256 | 75 | 15600 |
| DN-257 | 80 | 16000 |
| DN-258 | 85 | 20000 |

DE NEERS[®]

Revolution in Hand Tools

**RING SPANNERS ELLIPTICAL / DEEP OFFSET
MIRROR FINISH**

DN[®]
DIN 838

HIGH GRADE
Cr-V
CHROME VANADIUM STEEL



**RING SPANNERS ELLIPTICAL / DEEP OFFSET
MIRROR FINISH HSN : 82041110**



DN[®]

HIGH GRADE
Cr-V

Generally Conforming to IS 2029-1998

DIN 838

CHROME VANADIUM STEEL

| Code | Size (mm) | (₹) |
|------------|-----------|-----|
| RS6x7ELP | 6x7 | 78 |
| RS8x9ELP | 8x9 | 84 |
| RS10x11ELP | 10x11 | 90 |
| RS11x13ELP | 11x13 | 150 |
| RS12x13ELP | 12x13 | 100 |
| RS14x15ELP | 14x15 | 125 |
| RS16x17ELP | 16x17 | 150 |
| RS18x19ELP | 18x19 | 160 |
| RS19x22ELP | 19x22 | 300 |
| RS20x22ELP | 20x22 | 230 |
| RS21x23ELP | 21x23 | 250 |
| RS24x26ELP | 24x26 | 330 |
| RS24x27ELP | 24x27 | 330 |
| RS25x28ELP | 25x28 | 380 |
| RS30x32ELP | 30x32 | 490 |

RING SPANNERS ELLIPTICAL / DEEP OFFSET - SET



| Set No. | Pcs.Per Set | SETS | (₹) |
|-----------|-------------|-----------------------------------|------|
| | | Sizes | |
| 13ELP-8M | 8 Pcs | 6x7-20x22mm (in Pouch Packing) | 1400 |
| 13ELP-12M | 12 Pcs | 6x7-30x32mm (in Pouch Packing) | 3000 |

**TUBULAR BOX SPANNERS
SEAMLESS HEAVY DUTY PIPE**



Made out of Selected Tubing.
Using High grade Carbon Steel.
Zinc plated for corrosion protection with tommy bar.
Generally Conforming to IS 2030-1989

HSN : 82041110

| Code | Size (mm) | (₹) |
|----------|-----------|-----|
| TBS6x7 | 6x7 | 41 |
| TBS6x8 | 6x8 | 44 |
| TBS8x9 | 8x9 | 44 |
| TBS10x11 | 10x11 | 50 |
| TBS10x12 | 10x12 | 70 |
| TBS12x13 | 12x13 | 66 |
| TBS12x14 | 12x14 | 80 |
| TBS14x15 | 14x15 | 75 |
| TBS14x17 | 14x17 | 90 |
| TBS16x17 | 16x17 | 85 |
| TBS17x19 | 17x19 | 100 |
| TBS18x19 | 18x19 | 100 |
| TBS19x22 | 19x22 | 160 |
| TBS20x22 | 20x22 | 120 |
| TBS21x23 | 21x23 | 135 |
| TBS22x24 | 22x24 | 200 |

| Code | Size (mm) | (₹) |
|----------|-----------|------|
| TBS24x26 | 24x26 | 190 |
| TBS24x27 | 24x27 | 190 |
| TBS25x28 | 25x28 | 220 |
| TBS27x32 | 27x32 | 330 |
| TBS30x32 | 30x32 | 260 |
| TBS32x36 | 32x36 | 520 |
| TBS36x41 | 36x41 | 600 |
| TBS41x46 | 41x46 | 800 |
| TBS46x50 | 46x50 | 1100 |
| TBS50x52 | 50x52 | 1200 |
| TBS50x55 | 50x55 | 1500 |
| TBS55x60 | 55x60 | 1750 |
| TBS65x70 | 65x70 | 2000 |
| TBS70x75 | 70x75 | 2450 |
| TBS75x80 | 75x80 | 2900 |

TOMMY BAR FOR TUBULAR

| Code | Item | (₹) |
|--------|-------------------|-----|
| DN-279 | Tommy Bar (Small) | 200 |
| DN-280 | Tommy Bar (Big) | 300 |

TUBULAR BOX SPANNERS SETS

| Code | Size (mm) | (₹) |
|--------|--------------------------|------|
| DN-301 | 6x7-20x22 with Tommy Bar | 800 |
| DN-302 | 6x7-30x32 with Tommy Bar | 1700 |

**FOUR WAY WHEEL SPANNERS
HEAVY DUTY**

HSN : 82041110

All ends Induction Hardened.
Fully Hardened & tempered.
Using High grade Carbon Steel.
Nickel-Chrome plated for corrosion protection.
Generally Conforming as per IS 12521-1988



| Size (mm) | Item Code | Wt in Gms | (₹) |
|--|-----------|-----------|-----|
| 10,11,13,14 in ϕ = 12mm Rod Length 260mm | CW0314 | 550 | 280 |
| 17,18,19,21 in ϕ = 16mm Rod Length 400mm | CW7981 | 1400 | 460 |



L - SPANNERS (FOR WHEELS)



Extra Long Only
Fully Hardened

Generally Conforming to IS : 2030 - 1989

HSN : 82041110

| Code | Size (mm) | Length (mm) | (₹) |
|--------------|----------------|-------------|-----|
| L-17 (1534) | 17mm | 135x300 | 225 |
| L-18 (1535) | 18mm | 135x300 | 225 |
| L-19 (1536) | 19mm | 135x300 | 230 |
| L-19 (1536H) | 19mm with hole | 135x310 | 250 |
| L-21(1537) | 20.8mm (13/16) | 140x310 | 260 |
| L-21(1537H) | 21mm with hole | 140x320 | 280 |

TWO WAY WHEEL SPANNERS

HSN : 82041110



Fully Hardened

Manufactured from Selected Steel.

Supplied in Individual Box Packing.

Generally Conforming to IS 2030-1989

| Code | Size (mm) | Length (mm) | (₹) |
|--------|-----------|-------------|-----|
| WS2426 | 24x26 | 400 | 750 |
| WS2427 | 24x27 | 400 | 750 |
| WS2627 | 26x27 | 400 | 900 |
| WS2727 | 27x27 | 400 | 750 |
| WS2728 | 27x28 | 400 | 850 |
| WS2730 | 27x30 | 400 | 750 |
| WS2732 | 27x32 | 400 | 750 |
| WS2733 | 27x33 | 400 | 750 |
| WS2830 | 28x30 | 400 | 900 |
| WS2832 | 28x32 | 400 | 900 |
| WS3030 | 30x30 | 400 | 750 |
| WS3032 | 30x32 | 400 | 750 |
| WS3033 | 30x33 | 400 | 750 |

| Code | Size (mm) | Length (mm) | (₹) |
|---------|--------------|-------------|------|
| WS3232 | 32x32 | 400 | 750 |
| WS3232L | 32x32 (LONG) | 550 | 1350 |
| WS3233 | 32x33 | 400 | 750 |
| WS3333 | 33x33 | 400 | 750 |
| WS3333L | 33x33 (LONG) | 550 | 1350 |
| WS3236 | 32x36 | 400 | 900 |
| WS3238 | 32x38 | 400 | 1080 |
| WS2136 | 21x36 | 400 | 1200 |
| WS2138 | 21x38 | 400 | 1200 |
| WS3841 | 38x41 | 400 | 1200 |
| WS2141 | 21x41 | 400 | 1200 |
| DN-323 | Tommy Bar | 450 | 600 |
| DN-324 | Tommy Bar | 900 | 1100 |
| DN-325 | Tommy Bar | 1200 | 1500 |

COMBINATION RING & OPEN END SPANNERS

DN[®]
DIN 3113

HIGH GRADE
CrV

HSN : 82041110

Head
Polished

CHROME VANADIUM STEEL



Forged from Chrome Vanadium / Alloy Steel
Long Profile Handle for extra leverage

Generally Conforming to IS 6389-1998

| Item Code | Size Metric (mm) | (₹) |
|-----------|------------------|-----|
| CS5.5 | 5.5 | 75 |
| CS6 | 6 | 33 |
| CS7 | 7 | 35 |
| CS8 | 8 | 35 |
| CS9 | 9 | 39 |
| CS10 | 10 | 40 |
| CS11 | 11 | 42 |
| CS12 | 12 | 44 |
| CS13 | 13 | 50 |
| CS14 | 14 | 57 |
| CS15 | 15 | 69 |
| CS16 | 16 | 70 |
| CS17 | 17 | 72 |
| CS18 | 18 | 82 |

| Item Code | Size Metric (mm) | (₹) |
|-----------|------------------|-----|
| CS19 | 19 | 87 |
| CS20 | 20 | 112 |
| CS21 | 21 | 118 |
| CS22 | 22 | 121 |
| CS23 | 23 | 160 |
| CS24 | 24 | 175 |
| CS25 | 25 | 206 |
| CS26 | 26 | 220 |
| CS27 | 27 | 255 |
| CS28 | 28 | 275 |
| CS29 | 29 | 340 |
| CS30 | 30 | 340 |
| CS31 | 31 | 500 |
| CS32 | 32 | 400 |

COMBINATION RING & OPEN END SPANNERS SETS

| Set No. | Pcs. Per Set | SETS | (₹) |
|-----------|--------------|--|------|
| | | Sizes | |
| 14-8M | 8 Pcs | 8,9,10,11,13,14,17,19 | 425 |
| 14-12M | 12 Pcs | 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22mm | 640 |
| 14-12MP | 12 Pcs | 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22mm (Pouch Packing) | 800 |
| 14-22M | 22 Pcs | 6-32mm (W/o Pouch Packing) | 2700 |
| 14-22MP | 22 Pcs | 6-32mm (Pouch Packing) | 3350 |
| 14-25M | 25 Pcs | 6-32mm (W/o Pouch Packing) | 3350 |
| 14-25MP | 25 Pcs | 6-32mm (Pouch Packing) | 4000 |
| 14-14 SAE | 14 Pcs | 1/4 - 11/4 SAE | 2800 |



**COMBINATION RING & OPEN END SPANNERS
ELLIPTICAL MIRROR FINISH** HSN : 82041110

DN[®]
DIN 3113 A
Mirror Finish
Fully Hardened and Tempered
Long Profile Handle for extra leverage
Generally Conforming to IS 6389-1998



HIGH GRADE
CrV

CHROME VANADIUM STEEL

| Code | Size: Metric (mm) | (₹) |
|---------|-------------------|-----|
| CS6ELP | 6 | 52 |
| CS7ELP | 7 | 52 |
| CS8ELP | 8 | 52 |
| CS9ELP | 9 | 56 |
| CS10ELP | 10 | 68 |
| CS11ELP | 11 | 68 |
| CS12ELP | 12 | 79 |
| CS13ELP | 13 | 79 |
| CS14ELP | 14 | 90 |
| CS15ELP | 15 | 101 |
| CS16ELP | 16 | 109 |
| CS17ELP | 17 | 116 |
| CS18ELP | 18 | 124 |

| Code | Size: Metric (mm) | (₹) |
|---------|-------------------|-----|
| CS19ELP | 19 | 131 |
| CS20ELP | 20 | 143 |
| CS21ELP | 21 | 180 |
| CS22ELP | 22 | 225 |
| CS23ELP | 23 | 263 |
| CS24ELP | 24 | 300 |
| CS25ELP | 25 | 338 |
| CS26ELP | 26 | 338 |
| CS27ELP | 27 | 375 |
| CS28ELP | 28 | 413 |
| CS29ELP | 29 | 413 |
| CS30ELP | 30 | 375 |
| CS32ELP | 32 | 495 |

**S
P
A
N
N
E
R
S**

**COMBINATION SPANNER SETS
ELLIPTICAL MIRROR FINISH**



**AVAILABLE
POUCH
PACKING**

| SETS | | | |
|---------|--------------|---------|------|
| Set No. | Pcs. Per Set | Sizes | (₹) |
| CS8ME | 8 Pcs | 8-19mm | 600 |
| CS12ME | 12 Pcs | 6 -22mm | 1020 |
| CS25ME | 25 Pcs | 6 -32mm | 5200 |

**COMBINATION RING & OPEN END SPANNERS
ELLIPTICAL MIRROR**

**SAE
SIZES**

DN[®]
DIN 3113 A



Mirror Finish
Fully Hardened and Tempered
Long Profile Handle for extra leverage
Generally Conforming to IS 6389-1998

HIGH GRADE
CrV

HSN : 82041110

CHROME VANADIUM STEEL

| Code | Size American (SAE) | (₹) |
|-------------|---------------------------|------|
| CS1/4 A | 1/4 SAE | 60 |
| CS5/16 A | 5/16 SAE | 66 |
| CS3/8 A | 3/8 SAE | 70 |
| CS7/16 A | 7/16 SAE | 77 |
| CS1/2 A | 1/2 SAE | 82 |
| CS9/16 A | 9/16 SAE | 90 |
| CS5/8 A | 5/8 SAE | 105 |
| CS11/16 A | 11/16 SAE | 120 |
| CS3/4 A | 3/4 SAE | 136 |
| CS13/16 A | 13/16 SAE | 164 |
| CS7/8 A | 7/8 SAE | 186 |
| CS15/16 A | 15/16 SAE | 232 |
| CS1 A | 1 SAE | 280 |
| CS1-1/16 A | 1-1/16 SAE | 350 |
| CS1-1/8 A | 1-1/8 SAE | 400 |
| CS1-1/4 A | 1-1/4 SAE | 500 |
| CS1.5/16 A | 1.5/16 SAE | 1540 |
| CS1.3/8 A | 1.3/8 SAE | 1650 |
| CS1.7/16 A | 1.7/16 SAE | 1870 |
| CS1.1/2 A | 1.1/2 SAE | 1870 |
| CS1.5/8 A | 1.5/8 SAE | 2090 |
| CS1.11/16 A | 1.11/16 SAE | 2800 |
| CS1.3/4 A | 1.3/4 SAE | 3200 |

| Code | Size American (SAE) | (₹) |
|-------------|---------------------------|-------|
| CS1.13/16 A | 1.13/16 SAE | 3200 |
| CS1.7/8 A | 1.7/8 SAE | 3200 |
| CS2 A | 2 SAE | 3700 |
| CS2.1/16 A | 2.1/16 SAE | 4500 |
| CS2.1/8 A | 2.1/8 SAE | 5250 |
| CS2.3/16 A | 2.3/16 SAE | 5750 |
| CS2.1/4 A | 2.1/4 SAE | 6750 |
| CS2.5/16 A | 2.5/16 SAE | 8250 |
| CS2.3/8 A | 2.3/8 SAE | 8250 |
| CS2.7/16 A | 2.7/16 SAE | 9000 |
| CS2.1/2 A | 2.1/2 SAE | 9625 |
| CS2.9/16 A | 2.9/16 SAE | 10000 |
| CS2.5/8 A | 2.5/8 SAE | 10875 |
| CS2.11/16 A | 2.11/16 SAE | 11250 |
| CS2.3/4 A | 2.3/4 SAE | 11875 |
| CS2.13/16 A | 2.13/16 SAE | 12000 |
| CS2.15/16 A | 2.15/16 SAE | 12500 |
| CS2.7/8 A | 2.7/8 SAE | 12600 |
| CS3 A | 3 SAE | 12750 |
| CS3.1/8 A | 3.1/8 SAE | 16500 |
| CS3.1/4 A | 3.1/4 SAE | 21000 |
| CS3.3/8 A | 3.3/8 SAE | 22500 |
| CS3.1/2 A | 3.1/2 SAE | 26250 |

**STUBBY COMBINATION SPANNERS
ELLIPTICAL MIRROR FINISH**

Mirror Finish
Fully Hardened and Tempered
Stubby configuration gives improved access in confined spaces.

HSN : 82041110



DN[®]
ASME B107.66

HIGH GRADE
CrV

CHROME VANADIUM STEEL

| Code | Size Metric (mm) | (₹) |
|--------|------------------------|-----|
| DN-346 | 10 STUBBY | 130 |
| DN-347 | 11 STUBBY | 130 |
| DN-348 | 12 STUBBY | 140 |
| DN-349 | 13 STUBBY | 140 |
| DN-350 | 14 STUBBY | 170 |
| DN-351 | 15 STUBBY | 170 |
| DN-352 | 16 STUBBY | 190 |
| DN-353 | 18 STUBBY | 230 |
| DN-354 | 19 STUBBY | 270 |

**JUMBO COMBINATION SPANNER
(RING & OPEN END) HEAVY DUTY** HSN : 82041110



Mirror Finish / Black Finish

Fully Hardened and Tempered

Ring end with AS Drive profile which bring precision & uncomparable quality.

Generally Conforming to IS 6389-1998

DN[®]
DIN 3113 A

HIGH GRADE
CrV

CHROME VANADIUM STEEL

| Code | Size Metric (mm) | (₹) |
|------|------------------|------|
| CS33 | 33 | 980 |
| CS34 | 34 | 980 |
| CS35 | 35 | 1000 |
| CS36 | 36 | 1250 |
| CS37 | 37 | 1900 |
| CS38 | 38 | 1250 |
| CS39 | 39 | 1900 |
| CS40 | 40 | 1800 |
| CS41 | 41 | 1600 |
| CS42 | 42 | 2150 |
| CS43 | 43 | 3000 |
| CS44 | 44 | 3000 |
| CS45 | 45 | 3000 |
| CS46 | 46 | 2150 |
| CS47 | 47 | 3200 |
| CS48 | 48 | 2450 |
| CS49 | 49 | 4000 |
| CS50 | 50 | 2450 |
| CS51 | 51 | 4000 |
| CS52 | 52 | 4000 |
| CS53 | 53 | 5500 |
| CS54 | 54 | 5500 |
| CS55 | 55 | 4800 |
| CS56 | 56 | 6875 |
| CS57 | 57 | 7500 |
| CS58 | 58 | 7500 |
| CS59 | 59 | 8250 |
| CS60 | 60 | 6000 |

| Code | Size Metric (mm) | (₹) |
|-------|------------------|-------|
| CS62 | 62 | 7000 |
| CS63 | 63 | 8500 |
| CS65 | 65 | 7000 |
| CS66 | 66 | 9500 |
| CS67 | 67 | 10000 |
| CS68 | 68 | 11000 |
| CS70 | 70 | 12000 |
| CS71 | 71 | 11500 |
| CS73 | 73 | 12000 |
| CS75 | 75 | 9000 |
| CS76 | 76 | 13000 |
| CS79 | 79 | 16800 |
| CS80 | 80 | 16800 |
| CS82 | 82 | 20000 |
| CS83 | 83 | 22000 |
| CS85 | 85 | 23800 |
| CS86 | 86 | 25000 |
| CS89 | 89 | 26000 |
| CS90 | 90 | 26600 |
| CS95 | 95 | 30800 |
| CS100 | 100 | 35000 |
| CS105 | 105 | 38000 |
| CS110 | 110 | 44000 |
| CS115 | 115 | 76000 |
| CS120 | 120 | 83600 |
| CS125 | 125 | 88000 |

**C-SPANNER - HALF MOON
ELLIPTICAL MIRROR FINISH**



Fully Hardened and Tempered

Specially working where nuts & bolts are difficult to reach.

Generally Conforming to IS : 6389 - 1972

| Code | Sizes | (₹) |
|--------|---------|-----|
| DN-375 | 6x7mm | 180 |
| DN-376 | 8x9mm | 180 |
| DN-377 | 8x10mm | 180 |
| DN-378 | 9x11mm | 180 |
| DN-379 | 10x11mm | 180 |
| DN-380 | 10x12mm | 180 |
| DN-381 | 10x13mm | 180 |
| DN-382 | 11x13mm | 200 |
| DN-383 | 12x13mm | 220 |
| DN-384 | 12x14mm | 240 |
| DN-385 | 13x14mm | 240 |
| DN-386 | 13x15mm | 260 |
| DN-387 | 13x17mm | 260 |
| DN-388 | 14x15mm | 260 |
| DN-389 | 14x16mm | 260 |
| DN-390 | 14x17mm | 280 |
| DN-391 | 14x19mm | 300 |
| DN-392 | 15x17mm | 300 |
| DN-393 | 16x17mm | 300 |

HIGH GRADE
CrV

CHROME VANADIUM STEEL

HSN : 82041110

| Code | Sizes | (₹) |
|--------|----------------|-----|
| DN-394 | 16x18mm | 240 |
| DN-395 | 17x19mm | 330 |
| DN-396 | 18x19mm | 330 |
| DN-397 | 19x21mm | 400 |
| DN-398 | 19x22mm | 380 |
| DN-399 | 20x22mm | 410 |
| DN-400 | 21x22mm | 500 |
| DN-401 | 21x23mm | 500 |
| DN-402 | 5/16x3/8 SAE | 300 |
| DN-403 | 3/8x13/32 SAE | 300 |
| DN-404 | 3/8x7/16 SAE | 300 |
| DN-405 | 1/2x7/16 SAE | 300 |
| DN-406 | 1/2x9/16 SAE | 360 |
| DN-407 | 9/16x5/8 SAE | 300 |
| DN-408 | 9/16x19/32 SAE | 300 |
| DN-409 | 5/8x11/16 SAE | 420 |
| DN-410 | 5/8x3/4 SAE | 480 |
| DN-411 | 3/4x11/16 SAE | 480 |
| DN-412 | 13/16x7/8 SAE | 480 |

SLOGGING OPEN END SPANNER

HSN : 82041110

SAE
SIZES



S
P
A
N
N
E
R
S

Head Set at 15° angle.

Fully Hardened and Tempered

Black Phosphated.

Chrome Vanadium Steel / Special high grade Alloy Steel.
Heavy Duty Impact Spanner with strong profile handle
and durable striking end.

Generally conforming to IS-4508-1992

| Code | Sizes (SAE) | (₹) |
|-------------|-------------|------|
| SO3/4 A | 3/4 SAE | 900 |
| SO7/8 A | 7/8 SAE | 900 |
| SO15/16 A | 15/16 SAE | 900 |
| SO1 A | 1 SAE | 900 |
| SO1.1/16 A | 1.1/16 SAE | 900 |
| SO1.1/8 A | 1.1/8 SAE | 900 |
| SO1.3/16 A | 1.3/16 SAE | 900 |
| SO1.1/4 A | 1.1/4 SAE | 900 |
| SO1.5/16 A | 1.5/16 SAE | 1050 |
| SO1.3/8 A | 1.3/8 SAE | 1050 |
| SO1.7/16 A | 1.7/16 SAE | 1050 |
| SO1.1/2 A | 1.1/2 SAE | 1260 |
| SO1.5/8 A | 1.5/8 SAE | 1260 |
| SO1.11/16 A | 1.11/16 SAE | 2000 |
| SO1.3/4 A | 1.3/4 SAE | 2000 |
| SO1.13/16 A | 1.13/16 SAE | 2000 |
| SO1.7/8 A | 1.7/8 SAE | 2500 |
| SO1.15/16 A | 1.15/16 SAE | 2500 |
| SO2 A | 2 SAE | 2500 |
| SO2.1/16 A | 2.1/16 SAE | 2500 |
| SO2.1/8 A | 2.1/8 SAE | 3000 |
| SO2.3/16 A | 2.3/16 SAE | 3000 |
| SO2.1/4 A | 2.1/4 SAE | 3000 |
| SO2.3/8 A | 2.3/8 SAE | 3500 |
| SO2.7/16 A | 2.7/16 SAE | 4200 |

DN[®]
DIN 133

HIGH GRADE
CrV

CHROME VANADIUM STEEL

| Code | Sizes (SAE) | (₹) |
|-------------|-------------|-------|
| SO2.1/2 A | 2.1/2 SAE | 4500 |
| SO2.9/16 A | 2.9/16 SAE | 6180 |
| SO2.5/8 A | 2.5/8 SAE | 6300 |
| SO2.3/4 A | 2.3/4 SAE | 6300 |
| SO2.15/16 A | 2.15/16 SAE | 7560 |
| SO3 A | 3 SAE | 7740 |
| SO3.1/8 A | 3.1/8 SAE | 12000 |
| SO3.1/4 A | 3.1/4 SAE | 13000 |
| SO3.3/8 A | 3.3/8 SAE | 14000 |
| SO3.1/2 A | 3.1/2 SAE | 18000 |
| SO3.3/4 A | 3.3/4 SAE | 24000 |
| SO3.7/8 A | 3.7/8 SAE | 26000 |
| SO4 A | 4 SAE | 28000 |
| SO4.1/8 A | 4.1/8 SAE | 29000 |
| SO4.1/4 A | 4.1/4 SAE | 31000 |
| SO4.3/8 A | 4.3/8 SAE | 33000 |
| SO4.1/2 A | 4.1/2 SAE | 42000 |
| SO4.5/8 A | 4.5/8 SAE | 44000 |
| SO4.3/4 A | 4.3/4 SAE | 47000 |
| SO5 A | 5 SAE | 50000 |
| SO5.1/8 A | 5.1/8 SAE | 53000 |
| SO5.1/4 A | 5.1/4 SAE | 56000 |
| SO5.3/8 A | 5.3/8 SAE | 59000 |
| SO5.1/2 A | 5.1/2 SAE | 62000 |
| SO5.3/4 A | 5.3/4 SAE | 65000 |

Many more sizes can be produced against specific orders.
www.deneerstools.com

SLOGGING OPEN END SPANNER

HSN : 82041110

WW
SIZES



Head Set at 15° angle.
Fully Hardened and Tempered
Black Phosphated.

Heavy Duty Impact Spanner with strong profile handle and durable striking end.

Chrome Vanadium Steel / Special Alloy Steel.

Generally conforming to IS-4508-1992

DN[®]
DIN 133

HIGH GRADE
CrV

CHROME VANADIUM STEEL

| Code | Whitworth Sizes | Bolt Size | (₹) |
|--------|-----------------|----------------|------|
| DN-433 | 1/8 WW | for 3/16 Bolt | 600 |
| DN-434 | 3/16 WW | for 1/4 Bolt | 600 |
| DN-435 | 1/4 WW | for 5/16 Bolt | 700 |
| DN-436 | 5/16 WW | for 3/8 Bolt | 700 |
| DN-437 | 3/8 WW | for 7/16 Bolt | 800 |
| DN-438 | 7/16 WW | for 1/2 Bolt | 800 |
| DN-439 | 1/2 WW | for 9/16 Bolt | 900 |
| DN-440 | 9/16 WW | for 5/8 Bolt | 900 |
| DN-441 | 5/8 WW | for 11/16 Bolt | 900 |
| DN-442 | 11/16 WW | for 3/4 Bolt | 900 |
| DN-443 | 3/4 WW | for 7/8 Bolt | 1000 |
| DN-444 | 13/16 WW | for 15/16 Bolt | 1200 |
| DN-445 | 7/8 WW | for 1 Bolt | 1800 |
| DN-446 | 1 WW | for 1.1/8 Bolt | 2040 |

| Code | Whitworth Sizes | Bolt Size | (₹) |
|--------|-----------------|----------------|-------|
| DN-447 | 1-1/8 WW | for 1-1/4 Bolt | 1080 |
| DN-448 | 1.1/4 WW | for 1.3/8 Bolt | 2700 |
| DN-449 | 1-3/8 WW | for 1-1/2 Bolt | 3500 |
| DN-450 | 1.1/2 WW | for 1.5/8 Bolt | 5000 |
| DN-451 | 1.5/8 WW | for 1.3/4 Bolt | 6500 |
| DN-452 | | for 1.7/8 Bolt | 7000 |
| DN-453 | 1.3/4 WW | for 2 Bolt | 8000 |
| DN-454 | - | for 2.1/4 Bolt | 8000 |
| DN-455 | - | for 2.1/2 Bolt | 11000 |
| DN-456 | - | for 2.3/4 Bolt | 14000 |
| DN-457 | - | for 3 Bolt | 15000 |
| DN-458 | - | for 3.1/4 Bolt | 16000 |
| DN-459 | - | for 3.1/2 Bolt | 17000 |
| DN-460 | - | for 4 Bolt | 19000 |

SLOGGING OPEN BENT TYPE SPANNER

HSN : 82041110

| Code | Size (Metric) | Length (mm) | (₹) |
|--------|---------------|-------------|-------|
| DN-481 | 19 | 140 | 1600 |
| DN-482 | 22 | 150 | 1800 |
| DN-483 | 24 | 150 | 2100 |
| DN-484 | 27 | 175 | 3600 |
| DN-485 | 32 | 190 | 4500 |
| DN-486 | 36 | 210 | 8000 |
| DN-487 | 41 | 230 | 9500 |
| DN-488 | 46 | 250 | 12500 |
| DN-489 | 50 | 275 | 16000 |
| DN-490 | 55 | 305 | 18000 |
| DN-491 | 60 | 315 | 20000 |
| DN-492 | 65 | 335 | 22000 |
| DN-493 | 70 | 370 | 24000 |
| DN-494 | 75 | 375 | 30000 |
| DN-495 | 80 | 400 | 35000 |



Many more sizes can be produced against specific orders.

www.deneerstools.com

SLOGGING OPEN END SPANNER

DN

DIN 133

HIGH GRADE
CrV

CHROME VANADIUM STEEL

Head Set at 15° angle.

Fully Hardened and Tempered, Black Phosphated.

Heavy Duty Impact Spanner with strong profile handle and durable striking end.

Chrome Vanadium Steel / Special Alloy Steel.

Generally conforming to IS-4508-1992



HSN : 82041110

SPANNERS

| Code | Sizes (mm) | (₹) | Code | Sizes (mm) | (₹) | Code | Sizes (mm) | (₹) |
|-------|------------|------|------|------------|-------|-------|------------|--------|
| SO17 | 17 | 570 | SO52 | 52 | 1650 | SO94 | 94 | 14500 |
| SO18 | 18 | 570 | SO53 | 53 | 1700 | SO95 | 95 | 11500 |
| SO19 | 19 | 570 | SO54 | 54 | 1900 | SO96 | 96 | 16000 |
| SO20 | 20 | 570 | SO55 | 55 | 1350 | SO98 | 98 | 16000 |
| SO21 | 21 | 570 | SO56 | 56 | 1900 | SO100 | 100 | 17000 |
| SO22 | 22 | 330 | SO57 | 57 | 2000 | SO102 | 102 | 23400 |
| SO23 | 23 | 570 | SO58 | 58 | 2000 | SO105 | 105 | 20000 |
| SO24 | 24 | 340 | SO59 | 59 | 2250 | SO108 | 108 | 25800 |
| SO25 | 25 | 570 | SO60 | 60 | 1650 | SO110 | 110 | 30000 |
| SO26 | 26 | 570 | SO61 | 61 | 2500 | SO115 | 115 | 30500 |
| SO27 | 27 | 370 | SO62 | 62 | 2700 | SO120 | 120 | 35000 |
| SO28 | 28 | 570 | SO63 | 63 | 3500 | SO125 | 125 | 37000 |
| SO29 | 29 | 570 | SO64 | 64 | 3500 | SO127 | 127 | 37000 |
| SO30 | 30 | 400 | SO65 | 65 | 2350 | SO130 | 130 | 37000 |
| SO31 | 31 | 570 | SO66 | 66 | 3500 | SO135 | 135 | 38000 |
| SO32 | 32 | 420 | SO67 | 67 | 3500 | SO140 | 140 | 42000 |
| SO33 | 33 | 570 | SO68 | 68 | 4000 | SO145 | 145 | 43000 |
| SO34 | 34 | 450 | SO69 | 69 | 4500 | SO146 | 146 | 53000 |
| SO35 | 35 | 570 | SO70 | 70 | 3400 | SO150 | 150 | 44000 |
| SO36 | 36 | 500 | SO71 | 71 | 6000 | SO155 | 155 | 63000 |
| SO37 | 37 | 600 | SO72 | 72 | 6000 | SO160 | 160 | 65000 |
| SO38 | 38 | 550 | SO73 | 73 | 6000 | SO165 | 165 | 71000 |
| SO39 | 39 | 850 | SO74 | 74 | 6000 | SO170 | 170 | 73000 |
| SO40 | 40 | 800 | SO75 | 75 | 4600 | SO175 | 175 | 74000 |
| SO41 | 41 | 600 | SO76 | 76 | 6000 | SO180 | 180 | 75000 |
| SO42 | 42 | 900 | SO77 | 77 | 7500 | SO185 | 185 | 90000 |
| SO43 | 43 | 1250 | SO78 | 78 | 7000 | SO190 | 190 | 98000 |
| SO44 | 44 | 1250 | SO79 | 79 | 7500 | SO195 | 195 | 105000 |
| SO45 | 45 | 1250 | SO80 | 80 | 6100 | SO200 | 200 | 108000 |
| SO46 | 46 | 780 | SO82 | 82 | 8500 | SO205 | 205 | 110000 |
| SO47 | 47 | 1300 | SO84 | 84 | 8500 | SO210 | 210 | 115000 |
| SO48 | 48 | 1300 | SO85 | 85 | 6800 | SO215 | 215 | 120000 |
| SO49 | 49 | 1400 | SO89 | 89 | 9700 | SO220 | 220 | 125000 |
| SO 50 | 50 | 1000 | SO90 | 90 | 9700 | SO230 | 230 | 140000 |
| SO 51 | 51 | 1600 | SO92 | 92 | 13500 | SO250 | 250 | 160000 |

Many more sizes can be produced against specific orders.

SLOGGING RING SPANNER

DN[®]
DIN 7444
HIGH GRADE
CrV

HSN : 82041110

CHROME VANADIUM STEEL

Fully Hardened and Tempered
Black Phosphated.

Heavy Duty Impact Spanner with strong
profile handle and durable striking end.
Chrome Vanadium Steel / Special Alloy Steel.



Generally conforming to IS-4509-1992

| Code | Sizes (mm) | (₹) | Code | Sizes (mm) | (₹) | Code | Sizes (mm) | (₹) |
|------|------------|------|------|------------|-------|-------|------------|--------|
| SR17 | 17 | 570 | SR47 | 47 | 1270 | SR 98 | 98 | 18000 |
| SR18 | 18 | 570 | SR48 | 48 | 1270 | SR100 | 100 | 13000 |
| SR19 | 19 | 570 | SR49 | 49 | 1400 | SR102 | 102 | 19000 |
| SR20 | 20 | 570 | SR50 | 50 | 920 | SR105 | 105 | 15000 |
| SR21 | 21 | 570 | SR51 | 51 | 1600 | SR110 | 110 | 18500 |
| SR22 | 22 | 300 | SR52 | 52 | 1750 | SR115 | 115 | 21000 |
| SR23 | 23 | 570 | SR53 | 53 | 1750 | SR120 | 120 | 24000 |
| SR24 | 24 | 300 | SR54 | 54 | 2000 | SR125 | 125 | 24500 |
| SR25 | 25 | 570 | SR55 | 55 | 1250 | SR130 | 130 | 32000 |
| SR26 | 26 | 570 | SR56 | 56 | 2000 | SR135 | 135 | 35000 |
| SR27 | 27 | 340 | SR57 | 57 | 2000 | SR140 | 140 | 40000 |
| SR28 | 28 | 570 | SR58 | 58 | 2100 | SR145 | 145 | 42000 |
| SR29 | 29 | 570 | SR59 | 59 | 2100 | SR146 | 146 | 48000 |
| SR30 | 30 | 400 | SR60 | 60 | 1500 | SR150 | 150 | 43000 |
| SR31 | 31 | 570 | SR61 | 61 | 3000 | SR155 | 155 | 45000 |
| SR32 | 32 | 410 | SR62 | 62 | 3000 | SR160 | 160 | 48000 |
| SR33 | 33 | 570 | SR63 | 63 | 3000 | SR165 | 165 | 58000 |
| SR34 | 34 | 440 | SR65 | 65 | 1920 | SR170 | 170 | 60000 |
| SR35 | 35 | 700 | SR66 | 66 | 3700 | SR175 | 175 | 62000 |
| SR36 | 36 | 480 | SR67 | 67 | 5000 | SR180 | 180 | 70000 |
| SR37 | 37 | 700 | SR69 | 69 | 5000 | SR185 | 185 | 100000 |
| SR38 | 38 | 500 | SR70 | 70 | 3200 | SR190 | 190 | 110000 |
| SR39 | 39 | 800 | SR75 | 75 | 4000 | SR195 | 195 | 120000 |
| SR40 | 40 | 800 | SR76 | 76 | 7560 | SR200 | 200 | 130000 |
| SR41 | 41 | 540 | SR80 | 80 | 5200 | SR205 | 205 | 140000 |
| SR42 | 42 | 900 | SR85 | 85 | 6000 | SR210 | 210 | 150000 |
| SR43 | 43 | 1100 | SR86 | 86 | 9000 | SR215 | 215 | 160000 |
| SR44 | 44 | 900 | SR89 | 89 | 11000 | SR220 | 220 | 170000 |
| SR45 | 45 | 1200 | SR90 | 90 | 9000 | SR250 | 250 | 180000 |
| SR46 | 46 | 660 | SR95 | 95 | 11000 | - | - | - |

Many more sizes can be produced against specific orders.

www.deneerstools.com

SLOGGING RING SPANNER

SAE
SIZES

HSN : 82041110

DN[®]
DIN 7444
HIGH GRADE
CrV

CHROME VANADIUM STEEL

Fully Hardened and Tempered
Black Phosphated.

Heavy Duty Impact Spanner with strong
profile handle and durable striking end.
Chrome Vanadium Steel / Special Alloy Steel.



S
P
A
N
N
E
R
S

Generally conforming to IS-4509-1992

| Item Code | Sizes (SAE) | (₹) |
|--------------|-------------|------|
| SR 3/4 A | 3/4 SAE | 930 |
| SR 7/8 A | 7/8 SAE | 930 |
| SR 15/16 A | 15/16 SAE | 930 |
| SR 1 A | 1 SAE | 930 |
| SR 1.1/16 A | 1.1/16 SAE | 930 |
| SR 1.1/8 A | 1.1/8 SAE | 930 |
| SR 1.3/16 A | 1.3/16 SAE | 930 |
| SR 1.1/4 A | 1.1/4 SAE | 930 |
| SR 1.5/16 A | 1.5/16 SAE | 930 |
| SR 1.3/8 A | 1.3/8 SAE | 930 |
| SR 1.7/16 A | 1.7/16 SAE | 930 |
| SR 1.1/2 A | 1.1/2 SAE | 1000 |
| SR 1.5/8 A | 1.5/8 SAE | 1100 |
| SR 1.11/16 A | 1.11/16 SAE | 1800 |
| SR 1.3/4 A | 1.3/4 SAE | 1800 |
| SR 1.13/16 A | 1.13/16 SAE | 1800 |
| SR 1.7/8 A | 1.7/8 SAE | 1800 |
| SR 1.15/16 A | 1.15/16 SAE | 2200 |
| SR 2 A | 2 SAE | 2400 |
| SR 2.1/16 A | 2.1/16 SAE | 2600 |
| SR 2.1/8 A | 2.1/8 SAE | 2700 |
| SR 2.3/16 A | 2.3/16 SAE | 2900 |
| SR 2.1/4 A | 2.1/4 SAE | 3100 |
| SR 2.3/8 A | 2.3/8 SAE | 3500 |
| SR 2.7/16 A | 2.7/16 SAE | 3700 |

| Item Code | Sizes (SAE) | (₹) |
|--------------|-------------|-------|
| SR 2.1/2 A | 2.1/2 SAE | 4200 |
| SR 2.9/16 A | 2.9/16 SAE | 6180 |
| SR 2.5/8 A | 2.5/8 SAE | 6300 |
| SR 2.3/4 A | 2.3/4 SAE | 6420 |
| SR 2.15/16 A | 2.15/16 SAE | 7440 |
| SR 3 A | 3 SAE | 7560 |
| SR 3.1/8 A | 3.1/8 SAE | 9900 |
| SR 3.1/4 A | 3.1/4 SAE | 11220 |
| SR 3.3/8 A | 3.3/8 SAE | 11220 |
| SR 3.1/2 A | 3.1/2 SAE | 15180 |
| SR 3.3/4 A | 3.3/4 SAE | 18000 |
| SR 3.7/8 A | 3.7/8 SAE | 21600 |
| SR 4 A | 4 SAE | 21000 |
| SR 4.1/8 A | 4.1/8 SAE | 22000 |
| SR 4.1/4 A | 4.1/4 SAE | 24000 |
| SR 4.3/8 A | 4.3/8 SAE | 26500 |
| SR 4.1/2 A | 4.1/2 SAE | 29000 |
| SR 4.5/8 A | 4.5/8 SAE | 34000 |
| SR 4.3/4 A | 4.3/4 SAE | 39000 |
| SR 5 A | 5 SAE | 44000 |
| SR 5.1/8 A | 5.1/8 SAE | 46000 |
| SR 5.1/4 A | 5.1/4 SAE | 48000 |
| SR 5.3/8 A | 5.3/8 SAE | 50000 |
| SR 5.1/2 A | 5.1/2 SAE | 56000 |
| SR 5.3/4 A | 5.3/4 SAE | 68000 |

Many more sizes can be produced against specific orders.
www.deneerstools.com

SLOGGING RING SPANNER

WW
SIZES

HSN : 82041110

DN[®]
DIN 7444
HIGH GRADE
CrV

CHROME VANADIUM STEEL

Fully Hardened and Tempered
Black Phosphated.

Heavy Duty Impact Spanner with strong
profile handle and durable striking end.

Chrome Vanadium Steel / Special Alloy Steel.

Generally conforming to IS-4509-1992



| Code | Whitworth Sizes | Bolt Size | (₹) |
|--------|-----------------|----------------|-------|
| DN-516 | 1/8 WW | for 3/16 Bolt | 600 |
| DN-517 | 3/16 WW | for 1/4 Bolt | 600 |
| DN-518 | 1/4 WW | for 5/16 Bolt | 700 |
| DN-519 | 5/16 WW | for 3/8 Bolt | 700 |
| DN-520 | 3/8 WW | for 7/16 Bolt | 800 |
| DN-521 | 7/16 WW | for 1/2 Bolt | 800 |
| DN-522 | 1/2 WW | for 9/16 Bolt | 900 |
| DN-523 | 9/16 WW | for 5/8 Bolt | 900 |
| DN-524 | 5/8 WW | for 11/16 Bolt | 900 |
| DN-525 | 11/16 WW | for 3/4 Bolt | 900 |
| DN-526 | 3/4 WW | for 7/8 Bolt | 1000 |
| DN-527 | 13/16 WW | for 15/16 Bolt | 1200 |
| DN-528 | 7/8 WW | for 1 Bolt | 1800 |
| DN-529 | 1 WW | for 1.1/8 Bolt | 2040 |
| DN-530 | 1-1/8 WW | for 1-1/4 Bolt | 1080 |
| DN-531 | 1.1/4 WW | for 1.3/8 Bolt | 2700 |
| DN-532 | 1-3/8 WW | for 1-1/2 Bolt | 2200 |
| DN-533 | 1.1/2 WW | for 1.5/8 Bolt | 4500 |
| DN-534 | 1.5/8 WW | for 1.3/4 Bolt | 6000 |
| DN-535 | 1.3/4 WW | for 2 Bolt | 8500 |
| DN-536 | 1.7/8 WW | - | 9500 |
| DN-537 | - | for 2.1/4 Bolt | 12000 |
| DN-538 | - | for 2.1/2 Bolt | 19000 |
| DN-539 | - | for 2.3/4 Bolt | 28000 |
| DN-540 | - | for 3 Bolt | 34000 |
| DN-541 | - | for 3.1/4 Bolt | 38000 |
| DN-542 | - | for 3.1/2 Bolt | 54000 |
| DN-543 | - | for 4 Bolt | 84000 |

Many more sizes can be produced against specific orders.

www.deneerstools.com

SINGLE RING END BENT TYPE HEAVY DUTY



HSN : 82041110

| Code | Size | Length (mm) | (₹) |
|--------|------|-------------|-------|
| DN-564 | 10 | 119 | 450 |
| DN-565 | 12 | 151 | 515 |
| DN-566 | 14 | 151 | 710 |
| DN-567 | 17 | 174 | 840 |
| DN-568 | 19 | 207 | 1035 |
| DN-569 | 22 | 207 | 1290 |
| DN-570 | 24 | 250 | 1550 |
| DN-571 | 27 | 250 | 1940 |
| DN-572 | 30 | 295 | 2840 |
| DN-573 | 32 | 295 | 2840 |
| DN-574 | 36 | 307 | 3485 |
| DN-575 | 41 | 340 | 5040 |
| DN-576 | 46 | 370 | 6330 |
| DN-577 | 50 | 400 | 8270 |
| DN-578 | 55 | 430 | 10595 |
| DN-579 | 60 | 450 | 12920 |
| DN-580 | 65 | 470 | 16280 |
| DN-581 | 70 | 490 | 19640 |
| DN-582 | 75 | 510 | 21190 |
| DN-583 | 80 | 530 | 23255 |

SLOGGING RING BENT TYPE SPANNER



HSN : 82041110

| Code | Size | Length (mm) | (₹) |
|--------|------|-------------|-------|
| DN-633 | 22 | 140 | 1810 |
| DN-634 | 24 | 160 | 2065 |
| DN-635 | 27 | 175 | 2325 |
| DN-636 | 30 | 190 | 2840 |
| DN-637 | 32 | 190 | 3485 |
| DN-638 | 36 | 210 | 4520 |
| DN-639 | 41 | 225 | 5295 |
| DN-640 | 46 | 240 | 6720 |
| DN-641 | 50 | 255 | 7750 |
| DN-642 | 55 | 270 | 9560 |
| DN-643 | 60 | 285 | 11625 |
| DN-644 | 65 | 300 | 13565 |
| DN-645 | 70 | 320 | 17440 |
| DN-646 | 75 | 330 | 20025 |

SINGLE END RING STRAIGHT TYPE SPANNER



HSN : 82041110

| Code | Size | Length (mm) | (₹) |
|--------|------|-------------|------|
| DN-604 | 22 | 190 | 1420 |
| DN-605 | 24 | 215 | 1810 |
| DN-606 | 27 | 230 | 2585 |
| DN-607 | 30 | 255 | 3100 |
| DN-608 | 32 | 265 | 4005 |
| DN-609 | 36 | 295 | 4780 |
| DN-610 | 41 | 330 | 5685 |
| DN-611 | 46 | 365 | 7235 |
| DN-612 | 50 | 400 | 8525 |

SINGLE RING END DEEP OFFSET TYPE SPANNER



HSN : 82041110

| Code | Size | Length (mm) | (₹) |
|--------|------|-------------|-------|
| DN-667 | 22 | 190 | 1810 |
| DN-668 | 24 | 215 | 2065 |
| DN-669 | 27 | 230 | 2585 |
| DN-670 | 30 | 255 | 3100 |
| DN-671 | 32 | 265 | 4135 |
| DN-672 | 36 | 295 | 4780 |
| DN-673 | 41 | 330 | 6200 |
| DN-674 | 46 | 365 | 7495 |
| DN-675 | 50 | 400 | 9045 |
| DN-676 | 55 | 445 | 12015 |
| DN-677 | 60 | 474 | 13565 |
| DN-678 | 65 | 510 | 16795 |
| DN-679 | 70 | 555 | 18735 |
| DN-680 | 75 | 590 | 21320 |
| DN-681 | 80 | 620 | 25840 |
| DN-682 | 85 | 665 | 29715 |
| DN-683 | 90 | 700 | 33590 |
| DN-684 | 100 | 740 | 37470 |

SINGLE OPEN END SPANNER

HSN : 82041110



Head Set at 15° angle.

German Type Engineers Spanner with a raised collar around the open end.

Forged from Chrome Vanadium / Alloy Steel.

Black Phosphated.

Generally conforming to IS-2028-2004

CHROME VANADIUM STEEL

| Code | Sizes (mm) | (₹) | Code | Sizes (mm) | (₹) | Code | Sizes (mm) | (₹) |
|------|------------|-----|------|------------|------|---------|-------------------------|-------|
| SE6 | 6 | 48 | SE40 | 40 | 360 | SE74 | 74 | 4500 |
| SE7 | 7 | 48 | SE41 | 41 | 310 | SE75 | 75 | 3250 |
| SE8 | 8 | 48 | SE42 | 42 | 500 | SE76 | 76 | 5000 |
| SE9 | 9 | 48 | SE43 | 43 | 600 | SE77 | 77 | 5100 |
| SE10 | 10 | 48 | SE44 | 44 | 650 | SE78 | 78 | 5100 |
| SE11 | 11 | 48 | SE45 | 45 | 700 | SE79 | 79 | 5200 |
| SE12 | 12 | 48 | SE46 | 46 | 400 | SE80 | 80 | 5400 |
| SE13 | 13 | 60 | SE47 | 47 | 800 | SE81 | 81 | 7000 |
| SE14 | 14 | 60 | SE48 | 48 | 580 | SE82 | 82 | 7000 |
| SE15 | 15 | 60 | SE49 | 49 | 850 | SE83 | 83 | 7000 |
| SE16 | 16 | 60 | SE50 | 50 | 580 | SE84 | 84 | 8500 |
| SE17 | 17 | 60 | SE51 | 51 | 1100 | SE85 | 85 | 6500 |
| SE18 | 18 | 60 | SE52 | 52 | 1100 | SE86 | 86 | 8500 |
| SE19 | 19 | 70 | SE53 | 53 | 1100 | SE87 | 87 | 9500 |
| SE20 | 20 | 78 | SE54 | 54 | 1100 | SE88 | 88 | 9500 |
| SE21 | 21 | 78 | SE55 | 55 | 860 | SE89 | 89 | 9500 |
| SE22 | 22 | 78 | SE56 | 56 | 1200 | SE90 | 90 | 9500 |
| SE23 | 23 | 102 | SE57 | 57 | 1300 | SE95 | 95 | 11500 |
| SE24 | 24 | 110 | SE58 | 58 | 1400 | SE98 | 98 | 13000 |
| SE25 | 25 | 165 | SE59 | 59 | 1500 | SE100 | 100 | 14700 |
| SE26 | 26 | 165 | SE60 | 60 | 1270 | SE102 | 102 | 18000 |
| SE27 | 27 | 130 | SE61 | 61 | 2310 | SE105 | 105 | 15000 |
| SE28 | 28 | 165 | SE62 | 62 | 2310 | SE110 | 110 | 23000 |
| SE29 | 29 | 165 | SE63 | 63 | 3000 | SE115 | 115 | 25875 |
| SE30 | 30 | 150 | SE64 | 64 | 3600 | SE120 | 120 | 29900 |
| SE31 | 31 | 180 | SE65 | 65 | 1620 | SE125 | 125 | 33810 |
| SE32 | 32 | 160 | SE66 | 66 | 3600 | SE130 | 130 | 35650 |
| SE33 | 33 | 200 | SE67 | 67 | 3600 | SE135 | 135 | 37375 |
| SE34 | 34 | 200 | SE68 | 68 | 3600 | SE140 | 140 | 51750 |
| SE35 | 35 | 300 | SE69 | 69 | 4000 | SE145 | 145 | 56000 |
| SE36 | 36 | 225 | SE70 | 70 | 2750 | SE150 | 150 | 57500 |
| SE37 | 37 | 300 | SE71 | 71 | 4500 | | | |
| SE38 | 38 | 220 | SE72 | 72 | 4500 | SE12SET | SET 12 PCS 6-22MM | 720 |
| SE39 | 39 | 360 | SE73 | 73 | 4500 | SE20SET | SET 20 PCS 6-32MM | 2000 |

Many more sizes can be produced against specific orders.

www.deneerstools.com

SINGLE OPEN END SPANNER

HSN : 82041110



DN[®]
DIN 894
HIGH GRADE
CrV

Forged from Chrome Vanadium / Alloy Steel.

Generally conforming to IS-2028-2004

**SAE
SIZES**

**WW
SIZES**

CHROME VANADIUM STEEL

| Item Code | Sizes (SAE) | (₹) |
|-------------|-------------|-------|
| SE3/4 A | 3/4 | 110 |
| SE13/16 A | 13/16 | 143 |
| SE7/8 A | 7/8 | 165 |
| SE15/16 A | 15/16 | 165 |
| SE1 A | 1 | 187 |
| SE1.1/16 A | 1.1/16 | 231 |
| SE1.1/8 A | 1.1/8 | 231 |
| SE1.3/16 A | 1.3/16 | 264 |
| SE1.1/4 A | 1.1/4 | 264 |
| SE1.5/16 A | 1.5/16 | 297 |
| SE1.3/8 A | 1.3/8 | 330 |
| SE1.7/16 A | 1.7/16 | 330 |
| SE1.1/2 A | 1.1/2 | 330 |
| SE1.5/8 A | 1.5/8 | 462 |
| SE1.11/16 A | 1.11/16 | 594 |
| SE1.3/4 A | 1.3/4 | 660 |
| SE1.13/16 A | 1.13/16 | 660 |
| SE1.7/8 A | 1.7/8 | 1122 |
| SE2 A | 2 | 1122 |
| SE2.1/16 A | 2.1/16 | 1254 |
| SE2.1/8 A | 2.1/8 | 1386 |
| SE2.3/16 A | 2.3/16 | 1518 |
| SE2.1/4 A | 2.1/4 | 1716 |
| SE2.3/8 A | 2.3/8 | 2178 |
| SE2.7/16 A | 2.7/16 | 2541 |
| SE2.1/2 A | 2.1/2 | 2904 |
| SE2.9/16 A | 2.9/16 | 3300 |
| SE2.5/8 A | 2.5/8 | 3960 |
| SE2.3/4 A | 2.3/4 | 4356 |
| SE2.15/16 A | 2.15/16 | 4620 |
| SE3 A | 3 | 4620 |
| SE3.1/8 A | 3.1/8 | 5280 |
| SE3.1/4 A | 3.1/4 | 6600 |
| SE3.3/8 A | 3.3/8 | 7920 |
| SE3.1/2 A | 3.1/2 | 9240 |
| SE3.3/4 A | 3.3/4 | 10560 |
| SE3.7/8 A | 3.7/8 | 13860 |
| SE4 A | 4 | 17160 |

| Code | Bolt Size | Sizes (WW) | (₹) |
|--------|----------------|------------|-------|
| DN-705 | for 3/16 Bolt | 1/8 WW | 144 |
| DN-706 | for 1/4 Bolt | 3/16 WW | 144 |
| DN-707 | for 5/16 Bolt | 1/4 WW | 156 |
| DN-708 | for 3/8 Bolt | 5/16 WW | 156 |
| DN-709 | for 7/16 Bolt | 3/8 WW | 168 |
| DN-710 | for 1/2 Bolt | 7/16 WW | 168 |
| DN-711 | for 9/16 Bolt | 1/2 WW | 180 |
| DN-712 | for 5/8 Bolt | 9/16 WW | 192 |
| DN-713 | for 11/16 Bolt | 5/8 WW | 216 |
| DN-714 | for 3/4 Bolt | 11/16 WW | 240 |
| DN-715 | for 7/8 Bolt | 3/4 WW | 288 |
| DN-716 | for 15/16 Bolt | 13/16 WW | 324 |
| DN-717 | for 1 Bolt | 7/8 WW | 396 |
| DN-718 | | 15/16 WW | 420 |
| DN-719 | for 1.1/8 Bolt | 1 WW | 432 |
| DN-720 | for 1-1/4 Bolt | 1-1/8 WW | 720 |
| DN-721 | for 1.3/8 Bolt | 1.1/4 WW | 1224 |
| DN-722 | for 1-1/2 Bolt | 1-3/8 WW | 1440 |
| DN-723 | for 1.5/8 Bolt | 1.1/2 WW | 3168 |
| DN-724 | for 1.3/4 Bolt | 1.5/8 WW | 3840 |
| DN-725 | for 2 Bolt | 1.3/4 WW | 4752 |
| DN-726 | for 2.1/4 Bolt | - | 5500 |
| DN-727 | for 2.1/2 Bolt | - | 9500 |
| DN-728 | for 2.3/4 Bolt | - | 12000 |
| DN-729 | for 3 Bolt | - | 13000 |
| DN-730 | for 3.1/4 Bolt | - | 14000 |
| DN-731 | for 3.1/2 Bolt | - | 15000 |
| DN-732 | for 4 Bolt | - | 16000 |

Many more sizes can be produced against specific orders.

www.deneerstools.com

DEEP OFFSET SLOGGING RING SPANNER ROUND HANDLE



Pipe Extension
can be used for
Extra Leverage.

Black Phosphated.

Pipe Extension can be used for extra leverage.

Manufactured from Chrome Vanadium / Alloy Steel.

Heavy Duty Impact Spanner ideal to be used with club or
pneumatic hammer.

HSN : 82041110

| Code | Sizes (mm) | (₹) |
|--------|------------|------|
| DN-753 | 22 | 2000 |
| DN-754 | 24 | 2000 |
| DN-755 | 25 | 3000 |
| DN-756 | 26 | 3000 |
| DN-757 | 27 | 2000 |
| DN-758 | 28 | 4000 |
| DN-759 | 29 | 4000 |
| DN-760 | 30 | 2100 |
| DN-761 | 31 | 4000 |
| DN-762 | 32 | 2100 |
| DN-763 | 33 | 4000 |
| DN-764 | 34 | 3000 |
| DN-765 | 35 | 4000 |
| DN-766 | 36 | 3000 |
| DN-767 | 37 | 5500 |
| DN-768 | 38 | 3500 |
| DN-769 | 39 | 6500 |
| DN-770 | 40 | 6500 |
| DN-771 | 41 | 3800 |
| DN-772 | 42 | 4400 |
| DN-773 | 43 | 7500 |
| DN-774 | 44 | 7500 |
| DN-775 | 45 | 7500 |

| Code | Sizes (mm) | (₹) |
|--------|------------|-------|
| DN-776 | 46 | 4300 |
| DN-777 | 47 | 7500 |
| DN-778 | 48 | 7500 |
| DN-779 | 49 | 7500 |
| DN-780 | 50 | 4700 |
| DN-781 | 51 | 8000 |
| DN-782 | 52 | 8000 |
| DN-783 | 53 | 9000 |
| DN-784 | 54 | 10000 |
| DN-785 | 55 | 6300 |
| DN-786 | 60 | 7000 |
| DN-787 | 65 | 12000 |
| DN-788 | 70 | 12500 |
| DN-789 | 75 | 13000 |
| DN-790 | 80 | 14000 |
| DN-791 | 85 | 15000 |
| DN-792 | 90 | 16000 |
| DN-793 | 95 | 18000 |
| DN-794 | 100 | 20000 |
| DN-795 | 105 | 26000 |
| DN-796 | 110 | 40000 |
| DN-797 | 115 | 50000 |
| DN-798 | 120 | 60000 |

PIPE EXTENSION (FOR OPERATING DEEP OFFSET SLOGGING RING SPANNER ROUND HANDLE)



| Code | Pipe Length Size (mm) | (₹) |
|--------|-----------------------|------|
| DN-819 | 460mm | 1400 |
| DN-820 | 610mm | 1800 |
| DN-821 | 760mm | 2600 |
| DN-822 | 860mm | 3400 |

**DEEP OFFSET SLOGGING RING SPANNER
ROUND HANDLE**

**SAE
SIZES**



Pipe Extension
can be used for
Extra Leverage.

Black Phosphated.

Pipe Extension can be used for extra leverage.

Manufactured from Chrome Vanadium / Alloy Steel.

Heavy Duty Impact Spanner ideal to be used with club or
pneumatic hammer.

HSN : 82041110

| Code | Sizes (SAE) | (₹) |
|--------|-------------|-------|
| DN-843 | 1 | 4200 |
| DN-844 | 1.1/16 | 2800 |
| DN-845 | 1.1/8 | 5600 |
| DN-846 | 1.3/16 | 3000 |
| DN-847 | 1.1/4 | 3000 |
| DN-848 | 1.5/16 | 5600 |
| DN-849 | 1.3/8 | 5600 |
| DN-850 | 1.7/16 | 7700 |
| DN-851 | 1.1/2 | 4900 |
| DN-852 | 1.9/16 | 7700 |
| DN-853 | 1.5/8 | 5320 |
| DN-854 | 1.11/16 | 10500 |
| DN-855 | 1.3/4 | 11200 |
| DN-856 | 1.13/16 | 6020 |
| DN-857 | 2 | 11200 |
| DN-858 | 2.1/16 | 12600 |
| DN-859 | 2.1/8 | 14000 |
| DN-860 | 2.3/16 | 9000 |
| DN-861 | 2.1/4 | 9380 |
| DN-862 | 2.5/16 | 9600 |
| DN-863 | 2.3/8 | 9800 |
| DN-864 | 2.7/16 | 11900 |
| DN-865 | 2.1/2 | 15400 |
| DN-866 | 2.9/16 | 16800 |
| DN-867 | 2.5/8 | 17200 |
| DN-868 | 2.11/16 | 17200 |
| DN-869 | 2.3/4 | 17500 |
| DN-870 | 2.13/16 | 17800 |
| DN-871 | 2.7/8 | 17900 |
| DN-872 | 2.15/16 | 18200 |

| Code | Sizes (SAE) | (₹) |
|--------|-------------|-------|
| DN-873 | 3 | 18500 |
| DN-874 | 3.1/16 | 19000 |
| DN-875 | 3.1/8 | 19300 |
| DN-876 | 3.3/16 | 19900 |
| DN-877 | 3.1/4 | 20500 |
| DN-878 | 3.5/16 | 20700 |
| DN-879 | 3.3/8 | 21300 |
| DN-880 | 3.7/16 | 21800 |
| DN-881 | 3.1/2 | 22100 |
| DN-882 | 3.9/16 | 23000 |
| DN-883 | 3.5/8 | 23500 |
| DN-884 | 3.11/16 | 24600 |
| DN-885 | 3.3/4 | 25200 |
| DN-886 | 3.13/16 | 26300 |
| DN-887 | 3.7/8 | 26900 |
| DN-888 | 4 | 30200 |
| DN-889 | 4.1/16 | 31400 |
| DN-890 | 4.1/8 | 36400 |
| DN-891 | 4.3/16 | 40400 |
| DN-892 | 4.1/4 | 43100 |
| DN-893 | 4.5/16 | 56000 |
| DN-894 | 4.3/8 | 59500 |
| DN-895 | 4.7/16 | 66500 |
| DN-896 | 4.1/2 | 67000 |
| DN-897 | 4.9/16 | 73500 |
| DN-898 | 4.5/8 | 78800 |
| DN-899 | 4.11/16 | 80500 |
| DN-900 | 4.3/4 | 90000 |

DEEP OFFSET SLOGGING RING SPANNERS



Manufactured from Selected Steel.

Fully Hardened and Tempered.

To use with club hammer or pneumatic hammer for tightening or loosening.

HSN : 82041110

| Code | Sizes (mm) | (₹) | Code | Sizes (mm) | (₹) |
|--------|------------|-------|--------|------------|--------|
| DN-921 | 23 | 3000 | DN-955 | 57 | 10000 |
| DN-922 | 24 | 3000 | DN-956 | 58 | 11000 |
| DN-923 | 25 | 3000 | DN-957 | 59 | 11000 |
| DN-924 | 26 | 3000 | DN-958 | 60 | 7200 |
| DN-925 | 27 | 3000 | DN-959 | 61 | 12000 |
| DN-926 | 28 | 3000 | DN-960 | 62 | 13000 |
| DN-927 | 29 | 3000 | DN-961 | 63 | 13000 |
| DN-928 | 30 | 3000 | DN-962 | 64 | 14000 |
| DN-929 | 31 | 4000 | DN-963 | 65 | 12000 |
| DN-930 | 32 | 2280 | DN-964 | 66 | 16000 |
| DN-931 | 33 | 4000 | DN-965 | 67 | 16000 |
| DN-932 | 34 | 4000 | DN-966 | 68 | 16000 |
| DN-933 | 35 | 4000 | DN-967 | 69 | 16000 |
| DN-934 | 36 | 3200 | DN-968 | 70 | 13200 |
| DN-935 | 37 | 4800 | DN-969 | 75 | 13800 |
| DN-936 | 38 | 4800 | DN-970 | 76 | 17000 |
| DN-937 | 39 | 6000 | DN-971 | 80 | 15000 |
| DN-938 | 40 | 6000 | DN-972 | 85 | 16000 |
| DN-939 | 41 | 3900 | DN-973 | 90 | 17500 |
| DN-940 | 42 | 6500 | DN-974 | 95 | 18500 |
| DN-941 | 43 | 6500 | DN-975 | 96 | 23000 |
| DN-942 | 44 | 6500 | DN-976 | 100 | 20000 |
| DN-943 | 45 | 6500 | DN-977 | 105 | 23400 |
| DN-944 | 46 | 4500 | DN-978 | 107 | 29000 |
| DN-945 | 47 | 7500 | DN-979 | 110 | 25200 |
| DN-946 | 48 | 7500 | DN-980 | 115 | 30000 |
| DN-947 | 49 | 7500 | DN-981 | 120 | 40000 |
| DN-948 | 50 | 5000 | DN-982 | 125 | 90000 |
| DN-949 | 51 | 9000 | DN-983 | 130 | 100000 |
| DN-950 | 52 | 9000 | DN-984 | 135 | 105000 |
| DN-951 | 53 | 9000 | DN-985 | 140 | 110000 |
| DN-952 | 54 | 9000 | DN-986 | 145 | 115000 |
| DN-953 | 55 | 6500 | DN-987 | 150 | 120000 |
| DN-954 | 56 | 11000 | | | |

DEEP OFFSET SLOGGING RING SPANNERS

SAE
SIZES



S
P
A
N
N
E
R
S

Manufactured from Selected Steel.

Fully Hardened and Tempered.

To use with club hammer or pneumatic hammer for tightening or loosening.

HSN : 82041110

| Code | Sizes (SAE) | (₹) |
|---------|-------------|-------|
| DN-1008 | 7/8 | 2160 |
| DN-1009 | 15/16 | 2736 |
| DN-1010 | 1 | 3600 |
| DN-1011 | 1.1/16 | 3600 |
| DN-1012 | 1.1/8 | 4176 |
| DN-1013 | 1.3/16 | 4176 |
| DN-1014 | 1.1/4 | 4824 |
| DN-1015 | 1.5/16 | 5832 |
| DN-1016 | 1.3/8 | 5976 |
| DN-1017 | 1.7/16 | 6048 |
| DN-1018 | 1.1/2 | 6336 |
| DN-1019 | 1.9/16 | 6408 |
| DN-1020 | 1.5/8 | 6696 |
| DN-1021 | 1.11/16 | 7920 |
| DN-1022 | 1.3/4 | 7920 |
| DN-1023 | 1.13/16 | 8280 |
| DN-1024 | 1.7/8 | 8928 |
| DN-1025 | 1.15/16 | 9072 |
| DN-1026 | 2 | 9288 |
| DN-1027 | 2.1/16 | 10296 |
| DN-1028 | 2.1/8 | 10368 |
| DN-1029 | 2.3/16 | 10800 |
| DN-1030 | 2.1/4 | 11376 |
| DN-1031 | 2.5/16 | 11448 |
| DN-1032 | 2.3/8 | 11232 |
| DN-1033 | 2.7/16 | 13032 |

| Code | Sizes (SAE) | (₹) |
|---------|-------------|-------|
| DN-1034 | 2.1/2 | 12528 |
| DN-1035 | 2.9/16 | 12600 |
| DN-1036 | 2.5/8 | 13032 |
| DN-1037 | 2.11/16 | 15408 |
| DN-1038 | 2.3/4 | 15840 |
| DN-1039 | 2.13/16 | 16344 |
| DN-1040 | 2.7/8 | 17208 |
| DN-1041 | 2.15/16 | 17280 |
| DN-1042 | 3 | 20160 |
| DN-1043 | 3.1/16 | 24480 |
| DN-1044 | 3.1/8 | 24552 |
| DN-1045 | 3.3/16 | 25056 |
| DN-1046 | 3.1/4 | 25992 |
| DN-1047 | 3.5/16 | 26064 |
| DN-1048 | 3.3/8 | 26568 |
| DN-1049 | 3.7/16 | 27000 |
| DN-1050 | 3.1/2 | 31104 |
| DN-1051 | 3.9/16 | 31320 |
| DN-1052 | 3.5/8 | 32400 |
| DN-1053 | 3.11/16 | 34848 |
| DN-1054 | 3.3/4 | 36360 |
| DN-1055 | 3.13/16 | 38520 |
| DN-1056 | 3.7/8 | 38592 |
| DN-1057 | 3.15/16 | 40248 |
| DN-1058 | 4 | 40680 |
| - | - | - |

CONSTRUCTION WRENCH WITH PIN



HSN : 82041110

| Code | Size | Length (mm) | (₹) |
|---------|------|-------------|-------|
| DN-1079 | 17 | 220 | 1200 |
| DN-1080 | 19 | 240 | 1200 |
| DN-1081 | 22 | 260 | 1300 |
| DN-1082 | 24 | 280 | 1600 |
| DN-1083 | 27 | 300 | 1800 |
| DN-1084 | 30 | 320 | 2800 |
| DN-1085 | 32 | 340 | 3100 |
| DN-1086 | 36 | 360 | 3900 |
| DN-1087 | 41 | 380 | 5200 |
| DN-1088 | 46 | 400 | 6400 |
| DN-1089 | 50 | 420 | 7600 |
| DN-1090 | 55 | 450 | 8600 |
| DN-1091 | 60 | 480 | 10200 |

STRIKING CONVEX BOX WRENCH



HSN : 82041110

| Code | Size | Length (mm) | (₹) |
|---------|------|-------------|-------|
| DN-1154 | 27 | 175 | 2400 |
| DN-1155 | 30 | 185 | 2800 |
| DN-1156 | 32 | 185 | 3200 |
| DN-1157 | 36 | 210 | 4000 |
| DN-1158 | 41 | 227 | 5000 |
| DN-1159 | 46 | 245 | 6500 |
| DN-1160 | 50 | 257 | 8000 |
| DN-1161 | 55 | 267 | 9500 |
| DN-1162 | 60 | 278 | 11500 |
| DN-1163 | 65 | 298 | 13000 |
| DN-1164 | 70 | 320 | 15000 |
| DN-1165 | 75 | 326 | 16000 |

CONSTRUCTION WRENCH



HSN : 82041110

| Code | Size | Length (mm) | (₹) |
|---------|------|-------------|-------|
| DN-1112 | 17 | 310 | 1600 |
| DN-1113 | 19 | 330 | 1800 |
| DN-1114 | 22 | 350 | 2200 |
| DN-1115 | 24 | 370 | 2600 |
| DN-1116 | 27 | 400 | 3500 |
| DN-1117 | 30 | 430 | 4000 |
| DN-1118 | 32 | 430 | 4400 |
| DN-1119 | 36 | 460 | 5500 |
| DN-1120 | 41 | 490 | 6000 |
| DN-1121 | 46 | 520 | 9500 |
| DN-1122 | 50 | 540 | 11500 |
| DN-1123 | 55 | 560 | 14000 |
| DN-1124 | 60 | 610 | 16000 |
| DN-1125 | 65 | 630 | 18000 |
| DN-1126 | 70 | 630 | 20000 |
| DN-1127 | 75 | 665 | 21000 |
| DN-1128 | 80 | 690 | 23250 |
| DN-1129 | 85 | 690 | 26000 |
| DN-1130 | 90 | 710 | 28750 |
| DN-1131 | 95 | 710 | 31500 |
| DN-1132 | 100 | 730 | 34200 |
| DN-1133 | 110 | 750 | 42500 |

STRAIGHT SLOGGING BOX WRENCH (AMERICAN TYPE)



BI-HEX

HEX

HSN : 82041110

| Code | Size | Length (mm) | (₹) |
|---------|------|-------------|-------|
| DN-1186 | 27 | 250 | 3940 |
| DN-1187 | 30 | 256 | 4265 |
| DN-1188 | 32 | 260 | 4390 |
| DN-1189 | 36 | 270 | 5685 |
| DN-1190 | 41 | 278 | 6850 |
| DN-1191 | 46 | 287 | 8915 |
| DN-1192 | 50 | 296 | 9945 |
| DN-1193 | 55 | 303 | 11370 |
| DN-1194 | 60 | 315 | 12275 |
| DN-1195 | 65 | 322 | 14730 |
| DN-1196 | 70 | 325 | 16540 |
| DN-1197 | 75 | 338 | 19895 |
| DN-1198 | 80 | 348 | 23515 |
| DN-1199 | 85 | 355 | 31000 |
| DN-1200 | 90 | 360 | 33590 |
| DN-1201 | 95 | 365 | 37470 |
| DN-1202 | 100 | 375 | 41345 |
| DN-1203 | 105 | 385 | 51680 |
| DN-1204 | 110 | 400 | 54265 |
| DN-1205 | 115 | 415 | 58140 |
| DN-1206 | 120 | 430 | 64600 |

VICE GRIP PLIER



Generally Conforming to IS 10372-1982

HSN : 82032000

| Code | Size | Weight in Gms | (₹) |
|-----------|-----------|---------------|-----|
| DN1641-5 | 125mm- 5 | 160 | 760 |
| DN1641-7 | 175mm- 7 | 370 | 570 |
| DN1641-10 | 250mm- 10 | 550 | 680 |

COMBINATION PLIER - PROFESSIONAL SERIES



JUMBO
SIZES

Hardened And Tempered

Generally Conforming to IS 3650-1981

HSN : 82032000

| Code | Size | (₹) |
|-------|--------------|------|
| MCP10 | MCP-10/250mm | 940 |
| MCP12 | MCP-12/300mm | 1280 |

WATER PUMP PLIER BOX JOINT WITH DIP INSULATION-RED WPP

HSN : 82032000

Anti-Slip grooves
Multi position adjustment
Soft Grip Handles.

Fully Hardened and Tempered
Generally Conforming to IS 6118-2017

DN[®]

HIGH GRADE
CrV

DIN ISO 8976 C

CHROME VANADIUM STEEL

| Code | Size (mm) | (₹) |
|--------|-----------|------|
| WPPR7 | 175 | 250 |
| WPPR10 | 250 | 220 |
| WPPR12 | 300 | 660 |
| WPPR16 | 400 | 1600 |



WATER PUMP PLIER - GROOVE JOINT

HSN : 82032000

Rigid double grooves.
Anti Slip.
Soft Grip Handles.

Fully Hardened and Tempered
Generally Conforming to IS 6118-1991

DN[®]

HIGH GRADE
CrV

DIN ISO 8976 B

CHROME VANADIUM STEEL

| Code | Size (mm) | (₹) |
|-----------|-------------------------|------|
| DN1225/10 | 250mm (with insulation) | 510 |
| DN1226/12 | 300mm (with insulation) | 780 |
| DN1227/16 | 400mm (with insulation) | 2200 |



REVOLVING PUNCH PLIER

HSN : 82032000

Made from Selected Alloy Steel
Induction Hardened

| Code | Size | (₹) |
|---------|-------|------|
| DN-1701 | 200mm | 1150 |



MINI PLIERS

HSN : 82032000

Made from Selected Alloy Steel
Induction Hardened

BLISTER
PACKING

| Code | Description | Length mm | (Blister Packing) (₹) |
|---------|-----------------------|-----------|--------------------------|
| DN1401B | Flat Nose | 125 | 250 |
| DN1402B | Round Nose | 125 | 250 |
| DN1403B | Long Nose | 125 | 250 |
| DN1404B | Bent Nose | 125 | 250 |
| DN1405B | Side Cutting | 125 | 250 |
| DN1406B | End Cutting | 125 | 250 |
| DN1407B | Combination | 125 | 250 |
| DN1408B | Long Needle Nose | 125 | 250 |
| DN1409B | Long Needle Bent Nose | 125 | 250 |



MICRO JEWELLERY PLIERS

HSN : 82032000

Made from Selected Alloy Steel
Induction Hardened

BLISTER
PACKING

| Code | Description | Length mm | (₹) |
|--------|--------------|-----------|-----|
| DN1411 | Flat Nose | 80 | 180 |
| DN1412 | Round Nose | 80 | 180 |
| DN1413 | Long Nose | 80 | 180 |
| DN1414 | Bent Nose | 80 | 180 |
| DN1415 | Side Cutting | 80 | 180 |



BENT NOSE PLIER

HSN : 82032000

Induction Hardened Cutting Edges.
Thin Nose Profile gets into tight spaces.
Ergonomic Sleeve design.

Generally Conforming to IS 5658-1990

BLISTER
PACKING

| Code | Description | Length mm | (₹) |
|-------|-------------|-----------|-----|
| BNP6 | Bent Nose | 165 | 280 |
| BNP8 | Bent Nose | 200 | 370 |
| BNP13 | Bent Nose | 325 | 800 |



LONG REACH MINI PLIERS

HSN : 82032000

Made from Selected Alloy Steel
Induction Hardened

BLISTER
PACKING

| Code | Description | Length mm | (₹) |
|--------|-------------------------------------|-----------|-----|
| DN1453 | Long Nose Long Reach Mini Pliers | 160 | 250 |
| DN1455 | Side Cutting Long Reach Mini Pliers | 150 | 250 |



COMBINATION PLIER- HEAVY DUTY

HSN : 82032000

Fully Hardened and Tempered.
High Alloy Steel.

BLISTER
PACKING

Generally Conforming to IS 3650-1981

| Code | Size | (Blister Packing) (₹) |
|---------|---------|--------------------------|
| DN-1721 | 150mm-6 | 250 |
| DN-1722 | 175mm-7 | 270 |
| DN-1723 | 210mm-8 | 290 |



COMBINATION PLIER- HEAVY DUTY- PROFESSIONAL SERIES

HSN : 82032000

Fully Hardened and Tempered.
High Alloy Steel.

BLISTER
PACKING

Generally Conforming to IS 3650-1981

| Code | Size | (₹) |
|---------|-----------|-----|
| DN-1725 | 200mm-Pro | 320 |



SIDE CUTTING PLIERS

HSN : 82032000

Induction Hardened Cutting Edges.
Round Shape Jaws for improved access in confined areas.

BLISTER
PACKING

Generally Conforming to IS 4378(I)-2017

| Code | Size | (Blister Packing) (₹) |
|---------|---------------------|--------------------------|
| DN-1731 | 150mm-6 | 290 |
| DN-1732 | 150mm-6 (With Hole) | 300 |
| DN-1736 | 200mm-8 | 340 |



LONG NOSE PLIERS

HSN : 82032000

Serrated Jaws ensures gripping power.

BLISTER
PACKING

Generally Conforming to IS 5658-1990

| Code | Description | Length mm | (Blister Packing) (₹) |
|-----------|-----------------|--------------|-----------------------------|
| DN-1751 | Long Nose | 150mm-6 | 300 |
| DN-1752 | Long Nose | 200mm-8 | 350 |
| FNP1421/6 | Flat Nose | 165mm-6 | 320 |
| RNP1431/6 | Round Nose | 165mm-6 | 320 |
| ELNP11 | Extra Long Nose | 275mm-11 | 600 |
| ELNP13 | Extra Long Nose | 325mm-13 | 950 |



COMBINATION PLIER- HEAVY DUTY

HSN : 82032000

Fully Hardened and Tempered.

High Alloy Steel.

Generally Conforming to IS 3650-1981

| Code | Size | (Regular Packing) (₹) |
|-----------|---------|--------------------------|
| DN-1621-6 | 150mm-6 | 200 |
| DN-1621-7 | 175mm-7 | 230 |
| DN-1621-8 | 210mm-8 | 220 |



SIDE CUTTING PLIERS

HSN : 82032000

Induction Hardened Cutting Edges.

Round Shape Jaws for improved access in confined areas.

Ergonomic Sleeve design

Generally Conforming to IS 4378(I)-2017

| Code | Size | (Regular Packing) (₹) |
|-----------|---------|--------------------------|
| DN-1121-6 | 150mm-6 | 200 |



LONG NOSE PLIERS

HSN : 82032000

Serrated Jaws ensures gripping power.

Ergonomic Sleeve design

Generally Conforming to IS 5658-1990

| Code | Description | Length mm | (₹) |
|-----------|-------------|--------------|-----|
| LNP1430/6 | Long Nose | 150mm-6 | 190 |
| LNP1430/8 | Long Nose | 200mm-8 | 280 |



FENCING PLIER- HEAVY DUTY

HSN : 82032000

Fully Hardened and Tempered.
High Alloy Steel.

Generally Conforming to IS 5067-1969

| Code | Sizes | (₹) |
|---------|----------|------|
| DN-1756 | 250mm-10 | 1300 |



SLIP JOINT PLIERS WITH DIP INSULATION

HSN : 82032000

Fully Hardened and Tempered.
High Alloy Steel.

Generally Conforming to IS 13323-1992

| Code | Sizes (mm) | (₹) |
|----------|------------|-----|
| DN-SJP06 | 150mm-6 | 160 |
| DN-SJP08 | 200mm-8 | 170 |



COBBLER PINCER-WITH DIP INSULATION

HSN : 82032000

Generally Conforming to IS 4095-1991

| Code | Size (mm) | (₹) |
|-----------|-----------|-----|
| DN/1541/6 | 150 | 216 |
| DN/1541/8 | 200 | 240 |



TOWER PINCER

HSN : 82032000

Generally Conforming to IS 4095-1991

| Code | Size (mm) | (₹) |
|---------|-----------|-----|
| DN-1775 | 200 | 380 |



CIRCLIP PLIERS

INTERNAL STRAIGHT - # 1441

INTERNAL BENT - # 1442

HSN : 82032000



BLISTER
PACKING

EXTERNAL STRAIGHT - # 1443

EXTERNAL BENT - # 1444

HSN : 82032000



BLISTER
PACKING

Induction Hardened tips for strength and performance.
Designed for the easy installation & removal of circlips.
Ideal for use in confined areas.

Generally Conforming to IS 7989-1976 (Int.), 7990-1976 (Ext.)

| Code | Sizes (mm) | Capacity | (₹) |
|---------|------------|-------------------|------|
| 1441-5 | 125mm-5 | 8-25mm | 325 |
| 1441-7 | 175mm-7 | 19-60mm | 310 |
| 1441-9 | 225mm-9 | 40-100mm | 600 |
| 1441-13 | 325mm-13 | 85-165mm | 990 |
| 1441-18 | 450mm-18 | (Printed Polybag) | 1500 |
| 1442-5 | 125mm-5 | 8-25mm | 325 |
| 1442-7 | 175mm-7 | 19-60mm | 310 |
| 1442-9 | 225mm-9 | 40-100mm | 600 |
| 1442-13 | 325mm-13 | 85-165mm | 990 |
| 1442-18 | 450mm-18 | (Printed Polybag) | 1500 |

Induction Hardened tips for strength and performance.
Designed for the easy installation & removal of circlips.
Ideal for use in confined areas.

Generally Conforming to IS 7989-1976 (Int.), 7990-1976 (Ext.)

| Code | Sizes (mm) | Capacity | (₹) |
|---------|------------|-------------------|------|
| 1443-5 | 125mm-5 | 8-25mm | 325 |
| 1443-7 | 175mm-7 | 19-60mm | 310 |
| 1443-9 | 225mm-9 | 40-100mm | 600 |
| 1443-13 | 325mm-13 | 85-165mm | 990 |
| 1443-18 | 450mm-18 | (Printed Polybag) | 1500 |
| 1444-5 | 125mm-5 | 8-25mm | 325 |
| 1444-7 | 175mm-7 | 19-60mm | 310 |
| 1444-9 | 225mm-9 | 40-100mm | 600 |
| 1444-13 | 325mm-13 | 85-165mm | 990 |
| 1444-18 | 450mm-18 | (Printed Polybag) | 1500 |

**CIRCLIP PLIER SET
4 PCS SET**



| Code | Contents | Sizes (mm) | (₹) |
|---------|--|--|------|
| DN-1795 | Internal Straight External Straight Internal Bent External Bent | 175mm-7 175mm-7 175mm-7 175mm-7 | 1450 |

ADJUSTABLE WRENCHES (PHOSPHATE FINISH)

HSN : 82041220

Manufactured from Selected Steel.

Narrow & Thin tapered Jaws for work in confined areas.

Laser etched Scale allows easy size identification.

Generally Conforming to IS 6149-1984 Grade-II

★ Sizes 200, 250, 300, 375mm are  marked also

| Code | Length (mm) | Opening Capacity (mm) | (₹) |
|---------|-------------|-----------------------|-------|
| 1169-4 | 100 | 14 | 300 |
| 1170-6 | 155 | 19 | 200 |
| 1171-8 | 205 | 26 | 250 |
| 1172-10 | 255 | 30 | 325 |
| 1173-12 | 305 | 35 | 430 |
| 1174-15 | 380 | 43 | 1050 |
| 1175-18 | 445 | 55 | 3100 |
| 1176-24 | 608 | 62 | 4900 |
| 1177-30 | 780 | 90 | 18500 |
| 1178-36 | 900 | | 55000 |
| 1179-48 | 1200 | | 62000 |

ADJUSTABLE WRENCHES (CHROME FINISH)

HSN : 82041220

Manufactured from Selected Steel.

Narrow & Thin tapered Jaws for work in confined areas.

Laser etched Scale allows easy size identification.

Generally Conforming to IS 6149-1984 Grade-II

| Code | Length (mm) | Opening Capacity (mm) | (₹) |
|-----------|-------------|-----------------------|-------|
| 1169-4-C | 100 | 14 | 400 |
| 1170-6-C | 155 | 19 | 220 |
| 1171-8-C | 205 | 26 | 290 |
| 1172-10-C | 255 | 30 | 385 |
| 1173-12-C | 305 | 35 | 485 |
| 1174-15-C | 380 | 43 | 1200 |
| 1175-18-C | 445 | 55 | 3600 |
| 1176-24-C | 606 | 62 | 6000 |
| 1177-30-C | 780 | 90 | 20000 |

ADJUSTABLE WRENCHES (WITH SOFT GRIP)

HSN : 82041220

Manufactured from Selected Steel.

Narrow & Thin tapered Jaws for work in confined areas.

Laser etched Scale allows easy size identification.

Generally Conforming to IS 6149-1984 Grade-II

| Code | Length (mm) | Opening Capacity (mm) | (₹) |
|------------|-------------|-----------------------|------|
| 1170-6-SG | 155 | 19 | 350 |
| 1171-8-SG | 205 | 26 | 380 |
| 1172-10-SG | 255 | 30 | 550 |
| 1173-12-SG | 305 | 35 | 700 |
| 1174-15-SG | 380 | 43 | 1250 |



ADJUSTABLE WRENCHES (PHOSPHATE FINISH)

HSN : 82041220

Manufactured from Selected Steel.

Narrow & Thin tapered Jaws for work in confined areas.

Laser etched Scale allows easy size identification.

BLISTER
PACKING

Generally Conforming to IS 6149-1984 Grade-II

| Code | Length (mm) | Opening Capacity (mm) | (Blister Packing) (₹) |
|---------|-------------|-----------------------|-----------------------|
| DN-2151 | 155 | 19 | 260 |
| DN-2152 | 205 | 26 | 320 |
| DN-2153 | 255 | 30 | 425 |
| DN-2154 | 305 | 35 | 530 |
| DN-2155 | 380 | 43 | 1250 |



ADJUSTABLE WRENCHES (CHROME FINISH)

HSN : 82041220

Manufactured from Selected Steel.

Narrow & Thin tapered Jaws for work in confined areas.

Laser etched Scale allows easy size identification.

BLISTER
PACKING

Generally Conforming to IS 6149-1984 Grade-II

| Code | Length (mm) | Opening Capacity (mm) | (Blister Packing) (₹) |
|---------|-------------|-----------------------|-----------------------|
| DN-2161 | 155 | 19 | 280 |
| DN-2162 | 205 | 26 | 360 |
| DN-2163 | 255 | 30 | 500 |
| DN-2164 | 305 | 35 | 600 |
| DN-2165 | 380 | 43 | 1400 |



PIPE WRENCHES STILLSON PATTERN

HSN : 82041220

Forged from High Quality Steel.

Double Spring system which ensures anti-slipping & ratcheting action.

More Depth of Jaws for firmly gripping the work piece.

Jaws are Induction Hardened for longer life.

BLISTER
PACKING

Generally Conforming to IS 4003 Part- I 1978

| Code | Length (mm) | Opening Capacity (mm) | (Blister Packing) (₹) |
|---------|-------------|-----------------------|-----------------------|
| DN-2171 | 250 | 33 | 350 |
| DN-2172 | 300 | 42 | 450 |
| DN-2173 | 350 | 48 | 530 |
| DN-2174 | 450 | 60 | 875 |



PIPE WRENCHES STILLSON PATTERN

HSN : 82041220

Forged from High Quality Steel.

Double Spring system which ensures anti-slipping & ratcheting action.

More Depth of Jaws for firmly gripping the work piece.

Jaws are Induction Hardened for longer life.

Generally Conforming to IS 4003 Part- I 1978

★ Sizes 300, 350, 450, 600mm are  marked also

| Code | Length (mm) | Opening Capacity (mm) | (₹) |
|---------|-------------|-----------------------|-------|
| 1271-8 | 200 | 26 | 220 |
| 1272-10 | 250 | 33 | 265 |
| 1273-12 | 300 | 42 | 370 |
| 1274-14 | 350 | 48 | 440 |
| 1275-18 | 450 | 60 | 725 |
| 1276-24 | 600 | 73 | 1310 |
| 1277-36 | 900 | 95 | 2950 |
| 1278-48 | 1200 | 166 | 5400 |
| 1279-60 | 1500 | 220 | 36000 |



PIPE WRENCHES-HEAVY DUTY

HSN : 82041220

Handle made of malleable cast iron.

Hook & Heel Jaws induction hardened.

Efficient Design to improve productivity.

Generally Conforming to IS 4003 (Part-II)1986

| Code | Size (mm) | Opening Capacity (mm) | (₹) |
|------------|-----------|-----------------------|-------|
| 116R-8 HD | 200 | 35 | 460 |
| 116R-10 HD | 250 | 49 | 650 |
| 116R-12 HD | 300 | 60 | 850 |
| 116R-14 HD | 350 | 60 | 1150 |
| 116R-18 HD | 450 | 76 | 1900 |
| 116R-24 HD | 600 | 90 | 2700 |
| 116R-36 HD | 900 | 140 | 5300 |
| 116R-48 HD | 1200 | 166 | 8900 |
| 116R-60 HD | 1500 | 220 | 36000 |



SPARES FOR PIPE WRENCHES-HEAVY DUTY

SET OF HOOK, ROLLER, HEEL JAW, SPRING (4 PCS. SET)

| Code | Size (mm) | (₹) |
|------------|-----------|------|
| 116R-12 SP | 300 | 500 |
| 116R-14 SP | 350 | 700 |
| 116R-18 SP | 450 | 1200 |
| 116R-24 SP | 600 | 1750 |
| 116R-36 SP | 900 | 3250 |
| 116R-48 SP | 1200 | 5500 |

90° BENT NOSE PIPE WRENCH

HSN : 82041220



| Code | Length | (₹) |
|---------|--------|------|
| DN-2201 | 3/4 | 1200 |
| DN-2202 | 1 | 1400 |
| DN-2203 | 1.5 | 2000 |
| DN-2204 | 2 | 2600 |
| DN-2205 | 3 | 3600 |
| DN-2206 | 4 | 4900 |

45° BENT NOSE PIPE WRENCH

HSN : 82041220



| Code | Length | (₹) |
|---------|--------|------|
| DN-2211 | 1 | 1400 |
| DN-2212 | 1.5 | 2000 |
| DN-2213 | 2 | 2800 |

S TYPE BENT NOSE PIPE WRENCH

HSN : 82041220



| Code | Length | (₹) |
|---------|--------|------|
| DN-2221 | 1/2 | 1100 |
| DN-2222 | 1 | 1400 |
| DN-2223 | 1.5 | 2000 |
| DN-2224 | 2 | 2800 |

STRAP WRENCH

HSN : 82041220



Drop Forged Handle.

| Code | Size | (₹) |
|---------|------------|------|
| DN-2251 | 225mm - 9 | 1000 |
| DN-2252 | 275mm - 11 | 1100 |

FILTER WRENCH : BELT TYPE

HSN : 82041220



| Code | Size | (₹) |
|---------|------------|-----|
| DN-2256 | 225mm Long | 340 |
| DN-2257 | 300mm Long | 530 |

PIPE WRENCHES ALUMINUM

HSN : 82041220



Generally Conforming to IS 4003 (Part-II)1986

| Code | Size (mm) | Opening Capacity (mm) | (₹) |
|----------|-----------|-----------------------|-------|
| 116AL 10 | 250 | 49 | 1200 |
| 116AL 12 | 300 | 60 | 1850 |
| 116AL 14 | 350 | 60 | 2000 |
| 116AL 18 | 450 | 76 | 3750 |
| 116AL 24 | 600 | 90 | 4500 |
| 116AL 36 | 900 | 140 | 8600 |
| 116AL 48 | 1200 | 166 | 15600 |

CHAIN PIPE WRENCHES - HEAVY DUTY (SOLID HANDLE)

HSN : 82041220

* **FORGED HANDLES**



Salient Design Features : Specially Designed Double Sided Reversible and Interchangeable Forged Jaw to give Longer Life
Jaws Drop Forged from Alloy Steel.

Generally Conforming to IS 4123-1998

| Code | Size | Length (mm) | Chain Length (mm) | Capacity | (₹) |
|---------|----------|-------------|-------------------|----------|-------|
| CPW3 | 3-75mm | 710 | 475 | 90 | 2400 |
| * CPW4 | 4-100mm | 920 | 585 | 115 | 4000 |
| * CPW6 | 6-150mm | 1100 | 834 | 165 | 5000 |
| CPW8 | 8-200mm | 1200 | 1100 | 220 | 8400 |
| CPW10 | 10-250mm | 1400 | 1200 | 260 | 11500 |
| * CPW12 | 12-300mm | 1610 | 1360 | 300 | 14500 |
| * CPW16 | 16-400mm | 1750 | 1500 | 385 | 18000 |
| CPW20 | 20-500mm | | | | 28500 |

* 300 & 400mm are Forged Handle

CHAIN PIPE WRENCHES - HEAVY DUTY (HOLLOW HANDLE)

HSN : 82041220

ERGOMATIC DESIGN



Salient Design Features : Specially Designed Double Sided Reversible and Interchangeable Forged Jaw to give Longer Life
The Ribs on the Jaw Share and Minimize the Load on Holding Fasteners
Jaws Drop Forged from Alloy Steel.

| Code | Size | Length (mm) | Chain Length (mm) | Capacity | Hollow Handle Price Per Pcs. (₹) |
|--------|---------|-------------|-------------------|----------|----------------------------------|
| CPW3HO | 3-75mm | 710 | 475 | 90 | 3600 |
| CPW4HO | 4-100mm | 920 | 585 | 115 | 6000 |
| CPW6HO | 6-150mm | 1100 | 834 | 165 | 7500 |
| CPW8HO | 8-200mm | 1200 | 1100 | 220 | 12600 |

HOOK WRENCH

HSN : 82041110

| Code | Size (mm) | (₹) |
|----------|-----------|------|
| HW1525 | 15 - 25 | 360 |
| HW2030 | 20 - 30 | 360 |
| HW2528 | 25 - 28 | 360 |
| HW2535 | 25 - 35 | 360 |
| HW2832 | 28 - 32 | 360 |
| HW3032 | 30 - 32 | 360 |
| HW3436 | 34 - 36 | 480 |
| HW3040 | 30 - 40 | 480 |
| HW3045 | 30 - 45 | 540 |
| HW4042 | 40 - 42 | 480 |
| HW4045 | 40 - 45 | 540 |
| HW4050 | 40 - 50 | 540 |
| HW4550 | 45 - 50 | 540 |
| HW4552 | 45 - 52 | 660 |
| HW4555 | 45 - 55 | 660 |
| HW5055 | 50 - 55 | 660 |
| HW5060 | 50 - 60 | 720 |
| HW5255 | 52 - 55 | 660 |
| HW5560 | 55 - 60 | 720 |
| HW5562 | 55 - 62 | 810 |
| HW5565 | 55 - 65 | 810 |
| HW5658 | 56 - 58 | 810 |
| HW5862 | 58 - 62 | 810 |
| HW6070 | 60 - 70 | 900 |
| HW6872 | 68 - 72 | 1020 |
| HW6875 | 68 - 75 | 1020 |
| HW7080 | 70 - 80 | 1140 |
| HW7090 | 70 - 90 | 1080 |
| HW7885 | 78 - 85 | 1140 |
| HW8090 | 80 - 90 | 1140 |
| HW85105 | 85 - 105 | 1260 |
| HW9095 | 90 - 95 | 1260 |
| HW90110 | 90 - 110 | 1620 |
| HW95100 | 95 - 100 | 1260 |
| HW100110 | 100 - 110 | 1700 |
| HW110115 | 110 - 115 | 1700 |
| HW110130 | 110 - 130 | 1800 |
| HW115130 | 115 - 130 | 1800 |
| HW120130 | 120 - 130 | 1800 |
| HW130155 | 130 - 155 | 4800 |
| HW135145 | 135 - 145 | 1920 |
| HW150160 | 150 - 160 | 5200 |
| HW155165 | 155 - 165 | 5200 |
| HW155180 | 155 - 180 | 5200 |
| HW165170 | 165 - 170 | 5200 |
| HW180195 | 180 - 195 | 5400 |
| HW180200 | 180 - 200 | 5400 |
| HW200220 | 200 - 220 | 5400 |
| HW205220 | 205 - 220 | 6000 |
| HW220260 | 220 - 260 | 6000 |
| HW220240 | 220 - 240 | 8000 |



HOOK WRENCH (ADJUSTABLE)



Ideal for adjusting collars, lock nut rings and bearings.
Ideal for automotive, industrial, plumbing and hardware applications.

Phosphate & Chrome Finish.

Generally Conforming to DIN:1810

HSN : 82041110

| Code | Size (mm) | (₹) |
|-----------|--------------------|------|
| HW1535A | 15-35 Adjustable | 800 |
| HW1950A | 19-50 Adjustable | 960 |
| HW3275A | 32-75 Adjustable | 1440 |
| HW5080A | 50-80 Adjustable | 1680 |
| HW50120A | 50-120 Adjustable | 1800 |
| HW85105A | 85-105 Adjustable | 2040 |
| HW80120A | 80-120 Adjustable | 2040 |
| HW115170A | 115-170 Adjustable | 3300 |
| HW120180A | 120-180 Adjustable | 3300 |

HOOK WRENCH (PIN TYPE)



Generally Conforming to DIN:1810

HSN : 82041110

| Code | Size (mm) | (₹) |
|------------|--------------------|------|
| HWP1618 | 16 - 18 | 480 |
| HWP1620 | 16 - 20 | 480 |
| HWP2528 | 25 - 28 | 480 |
| HWP3032 | 30 - 32 | 480 |
| HWP3436 | 34 - 36 | 480 |
| HWP4042 | 40 - 42 | 480 |
| HWP4550 | 45 - 50 | 540 |
| HWP5255 | 52 - 55 | 660 |
| HWP5862 | 58 - 62 | 810 |
| HWP6875 | 68 - 75 | 1080 |
| HWP8090 | 80 - 90 | 1200 |
| HWP95100 | 95 - 100 | 1320 |
| HWP5080A | 50 - 80 Adjustable | 1860 |
| HWP80120A | 80-120 Adjustable | 2460 |
| HWP120180A | 120-180 Adjustable | 3660 |

TORQUE WRENCH

HSN : 82041220



NEW IMPROVED QUALITY

PLASTIC BOX

Hardened and Tempered
Calibration Certificate provided with each pc.
Induction Hardened

Generally conforming to IS 6789-2008

| Code for Plastic Box | Square Drive | Capacity | | | | | | | | Head Width | Head Depth | Approx. OAL at min cap. (mm) | Plastic Box (₹) |
|----------------------|--------------|-----------|-----|---------|------|-----------|-----|----------|-----|------------|------------|------------------------------|-----------------|
| | | Nm | LC | Kgf-m | LC | Lb-ft | LC | Lbf.ins | LC | | | | |
| DN10 PB | 3/8 | 3-14 | 0.5 | 0.3-1.4 | 0.05 | 2-10 | 0.5 | 20-120 | 5 | 23 | 33 | 310 | 3900 |
| DN25 PB | 3/8 | 5-35 | 1 | 0.5-3.5 | 0.1 | 5-25 | 1 | 40-300 | 10 | 23 | 33 | 340 | 4200 |
| DN50 PB | 1/2 | 10-70 | 2 | 1 - 7 | 0.2 | 8-50 | 2 | 100-600 | 20 | 28 | 39 | 450 | 4700 |
| DN100 PB | 1/2 | 25-135 | 5 | 3-14 | 0.5 | 20-100 | 2 | 250-1200 | 24 | 28 | 42 | 550 | 4900 |
| DN160 PB | 1/2 | 50-225 | 5 | 5-23 | 1 | 40-160 | 5 | 450-2000 | 50 | 32 | 48 | 610 | 5400 |
| DN250 PB | 1/2 | 70-340 | 10 | 7-35 | 1 | 50-250 | 5 | 600-3000 | 60 | 32 | 48 | 770 | 6400 |
| DN300 PB | 3/4 | 80-400 | 10 | 8-40 | 1 | 60-300 | 10 | 720-3600 | 100 | 32 | 55 | 780 | 8600 |
| DN400 PB | 3/4 | 135-540 | 10 | 14-56 | 1 | 100-400 | 10 | N.A | 100 | 48 | 62 | 1025 | 12000 |
| DN500 PB | 3/4 | 135-675 | 15 | 14-70 | 2 | 100-500 | 10 | N.A | 100 | 48 | 62 | 1030 | 13000 |
| DN600 PB | 3/4 | 200-815 | 15 | 20-84 | 2 | 150-600 | 10 | N.A | 120 | 48 | 62 | 1035 | 14500 |
| DN750 PB | 3/4 | 255-1015 | 20 | 25-105 | 2 | 350-750 | 15 | N.A | 180 | 48 | 62 | 1120 | 20500 |
| DN750s PB | 1 | 255-1015 | 20 | 25-105 | 2 | 180-750 | 15 | N.A | 180 | 48 | 67 | 1120 | 21500 |
| DN1000 PB | 1 | 540-1380 | 40 | 55-140 | 5 | 400-1000 | 20 | N.A | 250 | 56 | 84 | 1370 | 25000 |
| DN1400 PB | 1 | 850-1900 | 50 | 90-195 | 5 | 650-1400 | 25 | N.A | 300 | 70 | 84 | 1410 | 35000 |
| DN2000 PB | 1 | 1350-2700 | 50 | 135-275 | 5 | 1000-2000 | 50 | N.A | 500 | 70 | 84 | 1550 | 46000 |
| DN2500 PB | 1 | 1550-3450 | 50 | 160-350 | 5 | 1150-2500 | 50 | N.A | 600 | 70 | 84 | 1650 | 53500 |



BLOW MOULD CASE

Induction Hardened

| Code for Blow Mould Box | Square Drive | Capacity | | | | | | | | Head Width | Head Depth | Approx. OAL at min cap. (mm) | Blow Mould Box (₹) |
|-------------------------|--------------|----------|-----|---------|------|---------|-----|----------|-----|------------|------------|------------------------------|--------------------|
| | | Nm | LC | Kgf-m | LC | Lb-ft | LC | Lbf.ins | LC | | | | |
| DN10 BMC | 3/8 | 3-14 | 0.5 | 0.3-1.4 | 0.05 | 2-10 | 0.5 | 20-120 | 5 | 23 | 33 | 310 | 4800 |
| DN25 BMC | 3/8 | 5-35 | 1 | 0.5-3.5 | 0.1 | 5-25 | 1 | 40-300 | 10 | 23 | 33 | 340 | 5000 |
| DN50 BMC | 1/2 | 10-70 | 2 | 1 - 7 | 0.2 | 8-50 | 2 | 100-600 | 20 | 28 | 39 | 450 | 5800 |
| DN100 BMC | 1/2 | 25-135 | 5 | 3-14 | 0.5 | 20-100 | 2 | 250-1200 | 24 | 28 | 42 | 550 | 6400 |
| DN160 BMC | 1/2 | 50-225 | 5 | 5-23 | 1 | 40-160 | 5 | 450-2000 | 50 | 32 | 48 | 610 | 6800 |
| DN250 BMC | 1/2 | 70-340 | 10 | 7-35 | 1 | 50-250 | 5 | 600-3000 | 60 | 32 | 48 | 770 | 8000 |
| DN300 BMC | 3/4 | 80-400 | 10 | 8-40 | 1 | 60-300 | 10 | 720-3600 | 100 | 32 | 55 | 780 | 9500 |
| DN400 BMC | 3/4 | 135-540 | 10 | 14-56 | 1 | 100-400 | 10 | N.A | 100 | 48 | 62 | 1025 | 16800 |
| DN500 BMC | 3/4 | 135-675 | 15 | 14-70 | 2 | 100-500 | 10 | N.A | 100 | 48 | 62 | 1030 | 17500 |
| DN600 BMC | 3/4 | 200-815 | 15 | 20-84 | 2 | 150-600 | 10 | N.A | 120 | 48 | 62 | 1035 | 18800 |
| DN750 BMC | 3/4 | 255-1015 | 20 | 25-105 | 2 | 350-750 | 15 | N.A | 180 | 48 | 62 | 1120 | 24800 |
| DN750SBMC | 1 | 255-1015 | 20 | 25-105 | 2 | 180-750 | 15 | N.A | 180 | 48 | 67 | 1120 | 25500 |

TORQUE WRENCH (RATCHETING TYPE)

HSN : 82041220



NEW IMPROVED QUALITY

PLASTIC BOX

Hardened and Tempered
Calibration Certificate provided with each pc.
Induction Hardened

Generally conforming to IS 6789-2008

| Code for Plastic Box | Square Drive | Capacity | | | | | | | | Head Width | Head Depth | Approx. OAL at min cap. (mm) | Plastic Box (₹) |
|----------------------|--------------|-----------|-----|---------|------|-----------|-----|----------|-----|------------|------------|------------------------------|-----------------|
| | | Nm | LC | Kgf-m | LC | Lb-ft | LC | Lbf.Ins | LC | | | | |
| DN10R PB | 3/8 | 3-14 | 0.5 | 0.3-1.4 | 0.05 | 2-10 | 0.5 | 20-120 | 5 | 23 | 33 | 310 | 4250 |
| DN25R PB | 3/8 | 5-35 | 1 | 0.5-3.5 | 0.1 | 5-25 | 1 | 40-300 | 10 | 23 | 33 | 340 | 4750 |
| DN50R PB | 1/2 | 10-70 | 2 | 1 - 7 | 0.2 | 8-50 | 2 | 100-600 | 20 | 28 | 39 | 450 | 5500 |
| DN100R PB | 1/2 | 25-135 | 5 | 3-14 | 0.5 | 20-100 | 2 | 250-1200 | 24 | 28 | 42 | 550 | 6500 |
| DN160R PB | 1/2 | 50-225 | 5 | 5-23 | 1 | 40-160 | 5 | 450-2000 | 50 | 32 | 48 | 610 | 6600 |
| DN250R PB | 1/2 | 70-340 | 10 | 7-35 | 1 | 50-250 | 5 | 600-3000 | 60 | 32 | 48 | 770 | 7900 |
| DN300R PB | 3/4 | 80-400 | 10 | 8-40 | 1 | 60-300 | 10 | 720-3600 | 100 | 32 | 55 | 780 | 9500 |
| DN400R PB | 3/4 | 135-540 | 10 | 14-56 | 1 | 100-400 | 10 | N.A | 100 | 48 | 62 | 1025 | 13900 |
| DN500R PB | 3/4 | 135-675 | 15 | 14-70 | 2 | 100-500 | 10 | N.A | 100 | 48 | 62 | 1030 | 15300 |
| DN600R PB | 3/4 | 200-815 | 15 | 20-84 | 2 | 150-600 | 10 | N.A | 120 | 48 | 62 | 1035 | 16300 |
| DN750R PB | 3/4 | 255-1015 | 20 | 25-105 | 2 | 350-750 | 15 | N.A | 180 | 48 | 62 | 1120 | 26500 |
| DN750SR PB | 1 | 255-1015 | 20 | 25-105 | 2 | 180-750 | 15 | N.A | 180 | 48 | 67 | 1120 | 28000 |
| DN1000R PB | 1 | 540-1380 | 40 | 55-140 | 5 | 400-1000 | 20 | N.A | 250 | 56 | 84 | 1370 | 30000 |
| DN1400R PB | 1 | 850-1900 | 50 | 90-195 | 5 | 650-1400 | 25 | N.A | 300 | 70 | 84 | 1410 | 39000 |
| DN2000R PB | 1 | 1350-2700 | 50 | 135-275 | 5 | 1000-2000 | 50 | N.A | 500 | 70 | 84 | 1550 | 54000 |
| DN2500R PB | 1 | 1550-3450 | 50 | 160-350 | 5 | 1150-2500 | 50 | N.A | 600 | 70 | 84 | 1650 | 62000 |



BLOW MOULD CASE

Induction Hardened

| Code for Blow Mould Box | Square Drive | Capacity | | | | | | | | Head Width | Head Depth | Approx. OAL at min cap. (mm) | Blow Mould Box (₹) |
|-------------------------|--------------|----------|-----|---------|------|---------|-----|----------|-----|------------|------------|------------------------------|--------------------|
| | | Nm | LC | Kgf-m | LC | Lb-ft | LC | Lbf.Ins | LC | | | | |
| DN10RBMC | 3/8 | 3-14 | 0.5 | 0.3-1.4 | 0.05 | 2-10 | 0.5 | 20-120 | 5 | 23 | 33 | 310 | 5100 |
| DN25RBMC | 3/8 | 5-35 | 1 | 0.5-3.5 | 0.1 | 5-25 | 1 | 40-300 | 10 | 23 | 33 | 340 | 5600 |
| DN50RBMC | 1/2 | 10-70 | 2 | 1 - 7 | 0.2 | 8-50 | 2 | 100-600 | 20 | 28 | 39 | 450 | 6500 |
| DN100RBMC | 1/2 | 25-135 | 5 | 3-14 | 0.5 | 20-100 | 2 | 250-1200 | 24 | 28 | 42 | 550 | 7700 |
| DN160RBMC | 1/2 | 50-225 | 5 | 5-23 | 1 | 40-160 | 5 | 450-2000 | 50 | 32 | 48 | 610 | 8000 |
| DN250RBMC | 1/2 | 70-340 | 10 | 7-35 | 1 | 50-250 | 5 | 600-3000 | 60 | 32 | 48 | 770 | 9500 |
| DN300RBMC | 3/4 | 80-400 | 10 | 8-40 | 1 | 60-300 | 10 | 720-3600 | 100 | 32 | 55 | 780 | 10700 |
| DN400RBMC | 3/4 | 135-540 | 10 | 14-56 | 1 | 100-400 | 10 | N.A | 100 | 48 | 62 | 1025 | 18600 |
| DN500RBMC | 3/4 | 135-675 | 15 | 14-70 | 2 | 100-500 | 10 | N.A | 100 | 48 | 62 | 1030 | 19800 |
| DN600RBMC | 3/4 | 200-815 | 15 | 20-84 | 2 | 150-600 | 10 | N.A | 120 | 48 | 62 | 1035 | 20900 |
| DN750RBMC | 3/4 | 255-1015 | 20 | 25-105 | 2 | 350-750 | 15 | N.A | 180 | 48 | 62 | 1120 | 30900 |
| DN750sRBMC | 1 | 255-1015 | 20 | 25-105 | 2 | 180-750 | 15 | N.A | 180 | 48 | 67 | 1120 | 32000 |

RATCHET TORQUE WRENCH (PROFESSIONAL QUALITY)



**TORQUE
WRENCHES**

| Code | Model | Square Drive | Range N.M | (₹) |
|---------|------------|--------------|-----------|-------|
| DN-2270 | DN10RPRO | 3/8 | 2~14 | 3300 |
| DN-2271 | DN25RPRO | 3/8 | 5~25 | 3900 |
| DN-2272 | DN50RPRO | 1/2 | 10~60 | 4500 |
| DN-2273 | DN100RPRO | 1/2 | 20~120 | 5300 |
| DN-2274 | DN160RPRO | 1/2 | 40~220 | 5800 |
| DN-2275 | DN250RPRO | 1/2 | 60~330 | 6500 |
| DN-2276 | DN400RPRO | 3/4 | 140~540 | 13800 |
| DN-2277 | DN750RPRO | 3/4 | 475~1035 | 25000 |
| DN-2278 | DN1000RPRO | 1 | 480~1500 | 42400 |
| DN-2279 | DN1400RPRO | 1 | 1000~1900 | 46000 |
| DN-2280 | DN2000RPRO | 1 | 1350~2730 | 69500 |

DIGITAL TORQUE WRENCHES

HSN : 82041220



| Code | Drive | Torque Range N.m | Accuracy (Clockwise) | Accuracy (Anti Clockwise) | Length (mm) | (₹) |
|-----------|-------|------------------|----------------------|---------------------------|-------------|-------|
| DN1406 | 1/4 | 0.3 -6 | ± 2% | ± 3% | 215 | 19000 |
| DN1412 | 1/4 | 0.6 -12 | ± 2% | ± 3% | 215 | 19000 |
| DN1420 | 1/4 | 1-20 | ± 2% | ± 3% | 215 | 22000 |
| DN3830 | 3/8 | 1.5 -30 | ± 2% | ± 3% | 215 | 22000 |
| DN3860 | 3/8 | 3-60 | ± 2% | ± 3% | 295 | 22000 |
| DN12135 | 1/2 | 6.8 -135 | ± 2% | ± 3% | 425 | 33000 |
| DN12200 | 1/2 | 10-200 | ± 2% | ± 3% | 530 | 35000 |
| DN12340 | 1/2 | 17 -340 | ± 2% | ± 3% | 660 | 37000 |
| DN34400 | 3/4 | 20 -400 | ± 2% | ± 3% | 660 | 41000 |
| DN34550 | 3/4 | 25-550 | ± 2% | ± 3% | 945 | 66000 |
| DN34850 | 3/4 | 42.5 -850 | ± 2% | ± 3% | 1200 | 70500 |
| DN0341000 | 3/4 | 50 -1000 | ± 2% | ± 3% | 1200 | 82500 |

INTERCHANGEABLE HEAD WINDOW DISPLAY TORQUE WRENCH



| Code | Driver (in) | Torque Range N.M | Lb.Ft. | Length | (₹) |
|---------|-------------|------------------|----------|--------|-------|
| DN-2301 | 9x12 | 2-12 | 1.5-9 | 285 | 8500 |
| DN-2302 | 9x12 | 4-20 | 3-15 | 285 | 8500 |
| DN-2303 | 9x12 | 6-30 | 4.5-22 | 313 | 8500 |
| DN-2304 | 9x12 | 10-60 | 7.5-44 | 375 | 8500 |
| DN-2305 | 9x12 | 20-110 | 15-85 | 425 | 8900 |
| DN-2306 | 9x12 | 25-125 | 18.5-92 | 425 | 8900 |
| DN-2307 | 14x18 | 10-60 | 7.5-44 | 390 | 9300 |
| DN-2308 | 14x18 | 20-110 | 15-85 | 440 | 9300 |
| DN-2309 | 14x18 | 25-125 | 18.5-92 | 440 | 9300 |
| DN-2310 | 14x18 | 30-210 | 25-145 | 463 | 9300 |
| DN-2311 | 14x18 | 60-330 | 44-242.5 | 523 | 11500 |
| DN-2312 | 14x18 | 80-400 | 59-294 | 705 | 15000 |
| DN-2313 | 14x18 | 100-550 | 92-404.5 | 755 | 48500 |
| DN-2314 | 14x18 | 160-800 | 118-588 | 1045 | 63000 |

TORQUE WRENCHES

INTERCHANGEABLE HEAD DIGITAL TORQUE WRENCH



| Code | Driver (in) | Torque Range | | | (₹) |
|---------|-------------|--------------|-------------|-------------|-------|
| | | N.M | lb.ft | lb.in | |
| DN-2331 | 9x12 | 0.3-6 | 0.221-4.424 | 2.65-53.09 | 21000 |
| DN-2332 | 9x12 | 0.6-12 | 0.442-8.86 | 5.31-106.2 | 18500 |
| DN-2333 | 9x12 | 1-20 | 0.738-14.76 | 8.8-180 | 17000 |
| DN-2334 | 9x12 | 1.5-30 | 1.11-22.22 | 13.3-265.5 | 16500 |
| DN-2335 | 9x12 | 3-60 | 2.21-44.28 | 26.6-531 | 18500 |
| DN-2336 | 9x12 | 4.25-85 | 3.13-62.73 | 37.7-752.3 | 20000 |
| DN-2337 | 9x12 | 6.8-135 | 5.02-99.63 | 60.2-1194.8 | 20500 |

INTERCHANGEABLE HEAD DIGITAL TORQUE WRENCH (LONG)



| Code | Driver (in) | Torque Range | | | (₹) |
|---------|-------------|--------------|-------------|-------------|--------|
| | | N.M | lb.ft | lb.in | |
| DN-2351 | 9x12 | 0.5-10 | 0.369-73.8 | 4.425-88.5 | 34000 |
| DN-2352 | 9x12 | 1-20 | 0.738-14.76 | 8.8-180 | 33500 |
| DN-2353 | 9x12 | 1.5-30 | 1.11-22.22 | 13.3-265.5 | 33500 |
| DN-2354 | 9x12 | 3-60 | 2.21-44.28 | 26.6-531 | 30000 |
| DN-2355 | 9x12 | 4.25-85 | 3.13-62.73 | 37.7-752.3 | 33500 |
| DN-2356 | 9x12 | 6.8-135 | 5.02-99.63 | 60.2-1194.8 | 36500 |
| DN-2357 | 14x18 | 10-200 | 7.4-147.6 | 90-1800 | 38500 |
| DN-2358 | 14x18 | 17-340 | 12.6-252 | 150.5-3009 | 46000 |
| DN-2359 | 14x18 | 20-400 | 14.8-295.2 | 180-3540 | 50500 |
| DN-2360 | 14x18 | 25-500 | 18.5-370 | 221.3-4500 | 51500 |
| DN-2361 | 14x18 | 30-600 | 22.14-443 | 270-5310 | 107000 |
| DN-2362 | 14x18 | 40-800 | 29.6-592 | 355-7200 | 115000 |
| DN-2363 | 14x18 | 50-100 | 37-740 | 445-9000 | 128000 |
| DN-2364 | 24x32 | 30-600 | 22.14-443 | 270-5310 | 153000 |
| DN-2365 | 24x32 | 40-800 | 29.6-592 | 355-7200 | 136000 |
| DN-2366 | 24x32 | 50-1000 | 37-740 | 445-9000 | 163000 |
| DN-2367 | 27x36 | 75-1500 | 55.4-1107 | 665-13275 | 291000 |
| DN-2368 | 27x36 | 100-2000 | 74-1500 | 666-18000 | 377000 |
| DN-2369 | 27x36 | 150-3000 | 112-2214 | 1328-26550 | 505000 |

OPENING INSERT HEAD



| Code | Size (mm) | Square (mm) | Dia (mm) | (₹) |
|---------|-----------|-------------|----------|------|
| DN-2381 | 4 | 9x12 | 22 | 2400 |
| DN-2382 | 5 | 9x12 | 22 | 2400 |
| DN-2383 | 5.5 | 9x12 | 22 | 2400 |
| DN-2384 | 6 | 9x12 | 22 | 2600 |
| DN-2385 | 7 | 9x12 | 22 | 2600 |
| DN-2386 | 8 | 9x12 | 22 | 2800 |
| DN-2387 | 9 | 9x12 | 25 | 2800 |
| DN-2388 | 10 | 9x12 | 25 | 2800 |
| DN-2389 | 11 | 9x12 | 25 | 2800 |
| DN-2390 | 12 | 9x12 | 29 | 2800 |
| DN-2391 | 13 | 9x12 | 29 | 2800 |
| DN-2392 | 14 | 9x12 | 33 | 2800 |
| DN-2393 | 15 | 9x12 | 33 | 3200 |
| DN-2394 | 16 | 9x12 | 38 | 3200 |
| DN-2395 | 17 | 9x12 | 38 | 3200 |
| DN-2396 | 18 | 9x12 | 42.5 | 3200 |
| DN-2397 | 19 | 9x12 | 42.5 | 3200 |
| DN-2398 | 20 | 9x12 | 48 | 3200 |
| DN-2399 | 21 | 9x12 | 48 | 3200 |
| DN-2400 | 22 | 9x12 | 48 | 3200 |
| DN-2401 | 23 | 9x12 | 52 | 3200 |
| DN-2402 | 24 | 9x12 | 52 | 4000 |
| DN-2403 | 25 | 9x12 | 57 | 4000 |
| DN-2404 | 26 | 9x12 | 57 | 4000 |
| DN-2405 | 27 | 9x12 | 57 | 4000 |
| DN-2406 | 28 | 9x12 | 57 | 4000 |
| DN-2407 | 29 | 9x12 | 57 | 4000 |
| DN-2408 | 30 | 9x12 | 57 | 4500 |
| DN-2409 | 32 | 9x12 | 57 | 4500 |
| DN-2410 | 36 | 9x12 | 57 | 5500 |
| DN-2411 | 38 | 9x12 | 57 | 5500 |
| DN-2412 | 41 | 9x12 | 57 | 6500 |

OPENING INSERT HEAD



| Code | Size (mm) | Square (mm) | Dia (mm) | (₹) |
|---------|-----------|-------------|----------|-------|
| DN-2421 | 6 | 14x18 | 30 | 2800 |
| DN-2422 | 7 | 14x18 | 30 | 2800 |
| DN-2423 | 8 | 14x18 | 30 | 2800 |
| DN-2424 | 9 | 14x18 | 30 | 2800 |
| DN-2425 | 10 | 14x18 | 30 | 3000 |
| DN-2426 | 11 | 14x18 | 30 | 3000 |
| DN-2427 | 12 | 14x18 | 30 | 3200 |
| DN-2428 | 13 | 14x18 | 32 | 3200 |
| DN-2429 | 14 | 14x18 | 32 | 3200 |
| DN-2430 | 15 | 14x18 | 32 | 3600 |
| DN-2431 | 16 | 14x18 | 38 | 3600 |
| DN-2432 | 17 | 14x18 | 38 | 3600 |
| DN-2433 | 18 | 14x18 | 42 | 3600 |
| DN-2434 | 19 | 14x18 | 42 | 3600 |
| DN-2435 | 20 | 14x18 | 48 | 3800 |
| DN-2436 | 21 | 14x18 | 48 | 4000 |
| DN-2437 | 22 | 14x18 | 48 | 4000 |
| DN-2438 | 23 | 14x18 | 52 | 4200 |
| DN-2439 | 24 | 14x18 | 52 | 4300 |
| DN-2440 | 25 | 14x18 | 52 | 4300 |
| DN-2441 | 26 | 14x18 | 57 | 4300 |
| DN-2442 | 27 | 14x18 | 57 | 4300 |
| DN-2443 | 28 | 14x18 | 57 | 4400 |
| DN-2444 | 29 | 14x18 | 57 | 4400 |
| DN-2445 | 30 | 14x18 | 65 | 4500 |
| DN-2446 | 31 | 14x18 | 65 | 4500 |
| DN-2447 | 32 | 14x18 | 65 | 4500 |
| DN-2448 | 33 | 14x18 | 68 | 5000 |
| DN-2449 | 34 | 14x18 | 68 | 5000 |
| DN-2450 | 35 | 14x18 | 68 | 5500 |
| DN-2451 | 36 | 14x18 | 68 | 6000 |
| DN-2452 | 37 | 14x18 | 68 | 6000 |
| DN-2453 | 38 | 14x18 | 68 | 6000 |
| DN-2454 | 41 | 14x18 | 68 | 7000 |
| DN-2455 | 46 | 14x18 | 68 | 12000 |
| DN-2456 | 50 | 14x18 | 68 | 17000 |
| DN-2457 | 55 | 14x18 | 68 | 17000 |
| DN-2458 | 60 | 14x18 | 68 | 17000 |

INSERT ATTACHMENT

INSERT ATTACHMENT

RING INSERT HEAD



HIGH GRADE
CrV

CHROME VANADIUM STEEL

| Code | Size (mm) | Square (mm) | Dia (mm) | (₹) |
|---------|-----------|-------------|----------|------|
| DN-2471 | 4 | 9x12 | 9.6 | 2400 |
| DN-2472 | 5 | 9x12 | 10.8 | 2400 |
| DN-2473 | 5.5 | 9x12 | 12 | 2400 |
| DN-2474 | 6 | 9x12 | 22 | 2600 |
| DN-2475 | 7 | 9x12 | 22 | 2600 |
| DN-2476 | 8 | 9x12 | 22 | 3000 |
| DN-2477 | 9 | 9x12 | 22 | 3000 |
| DN-2478 | 10 | 9x12 | 22 | 3000 |
| DN-2479 | 11 | 9x12 | 22 | 3000 |
| DN-2480 | 12 | 9x12 | 22 | 3000 |
| DN-2481 | 13 | 9x12 | 22 | 3000 |
| DN-2482 | 14 | 9x12 | 23 | 3000 |
| DN-2483 | 15 | 9x12 | 25 | 3500 |
| DN-2484 | 16 | 9x12 | 27.5 | 3500 |
| DN-2485 | 17 | 9x12 | 27.5 | 3500 |
| DN-2486 | 18 | 9x12 | 29 | 3500 |
| DN-2487 | 19 | 9x12 | 31 | 3500 |
| DN-2488 | 20 | 9x12 | 33 | 3500 |
| DN-2489 | 21 | 9x12 | 33.5 | 3500 |
| DN-2490 | 22 | 9x12 | 35 | 3500 |
| DN-2491 | 23 | 9x12 | 36.5 | 4000 |
| DN-2492 | 24 | 9x12 | 37 | 4500 |
| DN-2493 | 25 | 9x12 | 40 | 4500 |
| DN-2494 | 26 | 9x12 | 41 | 4500 |
| DN-2495 | 27 | 9x12 | 42 | 4500 |
| DN-2496 | 28 | 9x12 | 44 | 4500 |
| DN-2497 | 30 | 9x12 | 46 | 4700 |
| DN-2498 | 32 | 9x12 | 47.5 | 4700 |
| DN-2499 | 36 | 9x12 | 50 | 4700 |

| Code | Size (mm) | Square (mm) | Dia (mm) | (₹) |
|---------|-----------|-------------|----------|-------|
| DN-2511 | 6 | 14x18 | 13 | 2600 |
| DN-2512 | 7 | 14x18 | 14 | 2600 |
| DN-2513 | 8 | 14x18 | 16 | 2600 |
| DN-2514 | 9 | 14x18 | 16 | 3000 |
| DN-2515 | 10 | 14x18 | 16 | 3200 |
| DN-2516 | 11 | 14x18 | 32 | 3200 |
| DN-2517 | 12 | 14x18 | 32 | 3500 |
| DN-2518 | 13 | 14x18 | 32 | 3500 |
| DN-2519 | 14 | 14x18 | 32 | 3500 |
| DN-2520 | 15 | 14x18 | 32 | 4000 |
| DN-2521 | 16 | 14x18 | 32 | 4000 |
| DN-2522 | 17 | 14x18 | 32 | 4000 |
| DN-2523 | 18 | 14x18 | 32 | 4000 |
| DN-2524 | 19 | 14x18 | 32 | 4000 |
| DN-2525 | 20 | 14x18 | 33 | 4200 |
| DN-2526 | 21 | 14x18 | 33 | 4200 |
| DN-2527 | 22 | 14x18 | 35 | 4200 |
| DN-2528 | 23 | 14x18 | 36 | 4500 |
| DN-2529 | 24 | 14x18 | 38 | 4700 |
| DN-2530 | 25 | 14x18 | 39 | 4700 |
| DN-2531 | 26 | 14x18 | 41 | 4700 |
| DN-2532 | 27 | 14x18 | 41.5 | 4700 |
| DN-2533 | 28 | 14x18 | 44 | 5000 |
| DN-2534 | 29 | 14x18 | 45 | 5000 |
| DN-2535 | 30 | 14x18 | 45 | 5200 |
| DN-2536 | 31 | 14x18 | 47.5 | 5200 |
| DN-2537 | 32 | 14x18 | 47.5 | 5200 |
| DN-2538 | 33 | 14x18 | 50 | 5500 |
| DN-2539 | 34 | 14x18 | 51 | 5500 |
| DN-2540 | 35 | 14x18 | 52 | 6000 |
| DN-2541 | 36 | 14x18 | 53 | 6500 |
| DN-2542 | 41 | 14x18 | 55 | 7000 |
| DN-2543 | 46 | 14x18 | 55 | 11000 |
| DN-2544 | 50 | 14x18 | 55 | 20000 |

CROWFOOT SPANNER (1/2 SQ.DR.)

| Code | Sizes (mm) | (₹) |
|---------|------------|------|
| DN-2551 | 8 | 1800 |
| DN-2552 | 9 | 1800 |
| DN-2553 | 10 | 1800 |
| DN-2554 | 11 | 1800 |
| DN-2555 | 12 | 1800 |
| DN-2556 | 13 | 1800 |
| DN-2557 | 14 | 1800 |
| DN-2558 | 15 | 1800 |
| DN-2559 | 16 | 1800 |
| DN-2560 | 17 | 1800 |
| DN-2561 | 18 | 2000 |
| DN-2562 | 19 | 2000 |
| DN-2563 | 20 | 2000 |
| DN-2564 | 21 | 2000 |
| DN-2565 | 22 | 2000 |
| DN-2566 | 23 | 2000 |
| DN-2567 | 24 | 2000 |
| DN-2568 | 25 | 2000 |
| DN-2569 | 26 | 2100 |
| DN-2570 | 27 | 2100 |
| DN-2571 | 28 | 2100 |
| DN-2572 | 29 | 2100 |
| DN-2573 | 30 | 3000 |
| DN-2574 | 31 | 3000 |
| DN-2575 | 32 | 3000 |
| DN-2576 | 33 | 3000 |
| DN-2577 | 34 | 3000 |
| DN-2578 | 35 | 3000 |
| DN-2579 | 36 | 3000 |
| DN-2580 | 37 | 3000 |
| DN-2581 | 38 | 3000 |
| DN-2582 | 41 | 4500 |
| DN-2583 | 46 | 4500 |
| DN-2584 | 50 | 5500 |
| DN-2585 | 55 | 7000 |
| DN-2586 | 60 | 8000 |
| DN-2587 | 65 | 9500 |



HIGH GRADE
CrV

CHROME VANADIUM STEEL

ELLIPTICAL MIRROR FINISH

INSERT ATTACHMENT

INSERT RATCHET WRENCH HEAD 72T



HIGH GRADE
CrV

CHROME VANADIUM STEEL

| Code | Size | Square (mm) | Dia (mm) | (₹) |
|---------|---------|-------------|----------|------|
| DN-2601 | 1/4 Dr. | 9x12 | 27 | 1900 |
| DN-2602 | 3/8 Dr. | 9x12 | 34 | 2200 |
| DN-2603 | 1/2 Dr. | 9x12 | 43 | 2800 |
| DN-2604 | 3/8 Dr. | 14x18 | 34 | 2200 |
| DN-2605 | 1/2 Dr. | 14x18 | 43 | 3000 |

RING TYPE INTERCHANGEABLE HEAD FOR TORQUE WRENCHES



| Code | Size | (mm) | LW*(mm) | L (mm) | W | T | (₹) |
|---------|------|------|---------|--------|------|----|-------|
| DN-2621 | 7 | Ø16 | 32 | 58.0 | 15.0 | 8 | 4300 |
| DN-2622 | 8 | Ø16 | 32 | 58.0 | 15.0 | 8 | 4300 |
| DN-2623 | 9 | Ø16 | 32 | 58.0 | 15.0 | 8 | 4300 |
| DN-2624 | 10 | Ø16 | 32 | 60.25 | 19.5 | 10 | 4300 |
| DN-2625 | 11 | Ø16 | 32 | 60.25 | 19.5 | 10 | 4300 |
| DN-2626 | 12 | Ø16 | 32 | 60.25 | 19.5 | 10 | 4300 |
| DN-2627 | 13 | Ø16 | 32 | 60.25 | 23.5 | 12 | 4700 |
| DN-2628 | 14 | Ø16 | 32 | 60.25 | 23.5 | 12 | 4700 |
| DN-2629 | 15 | Ø16 | 32 | 60.25 | 23.5 | 12 | 4700 |
| DN-2630 | 16 | Ø16 | 32 | 64.75 | 28.5 | 13 | 4700 |
| DN-2631 | 17 | Ø16 | 32 | 64.75 | 28.5 | 13 | 4700 |
| DN-2632 | 18 | Ø16 | 32 | 64.75 | 28.5 | 13 | 4700 |
| DN-2633 | 19 | Ø16 | 32 | 66.25 | 31.5 | 14 | 5100 |
| DN-2634 | 20 | Ø16 | 32 | 66.25 | 31.5 | 14 | 5100 |
| DN-2635 | 21 | Ø16 | 32 | 66.25 | 31.5 | 14 | 5100 |
| DN-2636 | 22 | Ø16 | 32 | 70.25 | 39.5 | 15 | 5600 |
| DN-2637 | 23 | Ø16 | 32 | 70.25 | 39.5 | 15 | 5600 |
| DN-2638 | 24 | Ø16 | 32 | 70.25 | 39.5 | 15 | 5600 |
| DN-2639 | 27 | Ø16 | 32 | 70.25 | 39.5 | 15 | 6400 |
| DN-2640 | 22 | Ø22 | 56 | 98.5 | 38 | 15 | 6400 |
| DN-2641 | 24 | Ø22 | 56 | 98.5 | 38 | 15 | 6400 |
| DN-2642 | 27 | Ø22 | 56 | 102.75 | 46.5 | 17 | 8600 |
| DN-2643 | 30 | Ø22 | 56 | 102.75 | 46.5 | 17 | 8600 |
| DN-2644 | 32 | Ø22 | 56 | 106.5 | 55 | 20 | 8600 |
| DN-2645 | 34 | Ø22 | 56 | 106.5 | 55 | 20 | 8600 |
| DN-2646 | 36 | Ø22 | 56 | 106.5 | 55 | 20 | 8600 |
| DN-2647 | 41 | Ø22 | 56 | 115.5 | 72 | 22 | 9800 |
| DN-2648 | 46 | Ø22 | 56 | 115.5 | 72 | 22 | 10700 |

OPEN TYPE INTERCHANGEABLE HEAD FOR TORQUE WRENCHES



| Code | Size | (mm) | LW*(mm) | L (mm) | W | T | (₹) |
|---------|------|------|---------|--------|------|----|-------|
| DN-2661 | 7 | Ø16 | 32 | 54.5 | 20.5 | 5 | 4300 |
| DN-2662 | 8 | Ø16 | 32 | 54.5 | 20.5 | 5 | 4300 |
| DN-2663 | 9 | Ø16 | 32 | 54.5 | 20.5 | 5 | 4300 |
| DN-2664 | 10 | Ø16 | 32 | 56.5 | 29.0 | 7 | 4300 |
| DN-2665 | 11 | Ø16 | 32 | 56.5 | 29.0 | 7 | 4300 |
| DN-2666 | 12 | Ø16 | 32 | 56.5 | 29.0 | 7 | 4300 |
| DN-2667 | 13 | Ø16 | 32 | 58.5 | 34.5 | 8 | 4700 |
| DN-2668 | 14 | Ø16 | 32 | 58.5 | 34.5 | 8 | 4700 |
| DN-2669 | 15 | Ø16 | 32 | 58.5 | 34.5 | 8 | 4700 |
| DN-2670 | 16 | Ø16 | 32 | 60.5 | 41.5 | 9 | 4700 |
| DN-2671 | 17 | Ø16 | 32 | 60.5 | 41.5 | 9 | 5100 |
| DN-2672 | 18 | Ø16 | 32 | 60.5 | 41.5 | 9 | 5100 |
| DN-2673 | 19 | Ø16 | 32 | 62.0 | 45.0 | 10 | 5100 |
| DN-2674 | 20 | Ø16 | 32 | 62.0 | 45.0 | 10 | 5600 |
| DN-2675 | 21 | Ø16 | 32 | 62.0 | 45.0 | 10 | 5600 |
| DN-2676 | 22 | Ø16 | 32 | 63.5 | 56.0 | 11 | 6400 |
| DN-2677 | 23 | Ø16 | 32 | 63.5 | 56.0 | 11 | 6400 |
| DN-2678 | 24 | Ø16 | 32 | 63.5 | 56.0 | 11 | 6400 |
| DN-2679 | 25 | Ø16 | 32 | 63.5 | 56.0 | 11 | 6400 |
| DN-2680 | 26 | Ø22 | 56 | 63.5 | 56.0 | 11 | 6400 |
| DN-2681 | 27 | Ø22 | 56 | 63.5 | 56.0 | 11 | 6400 |
| DN-2682 | 28 | Ø22 | 56 | 63.0 | 68.0 | 12 | 8600 |
| DN-2683 | 29 | Ø22 | 56 | 63.0 | 68.0 | 12 | 8600 |
| DN-2684 | 30 | Ø22 | 56 | 63.0 | 68.0 | 12 | 8600 |
| DN-2685 | 32 | Ø22 | 56 | 63.0 | 68.0 | 12 | 8600 |
| DN-2686 | 36 | Ø22 | 56 | 63.0 | 68.0 | 12 | 8600 |
| DN-2687 | 22 | Ø22 | 56 | 91.0 | 52.0 | 11 | 11000 |
| DN-2688 | 24 | Ø22 | 56 | 91.0 | 52.0 | 11 | 11500 |
| DN-2689 | 27 | Ø22 | 56 | 94.0 | 64.0 | 12 | 12000 |
| DN-2690 | 30 | Ø22 | 56 | 94.0 | 64.0 | 12 | 13000 |
| DN-2691 | 32 | Ø22 | 56 | 97.0 | 75.5 | 12 | 14000 |
| DN-2692 | 34 | Ø22 | 56 | 97.0 | 75.5 | 12 | 14500 |
| DN-2693 | 36 | Ø22 | 56 | 97.0 | 75.5 | 12 | 15000 |
| DN-2694 | 41 | Ø22 | 56 | 103.5 | 94.0 | 12 | 15500 |
| DN-2695 | 46 | Ø22 | 56 | 115.5 | 94.0 | 12 | 16000 |

RATCHET TYPE INTERCHANGEABLE HEAD FOR TORQUE WRENCHES



| Code | Size | Square (mm) | LW*(mm) | L (mm) | W | T | (₹) |
|---------|------|-------------|---------|--------|------|------|------|
| DN-2701 | 1/4 | 9x12 | 17.5 | 46.0 | 24.8 | 11.2 | 4000 |
| DN-2702 | 3/8 | 9x12 | 17.5 | 49.0 | 30.2 | 11.2 | 4200 |
| DN-2703 | 1/2 | 9x12 | 25 | 60.0 | 38.0 | 16.0 | 4400 |
| DN-2704 | 3/8 | 14x18 | 25 | 68.4 | 38.0 | 16.0 | 1700 |
| DN-2705 | 1/2 | 14x18 | 25 | 68.8 | 38.0 | 16.0 | 2200 |
| DN-2706 | 3/4 | 14x18 | 25 | 71.5 | 43.0 | 18.0 | 6000 |
| DN-2707 | 3/4 | 14x18 | 45 | 99.8 | 61.5 | 22.0 | 7000 |

STEEL WRENCH HEAD



| Code | Specifications | Drive (mm) | (₹) |
|---------|----------------|------------|-------|
| DN-2725 | Ø 16-40mm | 14x18 | 11000 |

PIPE WRENCH HEAD



| Code | Specifications | Drive (mm) | (₹) |
|---------|----------------|------------|-------|
| DN-2736 | Ø 16MM | 1/4 | 42000 |
| DN-2737 | Ø 22MM | 3/8 | 42000 |

ADJUSTABLE OPEN ENDED INSERT TOOLS



| Code | Opening Size | L (mm) | (₹) |
|---------|--------------|--------|-------|
| DN-2751 | 5-27mm | 9x12 | 10300 |
| DN-2752 | 5-30mm | 9x12 | 10300 |
| DN-2753 | 6-41mm | 9x12 | 11600 |
| DN-2754 | 0-38mm | 14x18 | 12000 |
| DN-2755 | 5-41mm | 14x18 | 12600 |
| DN-2756 | 0-50mm | 14x18 | 13200 |

HOOK WRENCH EXCHANGE HEAD



| Code | Drive (mm) | Blessing range (mm) | (₹) |
|---------|------------|---------------------|------|
| DN-2761 | 14x18mm | 43.0 ± 5 | 7750 |
| DN-2762 | 14x18mm | 60.0 ± 5 | 7750 |
| DN-2763 | 14x18mm | 72.0 ± 5 | 7750 |
| DN-2764 | 14x18mm | 50.0 ± 5 | 7800 |
| DN-2765 | 14x18mm | 63.2 ± 5 | 8400 |
| DN-2766 | 14x18mm | 82.0 ± 5 | 9000 |
| DN-2767 | 14x18mm | 32.0 ± 5 | 7750 |

ER WRENCH EXCHANGE HEAD



| Code | Drive (mm) | Blessing range (mm) | (₹) |
|---------|------------|---------------------|-------|
| DN-2776 | 14x18mm | 31.6 ± 5 | 13000 |
| DN-2777 | 14x18mm | 34.9 ± 5 | 13000 |
| DN-2778 | 14x18mm | 41.9 ± 5 | 13000 |
| DN-2779 | 14x18mm | 50.0 ± 5 | 13000 |
| DN-2780 | 14x18mm | 62.9 ± 5 | 13000 |

WRENCH EXCHANGE HEAD



| Code | Specifications | Drive (mm) | (₹) |
|---------|---------------------------|------------|------|
| DN-2791 | Blessing Diameter 8-17mm | 9x12 | 6700 |
| DN-2792 | Blessing Diameter 14-32mm | 9x12 | 7200 |

SMA SPEED HEADS TORQUE WRENCH




Economical and practical

| Code | Torque Range (N.m) | Factory Torque (mm) | Opening Size (mm) | (₹) |
|---------|--------------------|---------------------|-------------------|-------|
| DN-2811 | 0.5-3 | 0.8 | 8 | 7000 |
| DN-2812 | 0.5-3 | 1 | 20 | 10500 |

High end styles

| Code | Torque Range (N.m) | Factory Torque (mm) | Opening Size (mm) | (₹) |
|---------|--------------------|---------------------|-------------------|-------|
| DN-2813 | 0.3-1 | 0.8 | 6.5 | 9000 |
| DN-2814 | 0.3-1 | 1 | 8 | 10500 |
| DN-2815 | 0.3-1 | 1 | 14 | 11800 |

HAND TORQUE MULTIPLIER



| Code | Maximum Output Torque | | | Estimated Bolt Capacity | | Input Square | Output Square | Recommended Torque Wrench | (₹) |
|------------|-----------------------|-------|-------|-------------------------|-----|--------------|---------------|---------------------------|--------|
| | Lb-ft | Nm | Kgf-m | Inch | MM | | | | |
| DNM-1 | 1250 | 1700 | 170 | 1.1/8 | 27 | 1/2 | 3/4 | DN-250 | 29500 |
| DNM-2 | 1250 | 1700 | 170 | 1.1/8 | 27 | 3/4 | 1 | DN-250 | 30000 |
| DNM-2/25 | 1250 | 1700 | 170 | 1.1/8 | 27 | 1/2 | 1 | DN-50 | 52000 |
| DNM-5 | 2000 | 2700 | 275 | 1.3/8 | 36 | 3/4 | 1 | DN-400 | 40000 |
| DNM-5/25 | 2000 | 2700 | 275 | 1.3/8 | 36 | 1/2 | 1 | DN-100 | 61000 |
| DNM-6 | 2500 | 3400 | 345 | 1.1/2 | 38 | 3/4 | 1.1/2 | DN-600 | 45000 |
| DNM-6/25 | 2500 | 3400 | 345 | 1.1/2 | 38 | 1/2 | 1.1/2 | DN-100 | 70500 |
| DNM-7 | 4500 | 6000 | 622 | 1.7/8 | 48 | 3/4 | 1.1/2 | DN-750 | 76000 |
| DNM-7/25 | 4500 | 6000 | 622 | 1.7/8 | 48 | 1/2 | 1.1/2 | DN-250 | 110000 |
| DNM-9/25 | 7000 | 9500 | 965 | 2.1/4 | 56 | 3/4 | 1.1/2 | DN-400 | 230000 |
| DNM-9/125 | 7000 | 9500 | 965 | 2.1/4 | 56 | 1/2 | 1.1/2 | DN-250 | 270000 |
| DNM-11/25 | 11060 | 15000 | 1500 | 3.3/4 | 68 | 3/4 | 2.1/2 | DN-500 | 290000 |
| DNM-11/125 | 11060 | 15000 | 1500 | 3.3/4 | 68 | 1/2 | 2.1/2 | DN-250 | 320000 |
| DNM-13/125 | 35000 | 47500 | 4750 | 4.1/2 | 114 | 3/4 | 2.1/2 | DN-400 | 470000 |

TORQUE SCREW DRIVERS (STANDARD MODEL)



| Code | Square Drive | Range N.M | Range Kgf.cm | Weight(Kg) | (₹) |
|---------|--------------|-----------|--------------|------------|------|
| DN-2836 | 1/4 | 0.1-1.5 | 1-15 | 0.350 | 8700 |
| DN-2837 | 1/4 | 1-5 | 10-50 | 0.410 | 9200 |

TORQUE SCREW DRIVERS (PROFESSIONAL SERIES)



| Code | Square Drive | Range N.M | Fine Scale | Length (mm) | (₹) |
|---------|--------------|-----------|------------|-------------|------------------|
| DN-2838 | 1/4 | 0.2~1.2 | 0.02 | 160 | RATES ON REQUEST |
| DN-2839 | 1/4 | 0.5~3 | 0.05 | 200 | |
| DN-2840 | 1/4 | 1~6 | 0.05 | 210 | |
| DN-2841 | 1/4 | 2~10 | 0.1 | 220 | |

SQUARE COUPLER (FOR TORQUE WRENCHES)



| Code | Drive | (₹) |
|---------|-------|------|
| DN-2851 | 1/2 | 300 |
| DN-2852 | 3/4 | 450 |
| DN-2853 | 1 | 1800 |

BOLT CUTTERS



Ideal for cutting medium tensile bolts, rods, rivets, bars and chains.

Blades Drop forged from alloy steels.

Induction Hardened Cutting edges for maximum strength.

Grip Handles for ease of operations.

With Side Adjustment also.

Generally Conforming to IS 5200-1998.

HSN : 82034010

| Code | Size | Length (mm) | Cutting Capacity in Round Bar | (₹) |
|---------|------|-------------|-------------------------------|------|
| BC8 | 8 | 200 | 3mm | 560 |
| BC12 | 12 | 300 | 5mm | 1200 |
| BC14 | 14 | 350 | 7mm | 1350 |
| BC18 | 18 | 450 | 8mm | 1500 |
| BC24 | 24 | 600 | 10mm | 2000 |
| BC24PRO | 24 | 600 | 10mm | 2900 |
| BC30 | 30 | 750 | 13mm | 3000 |
| BC36 | 36 | 900 | 16mm | 3300 |
| BC42 | 42 | 1050 | 19mm | 6200 |
| BC48 | 48 | 1200 | 22mm | 8100 |

SPARE BLADES SETS FOR BOLT CUTTER



| Code | Size | Length (mm) | (₹) |
|-------|------|-------------|------|
| BCS12 | 12 | 300 | 700 |
| BCS14 | 14 | 350 | 800 |
| BCS18 | 18 | 450 | 950 |
| BCS24 | 24 | 600 | 1200 |
| BCS30 | 30 | 750 | 1800 |
| BCS36 | 36 | 900 | 2100 |
| BCS42 | 42 | 1050 | 4000 |
| BCS48 | 48 | 1200 | 5500 |

CABLE CUTTER



Hardened and Tempered

Used for Cutting Copper & Aluminium Cable, not for Cutting ACSR,
Wire Rope Steel, or Self Supporting Stand

HSN : 82034090

| Code | Size | Copper Conductor Cable Suitable | (₹) |
|------|-----------|------------------------------------|------|
| CC6 | 6-150mm | 6mm Dia | 390 |
| CC8 | 8-200mm | 7mm Dia | 490 |
| CC10 | 10-250mm | 8mm Dia | 690 |
| CC18 | 18-450mm | 16mm Dia | 1960 |
| CC24 | 24-600mm | 175mm ² Cable | 2600 |
| CC28 | 28-700mm | 250mm ² Cable | 3800 |
| CC30 | 30-750mm | 300mm ² Cable | 4400 |
| CC32 | 32-800mm | 300mm ² Cable | 4700 |
| CC36 | 36-900mm | 430mm ² Cable | 5500 |
| CC38 | 38-950mm | 500mm ² Cable | 6500 |
| CC42 | 42-1050mm | 600mm ² Cable | 7500 |

WIRE ROPE CUTTER - HEAVY DUTY



Drop Forged Adaptor

Blade Drop-Forged from Chrome Vanadium Steel

HSN : 82034090

| Code | Size | Cutting Capacity | In Threaded Bolt | In Round Bar | (₹) |
|-------|-----------|---------------------|------------------------|--------------------|------|
| WRC14 | 350mm-14 | 25 HRC | 10mm | 8mm | 3000 |
| WRC18 | 450mm-18 | 25 HRC | 12mm | 10mm | 3100 |
| WRC24 | 600mm-24 | 25 HRC | 12mm | 10mm | 3800 |
| WRC36 | 900mm-36 | 25 HRC | 12mm | 14mm | 4900 |
| WRC42 | 1050mm-42 | 25 HRC | 14mm | 16mm | 6700 |
| WRC48 | 1200mm-48 | 25 HRC | 16mm | 18mm | 7000 |

TIN CUTTER



Induction hardened cutting edges to cut sheets with ease.
Spring loaded handles.

Manufactured from selected steel

Generally Conforming to IS 6087-1971

HSN : 82034090

| Code | Size | (₹) |
|------|----------|-----|
| TC8 | 8-200mm | 410 |
| TC10 | 10-250mm | 550 |
| TC12 | 12-300mm | 720 |
| TC14 | 14-350mm | 800 |

TIN CUTTER - HEAVY DUTY AMERICAN SCISSOR TYPE



Generally Conforming to IS 6087-1971

HSN : 82034090

| Code | Size | (₹) |
|---------|----------|------|
| DN-3301 | 8-200mm | 700 |
| DN-3302 | 10-250mm | 900 |
| DN-3303 | 12-300mm | 1100 |

REBAR CUTTER & BENDER- FOR METAL BARS REBAR CUTTER & BENDER-(SOLID BARS CUTTER)



HSN : 82034090

| Code | Size | Length (mm) | Capacity | (₹) |
|---------|------|-------------|-----------|-------|
| DN-3325 | 52 | 1320 | 16mm(5/8) | 23000 |

WIRE STRIPPER & CUTTER



DOUBLE COLOUR SLEEVE (DCS)

Serrated Jaws for stripping & Cutting wires.
Spring Loaded Handles for ease for operation.

Generally Conforming to IS 5087-1969

HSN : 82032000

| Code | Sizes (mm) | (₹) |
|---------|----------------------|-----|
| WS05 | 130 | 52 |
| *WS5DCS | 130 DOUBLE COLOUR | 62 |
| WS06 | 150 | 79 |

ERGOMATIC WIRE STRIPPER & CUTTER

BLISTER
PACKING



Generally Conforming to IS 5087-1969

| Code | Sizes (mm) | (₹) |
|--------|------------|-----|
| EWS 06 | 160 | 360 |

PRUNING SHEAR CUTTER

**BLISTER
PACKING**



HSN : 82015000

| Code | Sizes (mm) | (₹) |
|---------|------------|-----|
| DN-3331 | 200 | 600 |

PVC PLASTIC PIPE CUTTERS

**BLISTER
PACKING**



HSN : 82014010

| Code | Sizes (mm) | (₹) |
|-------|---------------|-----|
| PC-42 | 42mm Capacity | 480 |

AUTO WIRE STRIPPER & CUTTER

HSN : 82032000

| Code | Sizes (mm) | (₹) |
|---------|------------|-----|
| DN-3341 | 205 | 920 |



AVIATION CUTTERS

HSN : 82033000



BLISTER
PACKING

Forged & Heat Treated blades for strength and durability.
Ideal for cutting sheet metal, vinyl, plastic and many other applications.

Generally Conforming to IS 6087-1971

| Code | Description | Length | (₹) |
|--------|---------------|--------|-----|
| ACSN10 | Straight Nose | 250 | 770 |
| ACRN10 | Right Nose | 250 | 770 |
| ACLN10 | Left Nose | 250 | 770 |

PLASTIC CUTTERS

HSN : 82032000



BLISTER
PACKING

Generally Conforming to IS 5087-1969

| Code | Sizes (mm) | (₹) |
|------|------------|-----|
| PC6 | 150 | 480 |

UTILITY KNIFE



HSN : 82119390

| Code | Size | Blade Size | (₹) |
|---------|------------------------------|------------|-----|
| UK03 | DN-UK-3 (with 3 Spare Blade) | 60x19mm | 290 |
| DN-3351 | Spare Blades for DN-UK-3 | 60x19mm | 15 |

SNAP OFF CUTTERS

**BLISTER
PACKING**



| Code | Description | Blade Width (mm) | (₹) |
|---------|-------------------|------------------|-----|
| DN-3357 | DNSKE 9 | 9mm | 34 |
| DN-3358 | DNSKE 18 | 18mm | 55 |
| DN-3359 | DNSKB 9 (BLADES) | 9mm | 6 |
| DN-3360 | DNSKB 18 (BLADES) | 18mm | 9 |

WIRE BRUSH



HSN : 96035000

| Code | Size | (₹) |
|---------|-------------------------------|------|
| DN-3381 | WIRE BRUSH STEEL | 290 |
| DN-3382 | WIRE BRUSH STAINLESS STEEL | 520 |
| DN-3383 | WIRE BRUSH BRASS | 2500 |

CUTTING BLADES



| Code | Item | Size | PRICES ON REQUEST |
|---------|-----------------------|-------------------|-------------------------|
| DN-3401 | Marble Cutting Blades | 110mm (Rim) | |
| DN-3402 | Marble Cutting Blades | 150mm (Rim) | |
| DN-3403 | Marble Cutting Blades | 110mm (Cut) | |
| DN-3404 | Marble Cutting Blades | 200mm (Cut) | |
| DN-3405 | Marble Cutting Blades | 250mm (Cut) | |
| DN-3406 | Marble Cutting Blades | 110mm (Turbo) | |
| DN-3407 | Cut Off Wheels-Green | 107mm (4) x 1NET | |
| DN-3408 | Cut Off Wheels-Green | 355mm (14) x 1NET | |

CUT OFF WHEELS - RED / BLACK COLOUR ALSO AVAILABLE

BALL PEIN HAMMERS

HSN : 82052000



Hardened steel head for durability.

Handles are made from high quality wood and fitted with metal wedge to ensure permanent fittings.

Generally Conforming to IS 841 - 1983

| Code | Size (gms) | (₹) |
|---------|------------|-----|
| DN-4001 | 100 | 175 |
| DN-4002 | 200 | 192 |
| DN-4003 | 300 | 246 |
| DN-4004 | 500 | 300 |
| DN-4005 | 600 | 348 |
| DN-4006 | 800 | 420 |
| DN-4007 | 1000 | 580 |

CROSS PEIN HAMMERS

HSN : 82052000



Generally Conforming to IS 841 - 1983

| Code | Size (gms) | (₹) |
|---------|------------|-----|
| DN-4013 | 100 | 175 |
| DN-4014 | 200 | 192 |
| DN-4015 | 300 | 246 |
| DN-4016 | 500 | 300 |
| DN-4017 | 600 | 348 |
| DN-4018 | 800 | 420 |
| DN-4019 | 1000 | 580 |

BALL PEIN HAMMER with Fiberglass Handle

HSN : 82052000



Hardened steel head for durability.

Handles are made from high quality wood and fitted with metal wedge to ensure permanent fittings.

| Code | Size (gms) | (₹) |
|---------|------------|------|
| DN-4031 | 224 | 400 |
| DN-4032 | 336 | 440 |
| DN-4033 | 448 | 520 |
| DN-4034 | 500 | 650 |
| DN-4035 | 672 | 700 |
| DN-4036 | 896 | 800 |
| DN-4037 | 1000 | 900 |
| DN-4038 | 1250 | 1100 |

CROSS PEIN HAMMER with Fiberglass Handle

HSN : 82052000



| Code | Size (gms) | (₹) |
|---------|------------|------|
| DN-4044 | 224 | 400 |
| DN-4045 | 336 | 440 |
| DN-4046 | 448 | 520 |
| DN-4047 | 500 | 650 |
| DN-4048 | 672 | 700 |
| DN-4049 | 896 | 800 |
| DN-4050 | 1000 | 900 |
| DN-4051 | 1250 | 1100 |

MACHINIST HAMMERS

HSN : 82052000



Generally Conforming to IS 841 - 1983

| Code | Size (gms) | (₹) |
|---------|------------|------|
| DN-4071 | 100 | 180 |
| DN-4072 | 200 | 240 |
| DN-4073 | 300 | 290 |
| DN-4074 | 500 | 350 |
| DN-4075 | 800 | 550 |
| DN-4076 | 1000 | 800 |
| DN-4077 | 1500 | 1250 |
| DN-4078 | 2000 | 1500 |
| DN-4079 | 3000 | 2400 |

MACHINIST HAMMERS with Fiberglass Handle (PROFESSIONAL SERIES) HSN : 82052000



| Code | Size (gms) | (₹) |
|---------|------------|------|
| DN-4087 | 1000 | 1100 |
| DN-4088 | 1500 | 1350 |
| DN-4089 | 2000 | 1600 |
| DN-4090 | 3000 | 3000 |

CLAW HAMMER (BENT HEAD) with Fiberglass Handle

HSN : 82052000



Generally Conforming to IS 6546-1989

| Code | Size (gms) | (₹) |
|---------|-------------------------|-----|
| DN-4101 | 224 gms with TPR Handle | 500 |
| DN-4102 | 450 gms with TPR Handle | 540 |

CLAW HAMMER (BENT HEAD) with Wooden Handle

HSN : 82052000



| Code | Size (gms) | (₹) |
|---------|-----------------------------|-----|
| DN-4109 | 450 gms (Ashwood Handle) | 500 |

CLAW HAMMER (PROFESSIONAL SERIES) with FIBERGLASS HANDLE



| Code | Size (gms) | (₹) |
|---------|--|-----|
| DN-4115 | 8 OZ / 224 gms with TPR Handle (Bent Head) | 600 |
| DN-4116 | 16 OZ / 448 gms with TPR Handle (Bent Head) | 800 |
| DN-4117 | 16 OZ / 448 gms with TPR Handle (with Magnetic Head) | 890 |

SLEDGE HAMMER - WITH WOODEN HANDLE

HSN : 82052000



Generally Conforming to IS 841 - 1983

| Code | Size (gms) | (₹) |
|---------|------------|------|
| DN-4131 | 500 | 290 |
| DN-4132 | 1000 | 475 |
| DN-4133 | 1500 | 750 |
| DN-4134 | 2000 | 950 |
| DN-4135 | 2500 | 1200 |
| DN-4136 | 3000 | 1400 |
| DN-4137 | 4000 | 1850 |
| DN-4138 | 5000 | 2300 |
| DN-4139 | 6000 | 2750 |
| DN-4140 | 7000 | 3200 |
| DN-4141 | 8000 | 3900 |
| DN-4142 | 10000 | 4800 |

SLEDGE HAMMER HEAD ONLY



| Code | Weight (Gms.) | (₹) |
|---------|---------------|------|
| DN-4161 | 900 | 410 |
| DN-4162 | 1350 | 520 |
| DN-4163 | 1800 | 730 |
| DN-4164 | 2700 | 1050 |
| DN-4165 | 3600 | 1330 |
| DN-4166 | 4500 | 1600 |
| DN-4167 | 5400 | 1900 |
| DN-4168 | 6300 | 2200 |
| DN-4169 | 7200 | 2500 |
| DN-4170 | 8100 | 3000 |
| DN-4171 | 9000 | 3100 |

SLEDGE HAMMER WITH FIBERGLASS HANDLE

HSN : 82052000



| Code | Size (gms) | (₹) |
|---------|------------|------|
| DN-4181 | 500 | 370 |
| DN-4182 | 1000 | 580 |
| DN-4183 | 1500 | 950 |
| DN-4184 | 2000 | 1100 |
| DN-4185 | 2500 | 1500 |
| DN-4186 | 3000 | 1800 |
| DN-4187 | 4000 | 2200 |
| DN-4188 | 5000 | 2600 |
| DN-4189 | 6000 | 3300 |
| DN-4190 | 7000 | 3850 |
| DN-4191 | 8000 | 4500 |
| DN-4192 | 10000 | 5000 |

FIBERGLASS HANDLE FOR HAMMERS

HSN : 39269080



| Code | Size (gms) | (₹) |
|---------|-----------------------------------|-----|
| DN-4201 | 100 & 200 Gms (Ball/Cross Pein) | 100 |
| DN-4202 | 450 Gms (Claw Hammer) | 300 |
| DN-4203 | 500 & 800 Gms (Ball/Cross Pein) | 300 |
| DN-4204 | 1 Kg & 2 Kg (Sledge Hammer) | 500 |
| DN-4205 | 4 Kg, 5 Kg & 6 Kg (Sledge Hammer) | 900 |

CLUB HAMMER with Fibreglass Handle

HSN : 82052000



Generally Conforming to IS 841 - 1983

| Code | Size (gms) | (₹) |
|---------|------------|------|
| DN-4216 | 800 | 700 |
| DN-4217 | 1000 | 900 |
| DN-4218 | 1250 | 1050 |
| DN-4219 | 1500 | 1200 |
| DN-4220 | 2000 | 1400 |

PVC RUBBER HAMMER

HSN : 82052000



White or Black Rubber.

| Code | Size | Weight (in Gms) | (₹) |
|---------|---------------|-----------------|------|
| DN-4221 | 8 oz / 42mm | 224 | 300 |
| DN-4222 | 16 oz / 55mm | 448 | 360 |
| DN-4223 | 32 oz / 75mm | 896 | 750 |
| DN-4224 | 48 oz / 100mm | | 1150 |

| Code | Size | Weight (in Gms) | (₹) |
|---------|---------------|-----------------|------|
| DN-4234 | 8 oz / 42mm | 224 | 400 |
| DN-4235 | 16 oz / 55mm | 448 | 470 |
| DN-4236 | 32 oz / 75mm | 896 | 800 |
| DN-4237 | 48 oz / 100mm | | 1400 |

CLUB HAMMER with Fibreglass Handle (PROFESSIONAL SERIES)



| Code | Size | (₹) |
|---------|------------------|------|
| DN-4252 | 2 LB - 900gms | 700 |
| DN-4253 | 2.5 LB - 1120gms | 800 |
| DN-4254 | 3 LB - 1350gms | 900 |
| DN-4255 | 4 LB - 1800gms | 1200 |

CHIPPING HAMMER with Fibreglass Handle (PROFESSIONAL SERIES)



| Code | Size (gms) | (₹) |
|---------|------------|-----|
| DN-4261 | 300 | 700 |
| DN-4262 | 500 | 900 |

PVC RUBBER HAMMER (PROFESSIONAL SERIES)



| Code | Size | (₹) |
|---------|------|------|
| DN-4266 | 45mm | 550 |
| DN-4267 | 50mm | 630 |
| DN-4268 | 55mm | 750 |
| DN-4269 | 65mm | 920 |
| DN-4270 | 75mm | 1150 |

SLEDGE HAMMER with Fibreglass Handle (PROFESSIONAL SERIES)



| Code | Size | (₹) |
|---------|-----------------|------|
| DN-4271 | 6 LB - 2700gms | 2700 |
| DN-4272 | 8 LB - 3600gms | 3200 |
| DN-4273 | 10 LB - 4500gms | 3600 |
| DN-4274 | 12 LB - 5400gms | 4000 |
| DN-4275 | 14 LB - 6300gms | 4600 |
| DN-4276 | 16 LB - 7200gms | 5100 |
| DN-4277 | 18 LB - 8100gms | 5500 |
| DN-4278 | 20 LB - 9000gms | 6000 |

SLEDGE HAMMER with Wooden Handle (PROFESSIONAL SERIES)



| Code | Size | (₹) |
|---------|-----------------|------|
| DN-4279 | 6 LB - 2700gms | 2500 |
| DN-4280 | 8 LB - 3600gms | 3000 |
| DN-4281 | 10 LB - 4500gms | 3600 |
| DN-4282 | 12 LB - 5400gms | 4000 |
| DN-4283 | 14 LB - 6300gms | 4500 |
| DN-4284 | 16 LB - 7200gms | 5000 |
| DN-4285 | 18 LB - 8100gms | 5400 |
| DN-4286 | 20 LB - 9000gms | 5900 |

SOFT FACED PLASTIC HAMMERS

HSN : 82052000



Generally Conforming to IS 10838-1984

| Code | Mallet Dia (mm) | (₹) |
|---------|-----------------|-----|
| DN-20FL | 20Full | 180 |
| DN-25FL | 25Full | 220 |
| DN-30FL | 30Full | 270 |
| DN-40FL | 40Full | 460 |
| DN-50FL | 50Full | 620 |

SOFT FACED PLASTIC HAMMERS WITH FIBERGLASS HANDLE



| Code | Mallet Dia (mm) | (₹) |
|---------|-----------------|-----|
| DN-4291 | 30 TPR Full | 350 |
| DN-4292 | 40 TPR Full | 600 |
| DN-4293 | 50 TPR Full | 800 |

SPARE MALLETS For Soft Faced Plastic Hammers

Generally Conforming to IS 10838-1984

| Code | Mallet Dia (mm) | (₹) |
|--------|-----------------|-----|
| DN-20T | 20 Tip | 27 |
| DN-25T | 25 Tip | 42 |
| DN-30T | 30 Tip | 60 |
| DN-40T | 40 Tip | 115 |
| DN-50T | 50 Tip | 180 |



HAND AXE with Fiberglass Handle / Wooden Handle



| Code for Fiberglass | Code for Wooden | Size (gms) | (₹) |
|---------------------|-----------------|------------|------|
| DN-4301 | DN-4310 | 600 | 800 |
| DN-4302 | DN-4311 | 800 | 850 |
| DN-4303 | DN-4312 | 1000 | 1300 |
| DN-4304 | DN-4313 | 3000 | 2000 |

DEAD BLOW HAMMER with Fiberglass Handle

HSN : 82052000



► Ideal for Denting use.

| Code | Size (Gms) | (₹) |
|---------|------------|------|
| DN-4321 | 500 | 750 |
| DN-4322 | 750 | 800 |
| DN-4323 | 800 | 840 |
| DN-4324 | 900 | 900 |
| DN-4325 | 1000 | 1035 |
| DN-4326 | 1250 | 1200 |
| DN-4327 | 1500 | 1400 |

COPPER HAMMER (SLEDGE) WITH FIBERGLASS HANDLE



HSN : 82052000

| Code | Size (gms) | (₹) |
|---------|------------|-------|
| DN-4351 | 450 | 2800 |
| DN-4352 | 1000 | 5300 |
| DN-4353 | 1500 | 8500 |
| DN-4354 | 2000 | 10600 |
| DN-4355 | 2500 | 14000 |
| DN-4356 | 3000 | 16000 |
| DN-4357 | 4000 | 21000 |
| DN-4358 | 5000 | 27000 |
| DN-4359 | 6000 | 31000 |
| DN-4360 | 7000 | 36000 |
| DN-4361 | 8000 | 41000 |
| DN-4362 | 9000 | 46000 |
| DN-4363 | 10000 | 50000 |

COPPER HAMMER (BALL PEIN) WITH FIBERGLASS HANDLE



HSN : 82052000

| Code | Size (gms) | (₹) |
|---------|------------|------|
| DN-4374 | 230 | 1700 |
| DN-4375 | 340 | 2500 |
| DN-4376 | 450 | 2900 |
| DN-4377 | 680 | 4500 |
| DN-4378 | 910 | 6700 |
| DN-4379 | 1130 | 7900 |

COPPER HAMMER (CROSS PEIN) WITH FIBERGLASS HANDLE



HSN : 82052000

| Code | Size (gms) | (₹) |
|---------|------------|-------|
| DN-4390 | 450 | 2880 |
| DN-4391 | 910 | 6600 |
| DN-4392 | 1500 | 10200 |
| DN-4393 | 2000 | 13800 |
| DN-4394 | 2500 | 16800 |
| DN-4395 | 3000 | 20400 |
| DN-4396 | 4000 | 27600 |
| DN-4397 | 5000 | 33600 |

BRASS HAMMER (SLEDGE) WITH FIBERGLASS HANDLE



HSN : 82052000

| Code | Size (gms) | (₹) |
|---------|------------|-------|
| DN-4411 | 450 | 2100 |
| DN-4412 | 1000 | 4000 |
| DN-4413 | 1500 | 6000 |
| DN-4414 | 2000 | 8000 |
| DN-4415 | 2500 | 10000 |
| DN-4416 | 3000 | 13000 |
| DN-4417 | 4000 | 16000 |
| DN-4418 | 5000 | 21000 |
| DN-4419 | 6000 | 23000 |
| DN-4420 | 7000 | 28000 |
| DN-4421 | 8000 | 33000 |
| DN-4422 | 9000 | 36000 |
| DN-4423 | 10000 | 40000 |

BRASS HAMMER (BALL PEIN) WITH FIBERGLASS HANDLE



HSN : 82052000

| Code | Size (gms) | (₹) |
|---------|------------|------|
| DN-4434 | 230 | 1700 |
| DN-4435 | 340 | 1900 |
| DN-4436 | 450 | 2800 |
| DN-4437 | 680 | 3600 |
| DN-4438 | 910 | 4100 |
| DN-4439 | 1130 | 5000 |

BRASS HAMMER (CROSS PEIN) WITH FIBERGLASS HANDLE



HSN : 82052000

| Code | Size (gms) | (₹) |
|---------|------------|-------|
| DN-4450 | 450 | 2800 |
| DN-4451 | 910 | 5600 |
| DN-4452 | 1000 | 5040 |
| DN-4453 | 1500 | 7500 |
| DN-4454 | 2000 | 10000 |
| DN-4455 | 2500 | 12600 |
| DN-4456 | 3000 | 15000 |
| DN-4457 | 4000 | 20000 |
| DN-4458 | 5000 | 24000 |

FLAT SCREW DRIVERS ⊖



Engineer's Pattern

Generally Conforming to IS 844 - 1979

HSN : 82054000

| Code | Blade Size Length x Dia (mm) | (₹) |
|----------|------------------------------------|-----|
| DN-2550 | 50 x 2.5 | 30 |
| DN-2575 | 75 x 2.5 | 30 |
| DN-25100 | 100 x 2.5 | 33 |
| DN-25150 | 150 x 2.5 | 35 |
| DN-932 | 50 x 3 | 33 |
| DN-933 | 75 x 3 | 33 |
| DN-911 | 50 x 3 | 33 |
| DN-901 | 75 x 3 | 40 |
| DN-902 | 100 x 3 | 42 |
| DN-31100 | 100 x 3 | 36 |
| DN-31150 | 150 x 3 | 40 |
| DN-912 | 75 x 3.5 | 34 |
| DN-842 | 150 x 3.5 | 50 |
| DN-913 | 100 x 4 | 44 |
| DN-712 | 125 x 4 | 50 |
| DN-833 | 200 x 4 | 55 |
| DN-713 | 75 x 5 | 46 |
| DN-936 | 150 x 5 | 56 |
| DN-921 | 75 x 6 | 55 |
| DN-922 | 100 x 6 | 53 |

| Code | Blade Size Length x Dia (mm) | (₹) |
|---------|------------------------------------|-----|
| DN-923 | 125 x 6 | 55 |
| DN-824 | 150 x 6 | 57 |
| DN-825 | 200 x 6 | 62 |
| DN-826 | 250 x 6 | 68 |
| DN-725 | 150 x 8 | 110 |
| DN-6300 | 300 x 6 | 78 |
| DN-924 | 125 x 8 | 85 |
| DN-925 | 150 x 8 | 90 |
| DN-926 | 175 x 8 | 90 |
| DN-827 | 200 x 8 | 100 |
| DN-828 | 250 x 8 | 116 |
| DN-829 | 300 x 8 | 124 |
| DN-8350 | 350 x 8 | 150 |
| DN-927 | 200 x 10 | 150 |
| DN-928 | 250 x 10 | 155 |
| DN-929 | 300 x 10 | 180 |
| DN-930 | 400 x 10 | 195 |
| DN-931 | 450 x 10 | 205 |
| DN-940 | 600 x 10 | 360 |

FLAT SCREW DRIVERS-INSULATED ⊖



Engineer's Pattern

Generally Conforming to IS 844 - 1979

HSN : 82054000

| Code | Blade Size Length x Dia (mm) | (₹) |
|------------|------------------------------------|-----|
| DN-354 Ins | 100 x 3.5 | 35 |
| DN-356 Ins | 150 x 3.5 | 36 |
| DN-358 Ins | 200 x 3.5 | 38 |
| DN-822 Ins | 125 x 3.5 | 50 |
| DN-842 Ins | 150 x 3.5 | 52 |
| DN-832 Ins | 200 x 3.5 | 55 |
| DN-823 Ins | 150 x 4.0 | 55 |
| DN-833 Ins | 200 x 4.0 | 58 |
| DN-934 Ins | 100 x 5.0 | 50 |
| DN-935 Ins | 125 x 5.0 | 60 |
| DN-936 Ins | 150 x 5.0 | 60 |
| DN-937 Ins | 200 x 5.0 | 65 |

| Code | Blade Size Length x Dia (mm) | (₹) |
|------------|------------------------------------|-----|
| DN-938 Ins | 250 x 5.0 | 70 |
| DN-939 Ins | 300 x 5.0 | 72 |
| DN-824 Ins | 150 x 6.0 | 70 |
| DN-825 Ins | 200 x 6.0 | 78 |
| DN-826 Ins | 250 x 6.0 | 85 |
| DN-827 Ins | 200 x 8.0 | 125 |
| DN-828 Ins | 250 x 8.0 | 140 |
| DN-829 Ins | 300 x 8.0 | 160 |
| DN-928 Ins | 250 x 10.0 | 220 |
| DN-929 Ins | 300 x 10.0 | 250 |
| DN-930 Ins | 400 x 10.0 | 280 |

FLAT SCREW DRIVERS FIBERGLASS HANDLE (A) ⊖



HSN : 82054000

| Code | Blade Size Length x Dia (mm) | (₹) |
|------------|------------------------------------|-----|
| SD-TPR-824 | 150 x 6 | 240 |
| SD-TPR-825 | 200 x 6 | 280 |
| SD-TPR-826 | 250 x 6 | 300 |
| SD-TPR-925 | 150 x 8 | 310 |
| SD-TPR-827 | 200 x 8 | 340 |
| SD-TPR-828 | 250 x 8 | 370 |
| SD-TPR-829 | 300 x 8 | 380 |

**SCREW DRIVERS - TWO IN ONE
FIBERGLASS HANDLE (A) ⊖⊕**



HSN : 82054000

| Code | Blade Size Dia x Length (mm) | (₹) |
|----------|------------------------------------|-----|
| TPR- 904 | 100 | 350 |
| TPR- 905 | 150 | 400 |
| TPR- 903 | 250 | 500 |

**PHILIPS SCREW DRIVERS ⊕
FIBERGLASS HANDLE (A)**



HSN : 82054000

| Code | Blade Size Length x Dia (mm) | Phillips Tip Size | (₹) |
|----------------|------------------------------------|-------------------------|-----|
| SD-TPR-860-75 | 75 | 0 | 150 |
| SD-TPR-861-100 | 100 | 1 | 240 |
| SD-TPR-862-150 | 150 | 2 | 300 |
| SD-TPR-862-200 | 200 | 2 | 330 |
| SD-TPR-862-250 | 250 | 2 | 360 |

**FLAT SCREW DRIVERS ⊖
FIBERGLASS HANDLE (B)**



HSN : 82054000

| Code | Blade Size Length x Dia (mm) | (₹) |
|----------------|------------------------------------|-----|
| SD-TPR-F-3x75 | 3x75 | 115 |
| SD-TPR-F-3x100 | 3x100 | 120 |
| SD-TPR-F-3x125 | 3x125 | 125 |
| SD-TPR-F-3x150 | 3x150 | 130 |
| SD-TPR-F-3x200 | 3x200 | 140 |
| SD-TPR-F-5x75 | 5x75 | 150 |
| SD-TPR-F-5x100 | 5x100 | 175 |
| SD-TPR-F-5x125 | 5x125 | 190 |
| SD-TPR-F-5x150 | 5x150 | 200 |
| SD-TPR-F-5x200 | 5x200 | 250 |
| SD-TPR-F-5x250 | 5x250 | 270 |
| SD-TPR-F-5x300 | 5x300 | 320 |
| SD-TPR-F-6x100 | 6x100 | 200 |
| SD-TPR-F-6x125 | 6x125 | 220 |
| SD-TPR-F-6x150 | 6x150 | 240 |
| SD-TPR-F-6x200 | 6x200 | 280 |
| SD-TPR-F-6x250 | 6x250 | 300 |
| SD-TPR-F-6x300 | 6x300 | 350 |
| SD-TPR-F-8x150 | 8x150 | 310 |
| SD-TPR-F-8x200 | 8x200 | 340 |
| SD-TPR-F-8x250 | 8x250 | 370 |
| SD-TPR-F-8x300 | 8x300 | 380 |

**PHILIPS SCREW DRIVERS ⊕
FIBERGLASS HANDLE**

HSN : 82054000

| Code | Blade Size Length x Dia (mm) | (₹) |
|----------------|------------------------------------|-----|
| SD-TPR-P-3x75 | 3x75 | 115 |
| SD-TPR-P-3x100 | 3x100 | 120 |
| SD-TPR-P-3x125 | 3x125 | 125 |
| SD-TPR-P-3x150 | 3x150 | 130 |
| SD-TPR-P-3x200 | 3x200 | 140 |
| SD-TPR-P-5x75 | 5x75 | 150 |
| SD-TPR-P-5x100 | 5x100 | 175 |
| SD-TPR-P-5x125 | 5x125 | 190 |
| SD-TPR-P-5x150 | 5x150 | 200 |
| SD-TPR-P-5x200 | 5x200 | 250 |
| SD-TPR-P-5x250 | 5x250 | 270 |
| SD-TPR-P-5x300 | 5x300 | 320 |
| SD-TPR-P-6x100 | 6x100 | 200 |
| SD-TPR-P-6x125 | 6x125 | 220 |
| SD-TPR-P-6x150 | 6x150 | 240 |
| SD-TPR-P-6x200 | 6x200 | 280 |
| SD-TPR-P-6x250 | 6x250 | 300 |
| SD-TPR-P-6x300 | 6x300 | 350 |
| SD-TPR-P-8x150 | 8x150 | 310 |
| SD-TPR-P-8x200 | 8x200 | 340 |
| SD-TPR-P-8x250 | 8x250 | 370 |
| SD-TPR-P-8x300 | 8x300 | 380 |

**SCREW DRIVERS - TWO IN ONE ⊖ ⊕
FIBERGLASS HANDLE (B)**

HSN : 82054000

| Code | Blade Size Dia x Length (mm) | (₹) |
|----------------|------------------------------------|-----|
| SD-TPR-T-6x100 | 6x100 | 250 |
| SD-TPR-T-6x150 | 6x150 | 300 |
| SD-TPR-T-6x250 | 6x250 | 350 |

**SCREW DRIVERS - TWO IN ONE
FIBERGLASS HANDLE (B)
(WITH ROD RETRACTS)**

HSN : 82054000

| Code | Blade Size Dia x Length (mm) | (₹) |
|----------------|--|-----|
| SD-TPR-T-6x175 | 6x175 (with different Lengths 100-150mm) | 350 |

**FLAT SCREW DRIVER ⊖
(STAINLESS STEEL BLADES)**



HSN : 82054000

| Code | Blade Size Length x Dia (mm) | (₹) |
|------------|------------------------------------|-----|
| SD-SS-350 | 50 x 3 | 260 |
| SD-SS-3100 | 100 x 3 | 285 |
| SD-SS-3125 | 125 x 3 | 297 |
| SD-SS-3150 | 150 x 3 | 310 |
| SD-SS-3200 | 200 x 3 | 346 |
| SD-SS-3250 | 250 x 3 | 370 |
| SD-SS-3300 | 300 x 3 | 434 |
| SD-SS-550 | 50 x 5 | 297 |
| SD-SS-575 | 75 x 5 | 310 |
| SD-SS-5100 | 100 x 5 | 334 |
| SD-SS-5125 | 125 x 5 | 359 |
| SD-SS-5150 | 150 x 5 | 384 |
| SD-SS-5200 | 200 x 5 | 409 |
| SD-SS-5250 | 250 x 5 | 434 |

| Code | Blade Size Length x Dia (mm) | (₹) |
|------------|------------------------------------|-----|
| SD-SS-5300 | 300 x 5 | 482 |
| SD-SS-638 | 38 x 6 | 334 |
| SD-SS-675 | 75 x 6 | 359 |
| SD-SS-6100 | 100 x 6 | 370 |
| SD-SS-6125 | 125 x 6 | 384 |
| SD-SS-6150 | 150 x 6 | 397 |
| SD-SS-6200 | 200 x 6 | 434 |
| SD-SS-6250 | 250 x 6 | 470 |
| SD-SS-6300 | 300 x 6 | 521 |
| SD-SS-850 | 50 x 8 | 642 |
| SD-SS-8150 | 150 x 8 | 694 |
| SD-SS-8200 | 200 x 8 | 741 |
| SD-SS-8250 | 250 x 8 | 804 |
| SD-SS-8300 | 300 x 8 | 902 |

**PHILIPS SCREW DRIVERS ⊕
(STAINLESS STEEL BLADES)**



HSN : 82054000

| Code | Blade Size Length x Dia (mm) | Philips Tip Size | (₹) |
|--------------|------------------------------------|------------------------|-----|
| SD-SS-P50x0 | 50 | 0 | 260 |
| SD-SS-P100x0 | 100 | 0 | 285 |
| SD-SS-P125x0 | 125 | 0 | 297 |
| SD-SS-P150x0 | 150 | 0 | 310 |
| SD-SS-P200x0 | 200 | 0 | 346 |
| SD-SS-P250x0 | 250 | 0 | 370 |
| SD-SS-P300x0 | 300 | 0 | 434 |
| SD-SS-P50x1 | 50 | 1 | 297 |
| SD-SS-P75x1 | 75 | 1 | 310 |
| SD-SS-P100x1 | 100 | 1 | 334 |
| SD-SS-P125x1 | 125 | 1 | 359 |
| SD-SS-P150x1 | 150 | 1 | 384 |
| SD-SS-P200x1 | 200 | 1 | 409 |
| SD-SS-P250x1 | 250 | 1 | 434 |

| Code | Blade Size Length x Dia (mm) | Philips Tip Size | (₹) |
|--------------|------------------------------------|------------------------|-----|
| SD-SS-P300x1 | 300 | 1 | 482 |
| SD-SS-P38x2 | 38 | 2 | 334 |
| SD-SS-P75x2 | 75 | 2 | 359 |
| SD-SS-P100x2 | 100 | 2 | 370 |
| SD-SS-P125x2 | 125 | 2 | 384 |
| SD-SS-P150x2 | 150 | 2 | 395 |
| SD-SS-P200x2 | 200 | 2 | 434 |
| SD-SS-P250x2 | 250 | 2 | 470 |
| SD-SS-P300x2 | 300 | 2 | 521 |
| SD-SS-P50x3 | 50 | 3 | 642 |
| SD-SS-P150x3 | 150 | 3 | 692 |
| SD-SS-P200x3 | 200 | 3 | 743 |
| SD-SS-P250x3 | 250 | 3 | 804 |
| SD-SS-P300x3 | 300 | 3 | 902 |

PHILIPS SCREW DRIVERS ⊕



Generally Conforming to IS 844 - 1979

HSN : 82054000

| Code | Blade Size Length x Dia (mm) | Philips Tip Size | (₹) |
|----------------|---|------------------------|------------|
| DN 2550P | 50 x 2.5 | 0 | 30 |
| DN 2575P | 75 x 2.5 | 0 | 32 |
| DN 25100P | 100 x 2.5 | 0 | 35 |
| DN 25150P | 150 x 2.5 | 0 | 36 |
| DN 859 50 | 50 x 3 | 0 | 30 |
| DN 859 100 | 100 x 3 | 0 | 36 |
| DN 859 150 | 150 x 3 | 0 | 40 |
| DN 860 60 | 60 x 3 | 0 | 34 |
| DN 860 150 | 150 x 3 | 0 | 40 |
| DN 861 75 | 75 x 5 | 1 | 47 |
| DN 861 100 | 100 x 5 | 1 | 60 |
| DN 861 150 | 150 x 5 | 1 | 68 |
| DN 861 200 | 200 x 5 | 1 | 70 |
| DN 861 250 | 250 x 6 | 2 | 75 |
| DN 862 100 | 100 x 6 | 2 | 72 |
| DN 862 150 | 150 x 6 | 2 | 77 |
| DN 862 200 | 200 x 6 | 2 | 80 |
| DN 862 250 | 250 x 6 | 2 | 100 |
| DN 862 300 | 300 x 6 | 2 | 110 |
| DN 863 150 | 150 x 8 | 3 | 110 |
| DN 863 200 | 200 x 8 | 3 | 115 |
| DN 863 250 | 250 x 8 | 3 | 120 |
| DN 863 300 | 300 x 8 | 3 | 140 |
| DN 863 350 | 350 x 8 | 3 | 175 |
| DN 864 200 | 200 x 10 | 4 | 180 |
| DN 864 250 | 250 x 10 | 4 | 200 |
| DN 864 300 | 300 x 10 | 4 | 235 |
| DN-5001 | Philips Set (Set of 5 Pcs) 6x100, 6x150, 6x200, 6x250, 6x300 Pouch Packing, (Regular Green Handle) | | 350 |

TESTER - WITH NEON BULB

Generally Conforming to IS 5579 - 1985 Grade II

HSN : 82054000

| Code | Handle Colour | Overall Length (mm) | (₹) |
|--------|------------------|---------------------------|-----|
| DN-813 | Yellow | 125 | 50 |
| DN-814 | Green | 125 | 45 |
| DN-815 | Green | 180 | 73 |
| DN-816 | Yellow | 180 | 80 |
| DN-818 | Yellow | 200 | 84 |



SCREW DRIVERS - TWO IN ONE



HSN : 82054000



Generally Conforming to IS 844 - 1979

| Code | Blade Size Length x Dia (mm) | (₹) |
|-------------|------------------------------------|-----|
| DN-810 | 60 x 3.5 | 55 |
| DN-803 | 55 x 3.5 | 47 |
| DN-803 Long | 100 x 3.0 | 57 |
| DN-804 | 75 x 5.0 | 60 |
| DN-805 | 100 x 5.0 | 63 |
| DN-850 | 200 x 5.0 | 78 |
| DN-904 | 100 x 6.0 | 62 |
| DN-904 I | 100 x 6.0 | 68 |
| DN-905 | 140 x 6.0 | 68 |
| DN-905 I | 140 x 6.0 | 74 |
| ⊕ DN-854 ⊕ | 140 x 6.0 | 96 |
| ⊕ DN-851 ⊕ | 200 x 6.0 | 102 |
| ⊕ DN-853 ⊕ | 200 x 6.0 | 76 |
| DN-907 | 200 x 6.0 | 75 |
| DN-907 I | 200 x 6.0 | 81 |
| DN-903 | 250 x 6.0 | 85 |
| DN-903 I | 250 x 6.0 | 91 |
| DN-9012 | 300 x 6.0 | 90 |
| DN-8300 T | 300 x 8.0 | 132 |
| DN-8350 T | 350 x 8.0 | 138 |
| DN-8300 TP | 300 x 8.0 | 150 |
| DN-8350 TP | 350 x 8.0 | 156 |
| DN-906 | 150 x 8.0 | 111 |
| DN-854 | 140 x 8.0 | 132 |
| ⊕ DN-8140 ⊕ | 140 x 8.0 | 106 |
| DN-910 | 250 x 8.0 | 138 |
| ⊕ DN-852 ⊕ | 200 x 8.0 | 138 |
| DN-908 | 250 x 8.0 | 155 |

SCREW DRIVERS

STRIKING SCREW DRIVERS ⊕

(Strictly not for Electric Use)



| Code | Size (mm) | (₹) |
|-----------|--------------|-----|
| OGS-8150 | 8x150 | 120 |
| OGS-8210 | 8x210 | 135 |
| OGS-8260 | 8x260 | 140 |
| OGS-8300 | 8x300 | 160 |
| OGS-10200 | 10x200 | 210 |
| OGS-10250 | 10x250 | 230 |
| OGS-10300 | 10x300 | 240 |

SCREW DRIVERS - OPAQUE HANDLE

HSN : 82054000



Generally Conforming to IS 844 - 1979

| Code | Blade Size Dia x Length (mm) | (₹) |
|-----------|------------------------------------|-----|
| DN-786 | 6.0 x 100 | 48 |
| DN-788 | 6.0 x 150 | 54 |
| DN-787Ins | 6.0 x 250 | 60 |

SCREW DRIVERS - HEXAGONAL (TWO IN ONE)

SPECIAL
STEEL &
DOUBLE
MAGNET

HSN : 82054000

| Code | Blade Size Dia x Length (mm) | (₹) |
|----------|------------------------------------|-----|
| DN R6250 | 6.0 x 250 | 150 |
| DN R6100 | 6.0 x 100 | 125 |
| DN R6150 | 6.0 x 150 | 130 |
| DN R6200 | 6.0 x 200 | 138 |



TWO IN ONE - STUBBY SCREW DRIVER



HSN : 82054000

| Code | Blade Length (mm) | Tip Dimensions | (₹) |
|------------------------|----------------------|------------------------|-----|
| DN-855 Single Fixed | 50 | | 57 |
| DN-855 Two in One | 50 | 2 Philips | 70 |
| DN-974 | 75 | 2 Philips 6.0 x 0.8 | 72 |

POKER



HSN : 82054000

| Code | Description | (₹) |
|-----------|-------------|-----|
| Poker 871 | 100mmx6mm | 70 |
| Poker 606 | 150mmx6mm | 75 |
| Poker 608 | 200mmx6mm | 80 |

NUT DRIVERS

HSN : 82054000



| Code | Size (mm) | (₹) |
|----------|--------------|-----|
| ND - 5 | 5 | 165 |
| ND - 5.5 | 5.5 | 165 |
| ND - 6 | 6 | 165 |
| ND - 6.5 | 6.5 | 165 |
| ND - 7 | 7 | 165 |
| ND - 7.5 | 7.5 | 165 |
| ND - 8 | 8 | 176 |
| ND - 9 | 9 | 176 |
| ND - 10 | 10 | 176 |
| ND - 11 | 11 | 176 |
| ND - 12 | 12 | 198 |
| ND - 13 | 13 | 198 |
| ND - 14 | 14 | 198 |

TORX SCREW DRIVERS (GREEN HANDLE)

| Code | Size | Blade in Length mm | Blade dia mm | (₹) |
|----------|---|--------------------|--------------|-----|
| SD-T-5 | T-5 | 75 | 3.0 | 55 |
| SD-T-5L | T-5 LONG | 150 | 3.0 | 61 |
| SD-T-6 | T-6 | 75 | 3.0 | 66 |
| SD-T-6L | T-6 LONG | 150 | 3.5 | 72 |
| SD-T-8 | T-8 | 75 | 3.5 | 66 |
| SD-T-8L | T-8LONG | 150 | 3.5 | 72 |
| SD-T-10 | T-10 | 75 | 3.5 | 72 |
| SD-T-10L | T-10 LONG | 150 | 3.5 | 72 |
| SD-T-15 | T-15 | 75 | 5.0 | 83 |
| SD-T-15L | T-15 LONG | 150 | 5.0 | 97 |
| SD-T-20 | T-20 | 100 | 5.0 | 88 |
| SD-T-20L | T-20 LONG | 200 | 6.0 | 97 |
| SD-T-25 | T-25 | 100 | 6.0 | 116 |
| SD-T-25L | T-25 LONG | 200 | 6.0 | 127 |
| SD-T-30 | T-30 | 100 | 6.0 | 116 |
| SD-T-30L | T-30 LONG | 200 | 6.0 | 127 |
| SD-T-40 | T-40 | 125 | 8.0 | 127 |
| SD-T-40L | T-40 LONG | 200 | 8.0 | 143 |
| DN-5021 | TORX SCREW DRIVER SET 8 PCS (Containing T-5 to T-40) | | | 770 |



S
C
R
E
W
D
R
I
V
E
R
S

TORX SCREW DRIVERS (TPR HANDLE)

| | Size | Blade in Length mm | Blade dia mm | (₹) |
|-------------|---|--------------------|--------------|------|
| SDTPR-T-5 | T-5 | 75 | 3.0 | 130 |
| SDTPR-T-5L | T-5 LONG | 150 | 3.0 | 145 |
| SDTPR-T-6 | T-6 | 75 | 3.0 | 149 |
| SDTPR-T-6L | T-6 LONG | 150 | 3.5 | 167 |
| SDTPR-T-8 | T-8 | 75 | 3.5 | 149 |
| SDTPR-T-8L | T-8LONG | 150 | 3.5 | 167 |
| SDTPR-T-10 | T-10 | 75 | 3.5 | 152 |
| SDTPR-T-10L | T-10 LONG | 150 | 3.5 | 167 |
| SDTPR-T-15 | T-15 | 75 | 5.0 | 184 |
| SDTPR-T-15L | T-15 LONG | 150 | 5.0 | 219 |
| SDTPR-T-20 | T-20 | 100 | 5.0 | 201 |
| SDTPR-T-20L | T-20 LONG | 200 | 6.0 | 219 |
| SDTPR-T-25 | T-25 | 100 | 6.0 | 263 |
| SDTPR-T-25L | T-25 LONG | 200 | 6.0 | 280 |
| SDTPR-T-30 | T-30 | 100 | 6.0 | 263 |
| SDTPR-T-30L | T-30 LONG | 200 | 6.0 | 280 |
| SDTPR-T-40 | T-40 | 125 | 8.0 | 280 |
| SDTPR-T-40L | T-40 LONG | 200 | 8.0 | 324 |
| DN-5041 | TORX SCREW DRIVER SET 8 PCS (Containing T-5 to T-40) | | | 2280 |



ALLEN KEY SCREW DRIVERS



| Code | Size (mm) | (₹) |
|---------|-----------|-----|
| DN-5051 | 1.5 | 300 |
| DN-5052 | 2 | 340 |
| DN-5053 | 2.5 | 350 |
| DN-5054 | 3 | 375 |
| DN-5055 | 4 | 395 |
| DN-5056 | 5 | 520 |
| DN-5057 | 6 | 600 |
| DN-5058 | 7 | 675 |
| DN-5059 | 8 | 775 |
| DN-5060 | 9 | 875 |
| DN-5061 | 10 | 960 |

INSULATED VOLTAGE TESTER



(Long Tester)



(Mega Tester)

| Code | Size (mm) | (₹) |
|---------|-------------------|-----|
| DN-5082 | 190 (Long Tester) | 130 |
| DN-5083 | 200 (Mega Tester) | 200 |

VOLTAGE TESTER (TWO IN ONE)



| Code | Size (mm) | (₹) |
|---------|-----------|-----|
| DN-5091 | 100 | 300 |

SCREW DRIVER SETS (ROUND BOX)

HSN : 82054000

| Code | Description | No. of Blades | (₹) |
|--------|---|---------------|-----|
| DN-800 | Screw Driver Set No. (Neon Bulb with eight Blades in 6mm Dia Consisting Extn.Rod) | 8 | 260 |



SCREW DRIVER SETS



HSN : 82054000

| Code | Description | No. of Blades | (₹) |
|--------|--|---------------|-----|
| DN-802 | Screw Driver 6.0x0.8, 3.5x0.5, Philips 0 Square Poker, Phillips 1 | 5 | 230 |
| DN-812 | Screw Driver Set (Neon Bulb with Five Blades including Poker) | 5 | 240 |
| DN-831 | Screw Driver Set 3.5x0.5, 4.3x0.6, 6x0.8, Philips No.1, Phillips No.2, Poker Round, Poker Sq., Wooden Screw Type | 8 | 300 |
| DN-840 | Screw Driver Set 6.0x0.8, 3.5x0.5, Philips 0 Square Poker Round, Phillips 1 + Extension Rod | 6 | 330 |

PRECISION SCREW DRIVER SET



HSN : 82054000

| Code | Description | (₹) |
|---------|---|------------|
| DN-PSF6 | PRECISION / WATCH MAKER Precision Screw Driver Set (6 Pcs) (containing Flat 1.4mm, 2.0mm, 2.4mm, 3.0mm & Phillips Tip no 0&1) | 450 |


SCREW DRIVERS SET (PHILIPS)



HSN : 82054000

| Code | Description | No. of Blades | (₹) |
|--------|--|---------------|------------|
| DN-821 | Screw Driver Set (6 Pcs) (Phillips 00, 0, 1, 2, 3, 6 x 0.6) | 6 | 300 |

SCREW DRIVERS KITS



HSN : 82054000

| Code | Contents | (₹) |
|------|--|------------|
| 1013 | Consisting of 8 Screw Drivers: 713, 922, 725, 828, 912, 712, 937 I, P5 861 75 | 750 |
| 1014 | Consisting of 7 Screw Drivers: 824, P5 861 75, P6 862 100, 913, 925, 935 I, 814 | 725 |
| 1017 | Consisting of 5 Philips Screw Drivers: P3 859 50, P3 860 60, P5 861 75, P6 862 100, P8 863 200 | 520 |

IMPACT SCREW DRIVER SET



| Code | Description | (₹) |
|--------|--|-------------|
| ISD-7 | 7 pcs Screw Driver Bit Set (1 Socket with Rubber Handle, 4pcs small bits, 2pcs long bits) Packed in Plastic Box | 1350 |
| ISD-12 | 13 pcs Screw Driver Bit Set (2 Sockets, 2 Screw Extractor, 1 Impact Driver, 4pcs small bits, 4pcs long bits) Packed in Box | 1900 |

S
C
R
E
W
D
R
I
V
E
R
S

HEXAGONAL HEAD BITS



Generally Conforming to IS 12168 Part II-1987

| Code | Size / Type | (₹) |
|----------|-------------|-----|
| SBH 2515 | 1.5 mm | 20 |
| SBH 252 | 2 mm | 20 |
| SBH 2525 | 2.5 mm | 20 |
| SBH 253 | 3 mm | 20 |
| SBH 254 | 4 mm | 20 |
| SBH 255 | 5 mm | 20 |
| SBH 256 | 6 mm | 20 |
| SBH 258 | 8 mm | 20 |
| SBH 2510 | 10 mm | 20 |
| SBH 5015 | 1.5 mm | 34 |
| SBH 502 | 2 mm | 34 |
| SBH 5025 | 2.5 mm | 34 |
| SBH 503 | 3 mm | 34 |
| SBH 504 | 4 mm | 34 |

| Code | Size / Type | (₹) |
|-----------|-------------|-----|
| SBH 505 | 5 mm | 34 |
| SBH 506 | 6 mm | 34 |
| SBH 508 | 8 mm | 34 |
| SBH 5010 | 10 mm | 34 |
| SBH 50116 | 1/16 A | 34 |
| SBH 50564 | 5/64 A | 34 |
| SBH 50332 | 3/32 A | 34 |
| SBH 50764 | 7/64 A | 34 |
| SBH 5018 | 1/8 A | 34 |
| SBH 50964 | 9/64 A | 34 |
| SBH 50532 | 5/32 A | 34 |
| SBH 50316 | 3/16 A | 34 |
| SBH 50732 | 7/32 A | 34 |
| SBH 5014 | 1/4 A | 34 |

SCREW DRIVER BITS
PHILIPS HEAD SCREW DRIVER BITS

HSN : 82054000

| Code | Size / Type | (₹) |
|--------|-------------|-----|
| SBP250 | PH0 x 25mm | 18 |
| SBP251 | PH1 x 25mm | 18 |
| SBP252 | PH2 x 25mm | 20 |
| SBP253 | PH3 x 25mm | 18 |
| SBP500 | PH0 x 50mm | 29 |
| SBP501 | PH1 x 50mm | 35 |
| SBP502 | PH2 x 50mm | 35 |
| SBP503 | PH3 x 50mm | 29 |



PHILIPS DOUBLE HEAD SCREW DRIVER BITS

| Code | Size / Type | (₹) |
|-----------|-------------------|-----|
| SBPP5011 | PH1 x PH1 x 50mm | 35 |
| SBPP5012 | PH1 x PH2 x 50mm | 35 |
| SBPP5013 | PH1 x PH3 x 50mm | 33 |
| SBPP5022 | PH2 x PH2 x 50mm | 35 |
| SBPP5023 | PH2 x PH3 x 50mm | 33 |
| SBPP5033 | PH3 x PH3 x 50mm | 33 |
| SBPP6512 | PH1 x PH2 x 65mm | 36 |
| SBPP6513 | PH1 x PH3 x 65mm | 36 |
| SBPP6522 | PH2 x PH2 x 65mm | 36 |
| SBPP6523 | PH2 x PH3 x 65mm | 39 |
| SBPP11011 | PH1 x PH1 x 110mm | 60 |
| SBPP11012 | PH1 x PH2 x 110mm | 49 |
| SBPP11022 | PH2 x PH2 x 110mm | 49 |
| SBPP11023 | PH2 x PH3 x 110mm | 49 |
| SBPP11033 | PH3 x PH3 x 110mm | 49 |



FLAT HEAD SCREW DRIVER BITS

| Code | Size / Type | (₹) |
|---------|--------------|-----|
| SBF 253 | 25 x 3 x 0.5 | 20 |
| SBF 254 | 25 x 4 x 0.6 | 20 |
| SBF 255 | 25 x 5 x 0.8 | 20 |
| SBF 256 | 25 x 6 x 1.0 | 20 |
| SBF 258 | 25 x 8 x 1.2 | 20 |
| SBF 503 | 50 x 3 x 0.5 | 34 |
| SBF 504 | 50 x 4 x 0.6 | 34 |
| SBF 505 | 50 x 5 x 0.8 | 34 |
| SBF 506 | 50 x 6 x 1.0 | 34 |
| SBF 508 | 50 x 8 x 1.2 | 34 |



TWO IN ONE SCREW DRIVER BITS

| Code | Size / Type | (₹) |
|------------|--------------|-----|
| SBPF 5026 | PH 2 x 6 | 37 |
| SBPF 6526 | PH 2 x SL6 | 47 |
| SBPF 65145 | PH 1 x SL4.5 | 47 |
| SBPF 65255 | PH 2 x SL5.5 | 47 |
| SBPF 65365 | PH 3 x SL6.5 | 47 |
| SBPF 11026 | PH 2 x SL6 | 57 |

SCREW DRIVER BITS

| Code | Size / Type | Thickness (mm) | (₹) |
|----------|------------------|----------------------|-----|
| PH2PH265 | PH2 x PH2 x 65mm | 6.5mm | 47 |
| PH240 | PH2 x 40mm | 6.5mm | 24 |
| PH340 | PH3 x 40mm | 6.5mm | 27 |
| PH280 | PH2 x 80mm | 6.5mm | 42 |
| PH380 | PH3 x 80mm | 6.5mm | 39 |
| SL640 | SL6 x 40mm | 6.5mm | 24 |
| SL840 | SL8 x 40mm | 8mm | 24 |
| SL680 | SL6 x 80mm | 6.5mm | 36 |
| SL880 | SL8 x 80mm | 8mm | 39 |
| 8PH240 | PH2 x 40mm | 8mm | 32 |
| 8PH340 | PH3 x 40mm | 8mm | 37 |
| 8PH280 | PH2 x 80mm | 8mm </td <td>57</td> | 57 |
| 8PH380 | PH3 x 80mm | 8mm | 53 |



SCREW DRIVER BITS (POZIDRIVE)



| Code | Size / Type | (₹) |
|----------|-------------|-----|
| SBPZ 501 | PZ 1 | 33 |
| SBPZ 502 | PZ 2 | 33 |

TORX HEAD SCREW DRIVER BITS



| Code | Size / Type | (₹) |
|---------|----------------|-----|
| SBT255 | Torx 5 x 25mm | 20 |
| SBT256 | Torx 6 x 25mm | 20 |
| SBT257 | Torx 7 x 25mm | 20 |
| SBT258 | Torx 8 x 25mm | 20 |
| SBT259 | Torx 9 x 25mm | 20 |
| SBT2510 | Torx 10 x 25mm | 20 |
| SBT2515 | Torx 15 x 25mm | 20 |
| SBT2520 | Torx 20 x 25mm | 20 |
| SBT2525 | Torx 25 x 25mm | 20 |
| SBT2527 | Torx 27 x 25mm | 20 |
| SBT2530 | Torx 30 x 25mm | 22 |
| SBT2540 | Torx 40 x 25mm | 22 |
| SBT2545 | Torx 45 x 25mm | 22 |

| Code | Size / Type | (₹) |
|---------|----------------|-----|
| SBT505 | Torx 5 x 50mm | 22 |
| SBT506 | Torx 6 x 50mm | 22 |
| SBT507 | Torx 7 x 50mm | 22 |
| SBT508 | Torx 8 x 50mm | 34 |
| SBT509 | Torx 9 x 50mm | 34 |
| SBT5010 | Torx 10 x 50mm | 34 |
| SBT5015 | Torx 15 x 50mm | 34 |
| SBT5020 | Torx 20 x 50mm | 34 |
| SBT5025 | Torx 25 x 50mm | 34 |
| SBT5027 | Torx 27 x 50mm | 34 |
| SBT5030 | Torx 30 x 50mm | 34 |
| SBT5040 | Torx 40 x 50mm | 34 |

6.3mm (1/4) DRIVE SOCKETS

HSN : 82042000

MM **HEX** **1/4 DRIVE**



Chrome Vanadium Steel
Chrome Plated Mirror Finish

Generally Conforming to IS 7381 - 1986

LENGTH 25MM

LONG LENGTH 50MM

| Hex Code | Size (mm) | (₹) |
|----------|-----------|-----|
| A-4H | 4 | 24 |
| A-4.5H | 4.5 | 24 |
| A-5H | 5 | 24 |
| A-5.5H | 5.5 | 24 |
| A-6H | 6 | 20 |
| A-6.5H | 6.5 | 20 |
| A-7H | 7 | 20 |
| A-8H | 8 | 20 |
| A-9H | 9 | 20 |
| A-10H | 10 | 21 |
| A-11H | 11 | 25 |
| A-12H | 12 | 26 |
| A-13H | 13 | 27 |
| A-14H | 14 | 35 |

| Hex Code | Size (mm) | (₹) |
|----------|-----------|-----|
| A-4HD | 4 Long | 48 |
| A-4.5HD | 4.5 Long | 48 |
| A-5HD | 5 Long | 48 |
| A-5.5HD | 5.5 Long | 48 |
| A-6HD | 6 Long | 40 |
| A-6.5HD | 6.5 Long | 50 |
| A-7HD | 7 Long | 42 |
| A-8HD | 8 Long | 42 |
| A-9HD | 9 Long | 45 |
| A-10HD | 10 Long | 45 |
| A-11HD | 11 Long | 45 |
| A-12HD | 12 Long | 50 |
| A-13HD | 13 Long | 50 |
| A-14HD | 14 Long | 55 |

6.3mm (1/4) DRIVE Regular SOCKETS

SAE

| Hex Code | Size (Sae) | (₹) |
|-------------|------------|-----|
| A-5/32 SAE | 5/32 | 40 |
| A-3/16 SAE | 3/16 | 40 |
| A-7/32 SAE | 7/32 | 40 |
| A-1/4 SAE | 1/4 | 40 |
| A-9/32 SAE | 9/32 | 40 |
| A-5/16 SAE | 5/16 | 40 |
| A-11/32 SAE | 11/32 | 40 |
| A-3/8 SAE | 3/8 | 40 |
| A-7/16 SAE | 7/16 | 50 |
| A-1/2 SAE | 1/2 | 50 |
| A-9/16 SAE | 9/16 | 50 |

6.3mm (1/4) DRIVE SCREW DRIVER BIT SOCKET

HSN : 82042000

| Code | Size | (₹) |
|---------|-------------------|-----|
| DN-6001 | SL-4 (Slotted) | 33 |
| DN-6002 | SL-6 (Slotted) | 42 |
| DN-6003 | PH-1 (Philips) | 36 |
| DN-6004 | PH-2 (Philips) | 36 |
| DN-6005 | Pz-1 (Pozi Drive) | 36 |
| DN-6006 | Pz-2 (Pozi Drive) | 36 |



S
O
C
K
E
T
E
R
Y

6.3mm (1/4) DRIVE TORX BIT SOCKET

HSN : 82042000

| Code | Size (mm) | (₹) |
|--------|-----------|-----|
| A-T-8 | 8 | 36 |
| A-T-10 | 10 | 36 |
| A-T-15 | 15 | 36 |
| A-T-20 | 20 | 36 |
| A-T-25 | 25 | 36 |
| A-T-27 | 27 | 42 |
| A-T-30 | 30 | 36 |
| A-T-35 | 35 | 42 |
| A-T-40 | 40 | 44 |
| A-T-45 | 45 | 60 |



6.3mm (1/4) DRIVE ALLEN SOCKET

HSN : 82042000

| Code | Size (mm) | (₹) |
|------|-----------|-----|
| A-3H | 3 | 32 |
| A-4H | 4 | 32 |
| A-5H | 5 | 32 |
| A-6H | 6 | 32 |
| A-7H | 7 | 40 |
| A-8H | 8 | 44 |



9.5mm (3/8) DRIVE SOCKETS

HSN : 82042000

SOCKETRY

Chrome Plated Mirror Finish

Generally Conforming to IS 7381 - 1986

HEX BIHEX 3/8 DRIVE

| Hex Code | Bi-Hex Code | Size (mm) | Hex (₹) | Bi-Hex (₹) |
|----------|-------------|-----------|---------|------------|
| B-6H | B-6BH | 6 | 50 | 60 |
| B-7H | B-7BH | 7 | 50 | 60 |
| B-8H | B-8BH | 8 | 50 | 60 |
| B-9H | B-9BH | 9 | 50 | 60 |
| B-10H | B-10BH | 10 | 50 | 60 |
| B-11H | B-11BH | 11 | 50 | 60 |
| B-12H | B-12BH | 12 | 50 | 60 |
| B-13H | B-13BH | 13 | 60 | 72 |
| B-14H | B-14BH | 14 | 60 | 72 |
| B-15H | B-15BH | 15 | 60 | 72 |
| B-16H | B-16BH | 16 | 60 | 72 |
| B-17H | B-17BH | 17 | 75 | 90 |
| B-18H | B-18BH | 18 | 75 | 90 |
| B-19H | B-19BH | 19 | 75 | 90 |
| B-20H | B-20BH | 20 | 90 | 108 |
| B-21H | B-21BH | 21 | 95 | 114 |
| B-22H | B-22BH | 22 | 110 | 132 |
| B-23H | B-23BH | 23 | 110 | 132 |
| B-24H | B-24BH | 24 | 110 | 132 |



9.5mm (3/8) DRIVE DEEP SOCKETS

Chrome Plated Mirror Finish

HEX BIHEX LONG 3/8 DRIVE

| Hex Code | Bi-Hex Code | Size (mm) | Hex (₹) | Bi-Hex (₹) |
|----------|-------------|-----------|---------|------------|
| B-6DH | B-6DBH | 6 | 78 | 98 |
| B-7DH | B-7DBH | 7 | 78 | 98 |
| B-8DH | B-8DBH | 8 | 78 | 98 |
| B-9DH | B-9DBH | 9 | 78 | 98 |
| B-10DH | B-10DBH | 10 | 78 | 98 |
| B-11DH | B-11DBH | 11 | 78 | 98 |
| B-12DH | B-12DBH | 12 | 78 | 98 |
| B-13DH | B-13DBH | 13 | 84 | 105 |
| B-14DH | B-14DBH | 14 | 84 | 105 |
| B-15DH | B-15DBH | 15 | 84 | 105 |
| B-16DH | B-16DBH | 16 | 84 | 105 |
| B-17DH | B-17DBH | 17 | 90 | 113 |
| B-18DH | B-18DBH | 18 | 96 | 120 |
| B-19DH | B-19DBH | 19 | 96 | 120 |
| B-20DH | B-20DBH | 20 | 114 | 143 |
| B-21DH | B-21DBH | 21 | 114 | 143 |
| B-22DH | B-22DBH | 22 | 114 | 143 |
| B-23DH | B-23DBH | 23 | 250 | 313 |
| B-24DH | B-24DBH | 24 | 250 | 313 |

9.5MM (3/8) DRIVE SOCKETS

HSN : 82042000

Chrome Plated Mirror Finish

| Hex Code | Bi-Hex Code | SAE | |
|-----------|-------------|---------------------|-----------|
| | | HEX BIHEX | 3/8 DRIVE |
| | | Size American (SAE) | (₹) |
| B-5/16AH | B-5/16ABH | 5/16 | 75 |
| B-3/8AH | B-3/8ABH | 3/8 | 75 |
| B-7/16AH | B-7/16ABH | 7/16 | 75 |
| B-1/2AH | B-1/2ABH | 1/2 | 75 |
| B-9/16AH | B-9/16ABH | 9/16 | 75 |
| B-5/8AH | B-5/8ABH | 5/8 | 75 |
| B-11/16AH | B-11/16ABH | 11/16 | 90 |
| B-3/4AH | B-3/4ABH | 3/4 | 90 |
| B-13/16AH | B-13/16ABH | 13/16 | 105 |
| B-7/8AH | B-7/8ABH | 7/8 | 105 |
| B-15/16AH | B-15/16ABH | 15/16 | 120 |



SOCKETERY

12.5MM (1/2) DRIVE SOCKETS

HSN : 82042000

| Hex Code | Bi-Hex Code | SAE | |
|------------|-------------|---------------------|-----------|
| | | HEX BIHEX | 1/2 DRIVE |
| | | Size American (SAE) | (₹) |
| N-3/8 AH | N-3/8 ABH | 3/8 | 96 |
| N-7/16 AH | N-7/16 ABH | 7/16 | 96 |
| N-1/2 AH | N-1/2 ABH | 1/2 | 96 |
| N-9/16 AH | N-9/16 ABH | 9/16 | 96 |
| N-5/8 AH | N-5/8 ABH | 5/8 | 102 |
| N-11/16 AH | N-11/16 ABH | 11/16 | 108 |
| N-3/4 AH | N-3/4 ABH | 3/4 | 126 |
| N-13/16 AH | N-13/16 ABH | 13/16 | 160 |
| N-7/8 AH | N-7/8 ABH | 7/8 | 174 |
| N-15/16 AH | N-15/16 ABH | 15/16 | 174 |
| N-1 AH | N-1 ABH | 1 | 240 |
| N-1.1/8 AH | N-1.1/8 ABH | 1.1/8 | 288 |
| N-1.1/4 AH | N-1.1/4 ABH | 1.1/4 | 336 |



12.5MM (1/2) DRIVE SOCKETS

HSN : 82042000

| Hex Code | Bi-Hex Code | WW | |
|--------------------------|---------------------------|---------------------|-----------|
| | | HEX BIHEX | 1/2 DRIVE |
| | | Size English (WW) | (₹) |
| N-1/8 WH | N-1/8 WBH | 1/8 | 70 |
| N-3/16 WH | N-3/16 WBH | 3/16 | 70 |
| N-1/4 WH | N-1/4 WBH | 1/4 | 73 |
| N-5/16 WH | N-5/16 WBH | 5/16 | 73 |
| N-3/8 WH | N-3/8 WBH | 3/8 | 97 |
| N-7/16 V/H | N-7/16 WBH | 7/16 | 110 |
| N-1/2 WH | N-1/2 WBH | 1/2 | 152 |
| N-9/16 WH | N-9/16 WBH | 9/16 | 220 |
| N-11/16 WH | N-11/16 WBH | 11/16 | 240 |
| N-5/8 WH | N-5/8 WBH | 5/8 | 288 |
| N-3/4 WH (Chrome Imp) | N-3/4 WBH (Chrome Imp) | 3/4 (Chrome Imp) | 288 |



12.5mm (1/2) DRIVE SOCKETS

HSN : 82042000



Chrome Vanadium Steel

Generally Conforming to IS 6131 - 1980 & IS 7381 - 1986

| Hex Code | Bi-Hex Code | Size | ₹ |
|----------|-------------|-------------|----|
| | | Metric (mm) | |
| N-8H | N-8BH | 8 | 53 |
| N-9H | N-9BH | 9 | 53 |
| N-10H | N-10BH | 10 | 53 |
| N-11H | N-11BH | 11 | 53 |
| N-12H | N-12BH | 12 | 56 |
| N-13H | N-13BH | 13 | 56 |
| N-14H | N-14BH | 14 | 56 |
| N-15H | N-15BH | 15 | 56 |
| N-16H | N-16BH | 16 | 56 |
| N-17H | N-17BH | 17 | 60 |
| N-18H | N-18BH | 18 | 60 |
| N-19H | N-19BH | 19 | 60 |
| N-20H | N-20BH | 20 | 80 |
| N-21H | N-21BH | 21 | 80 |
| N-22H | N-22BH | 22 | 82 |
| N-23H | N-23BH | 23 | 96 |

| Hex Code | Bi-Hex Code | Size | ₹ |
|----------|-------------|-------------|-----|
| | | Metric (mm) | |
| N-24H | N-24BH | 24 | 96 |
| N-25H | N-25BH | 25 | 135 |
| N-26H | N-26BH | 26 | 143 |
| N-27H | N-27BH | 27 | 150 |
| N-28H | N-28BH | 28 | 176 |
| N-29H | N-29BH | 29 | 190 |
| N-30H | N-30BH | 30 | 210 |
| N-31H | - | 31 | 300 |
| N-32H | N-32BH | 32 | 220 |
| N-33H | - | 33 | 250 |
| N-34H | - | 34 | 250 |
| N-36H | - | 36 | 500 |
| N-38H | - | 38 | 500 |
| N-41H | - | 41 | 700 |
| N-46H | - | 46 | 800 |

MM **HEX BIHEX** **1/2 DRIVE**

12.5mm (1/2) DRIVE DEEP SOCKETS

HSN : 82042000



| Hex Code | Bi-Hex Code | Size (mm) | Hex ₹ | Bi-Hex ₹ |
|----------|-------------|-----------|-------|----------|
| N-8 HD | N-8 BHD | 8 Long | 126 | 151 |
| N-9 HD | N-9 BHD | 9 Long | 138 | 166 |
| N-10 HD | N-10 BHD | 10 Long | 126 | 151 |
| N-11 HD | N-11 BHD | 11 Long | 126 | 151 |
| N-12 HD | N-12 BHD | 12 Long | 126 | 151 |
| N-13 HD | N-13 BHD | 13 Long | 126 | 151 |
| N-14 HD | N-14 BHD | 14 Long | 126 | 151 |
| N-15 HD | N-15 BHD | 15 Long | 132 | 158 |
| N-16 HD | N-16 BHD | 16 Long | 132 | 158 |
| N-17 HD | N-17 BHD | 17 Long | 132 | 158 |
| N-18 HD | N-18 BHD | 18 Long | 132 | 158 |
| N-19 HD | N-19 BHD | 19 Long | 132 | 158 |

| Hex Code | Bi-Hex Code | Size (mm) | Hex ₹ | Bi-Hex ₹ |
|----------|-------------|-----------|-------|----------|
| N-20 HD | N-20 BHD | 20 Long | 153 | 184 |
| N-21 HD | N-21 BHD | 21 Long | 159 | 191 |
| N-22 HD | N-22 BHD | 22 Long | 171 | 205 |
| N-23 HD | N-23 BHD | 23 Long | 210 | 252 |
| N-24 HD | N-24 BHD | 24 Long | 228 | 274 |
| N-25 HD | N-25 BHD | 25 Long | 300 | 360 |
| N-26 HD | N-26 BHD | 26 Long | 300 | 360 |
| N-27 HD | N-27 BHD | 27 Long | 300 | 360 |
| N-28 HD | N-28 BHD | 28 Long | 340 | 408 |
| N-29 HD | N-29 BHD | 29 Long | 450 | 540 |
| N-30 HD | N-30 BHD | 30 Long | 400 | 480 |
| N-32 HD | N-32 BHD | 32 Long | 400 | 480 |

Long Series **MM** **HEX BIHEX** **1/2 DRIVE**

ALLEN SOCKET 12.5mm (1/2) SQUARE DRIVE

HSN : 82042000



Chrome Vanadium Steel
Chrome Plated Mirror Finish

LENGTH 60MM

**LONG LENGTH
100MM**

| Code | Size (mm) | Length | (₹) |
|---------|-----------|--------|-----|
| DN-6026 | H3 | 60 | 115 |
| DN-6027 | H4 | 60 | 115 |
| DN-6028 | H5 | 60 | 115 |
| DN-6029 | H6 | 60 | 115 |
| DN-6030 | H7 | 60 | 115 |
| DN-6031 | H8 | 60 | 115 |
| DN-6032 | H10 | 60 | 125 |
| DN-6033 | H12 | 60 | 130 |
| DN-6034 | H14 | 60 | 170 |
| DN-6035 | H17 | 60 | 200 |
| DN-6036 | H19 | 60 | 260 |
| DN-6037 | H21 IMP | 60 | 800 |
| DN-6038 | H22 IMP | 60 | 800 |
| DN-6039 | H24 IMP | 60 | 900 |
| DN-6040 | H1/2 SAE | 60 | 150 |

| Code | Size (mm) | Length | (₹) |
|---------|-----------|--------|-----|
| DN-6041 | H3 | 100 | 180 |
| DN-6042 | H4 | 100 | 180 |
| DN-6043 | H5 | 100 | 180 |
| DN-6044 | H6 | 100 | 180 |
| DN-6045 | H7 | 100 | 180 |
| DN-6046 | H8 | 100 | 180 |
| DN-6047 | H10 | 100 | 180 |
| DN-6048 | H12 | 100 | 230 |
| DN-6049 | H14 | 100 | 300 |
| DN-6050 | H17 | 100 | 360 |
| DN-6051 | H19 | 100 | 380 |

TORX SOCKET 12.5mm (1/2) SQUARE DRIVE

HSN : 82042000



Chrome Vanadium Steel
Chrome Plated Mirror Finish

LENGTH 60MM

**LONG LENGTH
100MM**

| Code | Size (mm) | Length | (₹) |
|-------|-----------|--------|-----|
| N-T10 | 10 | 60 | 114 |
| N-T20 | 20 | 60 | 114 |
| N-T25 | 25 | 60 | 114 |
| N-T27 | 27 | 60 | 114 |
| N-T30 | 30 | 60 | 114 |
| N-T35 | 35 | 60 | 114 |
| N-T40 | 40 | 60 | 114 |
| N-T45 | 45 | 60 | 114 |
| N-T50 | 50 | 60 | 114 |
| N-T55 | 55 | 60 | 144 |
| N-T60 | 60 | 60 | 153 |
| N-T70 | 70 | 60 | 200 |
| N-T90 | 90 | 60 | 800 |

Generally Conforming to IS 7381 - 1986

| Code | Size (mm) | Length | (₹) |
|--------|-----------|--------|-----|
| N-T10D | 10 | 100 | 150 |
| N-T20D | 20 | 100 | 150 |
| N-T25D | 25 | 100 | 150 |
| N-T27D | 27 | 100 | 150 |
| N-T30D | 30 | 100 | 150 |
| N-T35D | 35 | 100 | 150 |
| N-T40D | 40 | 100 | 150 |
| N-T45D | 45 | 100 | 150 |
| N-T50D | 50 | 100 | 168 |
| N-T55D | 55 | 100 | 168 |
| N-T60D | 60 | 100 | 180 |
| N-T70D | 70 | 100 | 240 |

E-SOCKET 1/2 SQUARE DRIVE

HSN : 82042000



Chrome Vanadium Steel
Chrome Plated Mirror Finish

Generally Conforming to IS 7381 - 1986

| Code | Size | (₹) |
|---------|------|-----|
| DN-6071 | 10 | 100 |
| DN-6072 | 11 | 100 |
| DN-6073 | 12 | 100 |
| DN-6074 | 14 | 100 |
| DN-6075 | 16 | 110 |
| DN-6076 | 18 | 115 |
| DN-6077 | 20 | 140 |
| DN-6078 | 22 | 160 |
| DN-6079 | 24 | 200 |

1/2DRIVE SPARK PLUG SOCKETS

HSN : 82042000



Generally Conforming to IS 7381 - 1986

| Code | Size (mm) | (₹) |
|------|-----------|-----|
| SP16 | 16 | 125 |
| SP21 | 21 | 140 |

DRAIN PLUG REMOVER

HSN : 82042000



Chrome Vanadium Steel

| Code | Size Metric (mm) | (₹) |
|---------|------------------|-----|
| DN-6091 | 8mm | 132 |
| DN-6092 | 10mm | 132 |
| DN-6093 | 8mm | 132 |
| DN-6094 | 10mm | 132 |

SPLINE SOCKET 12.5mm (1/2)SQUARE DRIVE (MALE)

HSN : 82042000



Chrome Vanadium Steel

| Code | Size (mm) | (₹) |
|---------|-----------|-----|
| DN-6101 | 8 | 130 |
| DN-6102 | 9 | 130 |
| DN-6103 | 10 | 150 |
| DN-6104 | 11 | 150 |
| DN-6105 | 12 | 170 |
| DN-6106 | 13 | 170 |
| DN-6107 | 14 | 190 |
| DN-6108 | 15 | 220 |
| DN-6109 | 16 | 250 |

SPLINE SOCKET 12.5mm (1/2)SQUARE DRIVE (FEMALE)

HSN : 82042000



| Code | Size (mm) | (₹) |
|---------|-----------|-----|
| DN-6116 | 8 | 130 |
| DN-6117 | 9 | 130 |
| DN-6118 | 10 | 150 |
| DN-6119 | 11 | 150 |
| DN-6120 | 12 | 170 |
| DN-6121 | 13 | 170 |
| DN-6122 | 14 | 190 |
| DN-6123 | 15 | 230 |
| DN-6124 | 16 | 250 |

19mm (3/4) SQ. DRIVE SOCKET

HSN : 82042000



BLUE BAND

Sockets with Blue Ribbon (In Chrome Finish)
Chrome Vanadium Steel / Chrome Molybdenum

Generally Conforming to IS 6131-1980 & 7381-1986

CHROME
MIRROR
FINISH

MM

HEX
BIHEX

3/4
DRIVE

S
O
C
K
E
T
E
R
Y

| Hex Code | Bi-Hex Code | Size (mm) | (₹) |
|----------|-------------|-----------|-----|
| C-17H | C-17BH | 17 | 500 |
| C-18H | C-18BH | 18 | 500 |
| C-19H | C-19BH | 19 | 360 |
| C-20H | C-20BH | 20 | 400 |
| C-21H | C-21BH | 21 | 360 |
| C-22H | C-22BH | 22 | 360 |
| C-23H | C-23BH | 23 | 400 |
| C-24H | C-24BH | 24 | 360 |
| C-25H | C-25BH | 25 | 400 |
| C-26H | C-26BH | 26 | 400 |
| C-27H | C-27BH | 27 | 375 |
| C-28H | C-28BH | 28 | 375 |
| C-29H | C-29BH | 29 | 425 |
| C-30H | C-30BH | 30 | 425 |
| C-31H | C-31BH | 31 | 650 |
| C-32H | C-32BH | 32 | 470 |
| C-33H | C-33BH | 33 | 520 |
| C-34H | C-34BH | 34 | 520 |
| C-35H | C-35BH | 35 | 600 |
| C-36H | C-36BH | 36 | 650 |
| C-37H | C-37BH | 37 | 900 |
| C-38H | C-38BH | 38 | 720 |
| C-39H | C-39BH | 39 | 900 |
| C-40H | C-40BH | 40 | 900 |

| Hex Code | Bi-Hex Code | Size (mm) | (₹) |
|----------|-------------|-----------|------|
| C-41H | C-41BH | 41 | 750 |
| C-42H | C-42BH | 42 | 800 |
| C-43H | C-43BH | 43 | 950 |
| C-44H | C-44BH | 44 | 950 |
| C-45H | C-45BH | 45 | 950 |
| C-46H | C-46BH | 46 | 840 |
| C-47H | C-47BH | 47 | 1050 |
| C-48H | C-48BH | 48 | 1050 |
| C-49H | C-49BH | 49 | 1000 |
| C-50H | C-50BH | 50 | 960 |
| C-51H | C-51BH | 51 | 1300 |
| C-52H | C-52BH | 52 | 1050 |
| C-53H | C-53BH | 53 | 1400 |
| C-54H | C-54BH | 54 | 1500 |
| C-55H | C-55BH | 55 | 1220 |
| C-56H | C-56BH | 56 | 1700 |
| C-57H | C-57BH | 57 | 1700 |
| C-58H | C-58BH | 58 | 1800 |
| C-59H | C-59BH | 59 | 2000 |
| C-60H | C-60BH | 60 | 1580 |
| C-65H | C-65BH | 65 | 1800 |
| C-70H | C-70BH | 70 | 2150 |
| C-75H | C-75BH | 75 | 3200 |

19mm (3/4) SQ. DRIVE SOCKET

SAE

HEX
BIHEX

3/4
DRIVE

| Hex Code | Bi-Hex Code | Size American (SAE) | (₹) |
|-------------|--------------|---------------------|-----|
| C-13/16 AH | C-13/16 ABH | 13/16 | 450 |
| C-3/4 AH | C-3/4 ABH | 3/4 | 540 |
| C-7/8 AH | C-7/8 ABH | 7/8 | 540 |
| C-15/16 AH | C-15/16 ABH | 15/16 | 540 |
| C-1 AH | C-1 ABH | 1 | 600 |
| C-1.1/16 AH | C-1.1/16 ABH | 1.1/16 | 600 |
| C-1.1/8 AH | C-1.1/8 ABH | 1.1/8 | 600 |
| C-1.3/16 AH | C-1.3/16 ABH | 1.3/16 | 700 |
| C-1.1/4 AH | C-1.1/4 ABH | 1.1/4 | 750 |
| C-1.5/16 AH | C-1.5/16 ABH | 1.5/16 | 750 |

| Hex Code | Bi-Hex Code | Size American (SAE) | (₹) |
|--------------|---------------|---------------------|------|
| C-1.3/8 AH | C-1.3/8 ABH | 1.3/8 | 900 |
| C-1.7/16 AH | C-1.7/16 ABH | 1.7/16 | 900 |
| C-1.1/2 AH | C-1.1/2 ABH | 1.1/2 | 1100 |
| C-1.5/8 AH | C-1.5/8 ABH | 1.5/8 | 1200 |
| C-1.11/16 AH | C-1.11/16 ABH | 1.11/16 | 1300 |
| C-1.3/4 AH | C-1.3/4 ABH | 1.3/4 | 1300 |
| C-1.13/16 AH | C-1.13/16 ABH | 1.13/16 | 1300 |
| C-1.7/8 AH | C-1.7/8 ABH | 1.7/8 | 1500 |
| C-1.15/16 AH | C-1.15/16 ABH | 1.15/16 | 1600 |
| C-2 AH | C-2 ABH | 2 | 1800 |

25mm (1) DRIVE SOCKETS

CHROME MIRROR FINISH **MM** HEX BIHEX 1 DRIVE **BLUE BAND**

Chrome Vanadium Steel
Generally Conforming to IS 7381 - 1986 HSN : 82042000

| Hex Code | Bi-Hex Code | Size (mm) | Hex (₹) | Bi-Hex (₹) |
|----------|-------------|-----------|---------|------------|
| D-36H | D-36BH | D-36 | 1200 | 1000 |
| D-38H | D-38BH | D-38 | 1200 | 1000 |
| D-41H | D-41BH | D-41 | 1350 | 1120 |
| D-46H | D-46BH | D-46 | 1450 | 1200 |
| D-48H | D-48BH | D-48 | 1800 | 1440 |
| D-50H | D-50BH | D-50 | 1700 | 1400 |
| D-54H | D-54BH | D-54 | 2200 | 1800 |
| D-55H | D-55BH | D-55 | 2200 | 1800 |
| D-56H | D-56BH | D-56 | 2650 | 2200 |
| D-57H | D-57BH | D-57 | 2650 | 2200 |
| D-60H | D-60BH | D-60 | 2650 | 2200 |
| D-65H | D-65BH | D-65 | 2900 | 2400 |
| D-70H | D-70BH | D-70 | 3500 | 2900 |
| D-75H | D-75BH | D-75 | 4000 | 3400 |
| D-80H | D-80BH | D-80 | 4350 | 3600 |



25mm (1) DRIVE SOCKETS

CHROME MIRROR FINISH **SAE** HEX BIHEX 1 DRIVE **BLUE BAND**

Chrome Vanadium Steel
Generally Conforming to IS 7381 - 1986

| Hex Code | Bi-Hex Code | Sizes | (₹) |
|--------------|---------------|-------------|------|
| D-1.1/4 AH | D-1.1/4 ABH | 1.1/4 SAE | 1476 |
| D-1.5/16 AH | D-1.5/16 ABH | 1.5/16 SAE | 1512 |
| D-1.3/8 AH | D-1.3/8 ABH | 1.3/8 SAE | 1584 |
| D-1.7/16 AH | D-1.7/16 ABH | 1.7/16 SAE | 1656 |
| D-1.1/2 AH | D-1.1/2 ABH | 1.1/2 SAE | 1728 |
| D-1.5/8 AH | D-1.5/8 ABH | 1.5/8 SAE | 1800 |
| D-1.11/16 AH | D-1.11/16 ABH | 1.11/16 SAE | 1872 |
| D-1.3/4 AH | D-1.3/4 ABH | 1.3/4 SAE | 1944 |
| D-1.13/16 AH | D-1.13/16 ABH | 1.13/16 SAE | 2016 |
| D-1.7/8 AH | D-1.7/8 ABH | 1.7/8 SAE | 2088 |
| D-2 AH | D-2 ABH | 2 SAE | 2160 |
| D-2.1/8 AH | D-2.1/8 ABH | 2.1/8 SAE | 2664 |
| D-2.3/16 AH | D-2.3/16 ABH | 2.3/16 SAE | 2664 |
| D-2.1/4 AH | D-2.1/4 ABH | 2.1/4 SAE | 2736 |
| D-2.3/8 AH | D-2.3/8 ABH | 2.3/8 SAE | 2736 |
| D-2.1/2 AH | D-2.1/2 ABH | 2.1/2 SAE | 2736 |
| D-2.5/8 AH | D-2.5/8 ABH | 2.5/8 SAE | 3672 |
| D-2.3/4 AH | D-2.3/4 ABH | 2.3/4 SAE | 4320 |
| D-2.15/16 AH | D-2.15/16 ABH | 2.15/16 SAE | 5184 |
| D-3 AH | D-3 ABH | 3 SAE | 5616 |
| D-3.1/8 AH | D-3.1/8 ABH | 3.1/8 SAE | 6120 |

T-SOCKETS with 1/4 DRIVE DEEP SOCKET

HSN : 82042000



Generally Conforming to IS 9181-1988

| Code | Size | Handle Length | Length | (₹) |
|------|------|---------------|--------|-----|
| TS4 | 4mm | 200 | 350 | 150 |
| TS5 | 5mm | 200 | 350 | 150 |
| TS6 | 6mm | 200 | 350 | 150 |
| TS7 | 7mm | 200 | 350 | 165 |
| TS8 | 8mm | 200 | 350 | 165 |
| TS9 | 9mm | 200 | 350 | 186 |
| TS10 | 10mm | 200 | 350 | 192 |
| TS11 | 11mm | 200 | 350 | 197 |
| TS12 | 12mm | 200 | 350 | 199 |
| TS13 | 13mm | 200 | 350 | 200 |
| TS14 | 14mm | 200 | 350 | 202 |

T-SOCKET with DEEP SOCKET

HSN : 82042000



Generally Conforming to IS 9181-1988

| Code | Size | Handle Length | Length | (₹) |
|------|------|---------------|--------|-----|
| TS15 | 15mm | 200 | 375 | 420 |
| TS16 | 16mm | 200 | 375 | 450 |
| TS17 | 17mm | 200 | 375 | 480 |
| TS18 | 18mm | 200 | 375 | 510 |
| TS19 | 19mm | 200 | 375 | 540 |
| TS20 | 20mm | 200 | 375 | 570 |
| TS21 | 21mm | 200 | 375 | 570 |

REVERSIBLE RATCHET HANDLE

HSN : 82042000

Generally Conforming to IS 7975-1991

| Code | Drive | (₹) |
|-----------|----------------------------------|-------|
| RR-A-1715 | 1/4 Dr. | 550 |
| RR-B-1715 | 3/8 Dr. | 670 |
| RR2715 | 1/2 Dr. | 870 |
| RR2717 | 3/4 Dr. (Without Rubber Grip) | 3000 |
| RR2717R | 3/4 Dr. (With Rubber Grip) | 4000 |
| RR3715 | 1 Dr. (Without Rubber Grip) | 10000 |

72T CrV



RATCHET - NON REVERSIBLE

(WITHOUT COUPLER)

| Code | Drive | (₹) |
|----------|-------|-------|
| RNR1993Z | 1/2 | 700 |
| RNR2715 | 3/4 | 2000 |
| RNR3705 | 1 | 10000 |
| RNR1.1/2 | 1.1/2 | 29000 |

SQUARE COUPLER (FOR RATCHET)

| Code | Drive | (₹) |
|---------|-------|------|
| DN-2851 | 1/2 | 300 |
| DN-2852 | 3/4 | 450 |
| DN-2853 | 1 | 1800 |



2IN 1 RATCHET HANDLE

HSN : 82042000

Chrome Plated Finish
Chrome Vanadium Steel

| Code | Drive | Dimension (mm) | (₹) |
|---------|-----------|----------------|------|
| DN-6141 | 3/8 & 1/4 | 145 | 1200 |
| DN-6142 | 1/2 & 3/8 | 145 | 1200 |

TWO IN ONE RATCHET

72T CrV



3IN 1 RATCHET HANDLE

HSN : 82042000

| Code | Drive | Dimension (mm) | (₹) |
|---------|-----------------|----------------|------|
| DN-6143 | 1/2 & 3/8 & 1/4 | 132 | 1500 |
| DN-6144 | 1/2 & 3/8 & 1/4 | 200 | 1800 |
| DN-6145 | 1/2 & 3/8 & 1/4 | 245 | 2400 |

THREE IN ONE RATCHET

72T CrV



EXTENSION BAR

HSN : 82042000

Chrome Plated Finish.
Chrome Vanadium Steel.
Generally Conforming to IS 7991-1991

CrV

| Code | Drive | Length (mm) | (₹) |
|---------|-------|-------------|------|
| EB743 | 1/4 | 50 | 65 |
| EB750 | 1/4 | 75 | 70 |
| EB753 | 1/4 | 100 | 75 |
| EB763 | 1/4 | 150 | 130 |
| EB743 | 3/8 | 75 | 120 |
| EB753 | 3/8 | 150 | 160 |
| EB763 | 3/8 | 250 | 300 |
| EB1713 | 1/2 | 50 | 145 |
| EB1743 | 1/2 | 75 | 150 |
| EB1753 | 1/2 | 125 | 150 |
| EB1758 | 1/2 | 200 | 250 |
| EB1763 | 1/2 | 250 | 200 |
| EB1766 | 1/2 | 350 | 400 |
| EB2713 | 3/4 | 100 | 450 |
| EB2714 | 3/4 | 125 | 500 |
| EB2723 | 3/4 | 200 | 450 |
| EB2753 | 3/4 | 300 | 700 |
| EB2763 | 3/4 | 400 | 790 |
| EB3753 | 1 | 200 | 2000 |
| EB3753A | 1 | 300 | 2600 |
| EB3763 | 1 | 400 | 3000 |



SOCKETERY

SWIVEL HANDLE

HSN : 82042000

Generally Conforming to IS 7975-1991

| Code | Drive | Length (mm) | (₹) |
|------------|-------|-------------|------|
| SWH-N-1703 | 1/2 | 250 | 800 |
| SWH-N-1705 | 1/2 | 380 | 1400 |
| SWH-N-1706 | 1/2 | 500 | 1700 |
| SWH-N-1707 | 1/2 | 450 | 1900 |
| SWH-C-2703 | 3/4 | 400 | 1700 |



UNIVERSAL JOINT

HSN : 82042000

Generally Conforming to IS 7991-1991

CrV

| Code | Drive | (₹) |
|---------|-------|------|
| DN-6166 | 1/4 | 155 |
| DN-6167 | 3/8 | 190 |
| DN-6168 | 1/2 | 290 |
| DN-6169 | 3/4 | 1500 |
| DN-6170 | 1 | 4200 |



L - HANDLE

Chrome Plated Finish
Chrome Vanadium Steel

Generally Conforming to IS 7975-1991

HSN : 82042000

| Code | Drive | Dimension (mm) | Wt. (Gms.) | (₹) |
|-------------|-------|----------------|------------|------|
| LH-A-734 | 1/4 | 150 | | 150 |
| LH-AB-734 | 1/4 | 200 | | 250 |
| LH-BC-734 | 3/8 | 150 | | 300 |
| LH-B-734 | 3/8 | 200 | | 350 |
| LH-N-1734/8 | 1/2 | 60x200 | 410 | 200 |
| LH-1735/10 | 1/2 | 75x250 | 515 | 250 |
| LH-1736/12 | 1/2 | 75x300 | 650 | 330 |
| LH-1737/18 | 1/2 | 120x470 | 1150 | 520 |
| LH-2735/18 | 3/4 | 450 | | 800 |
| LH-3535/24 | 1 | 150x610 | | 6000 |



L - HANDLE (PROFESSIONAL SERIES)

HSN : 82042000

| Code | Drive | Length (mm) | (₹) |
|---------|-------|-------------|------|
| DN-6867 | 1/2 | 300 | 900 |
| DN-6868 | 1/2 | 450 | 1100 |
| DN-6870 | 3/4 | 450 | 1900 |



SLIDING T - HANDLE

Chrome Plated Finish Chrome Vanadium Steel

Generally Conforming to IS 7975-1991

HSN : 82042000

| Code | Drive | Length (mm) | (₹) |
|------------|-------|-------------|------|
| STH-A-733 | 1/4 | 115 | 125 |
| STH-B-733 | 3/8 | 200 | 260 |
| STH-N-1733 | 1/2 | 300 | 280 |
| STH-C-2733 | 3/4 | 450/500 | 850 |
| STH-D-3733 | 1 | 510 | 4200 |



SLIDING T - HANDLE (PROFESSIONAL SERIES)

HSN : 82042000

| Code | Drive | (₹) |
|----------|-------|------|
| IMP-TH-C | 3/4 | 2000 |
| IMP-TH-D | 1 | 5500 |



SPEED BRACE

Generally Conforming to IS 7975-1991

HSN : 82042000

| Code | Drive | Length (mm) | (₹) |
|---------|-------|-------------|-----|
| DN-6190 | 1/2 | 400 | 700 |



SOCKET ADAPTORS

Mirror Finish

HSN : 82042000

| Code | Size (mm) | (₹) |
|---------------|-------------|-----|
| SA1/4Fx3/8M | 1/4Fx3/8M | 125 |
| SA3/8Fx1/4M | 3/8Fx1/4M | 125 |
| SA3/8M x 1/2F | 3/8M x 1/2F | 145 |
| SA3/8F x 1/2M | 3/8F x 1/2M | 180 |
| SA1/2F x 3/4M | 1/2F x 3/4M | 260 |
| SA1/2M x 3/4F | 1/2M x 3/4F | 285 |
| SA3/4Mx1F | 3/4Mx1F | 950 |
| SA3/4Fx1M | 3/4Fx1M | 850 |



6.3mm (1/4) DRIVE SOCKET IMPACT

| Code | Size (mm) | (₹) |
|-----------|-----------|-----|
| IMP-A-4 | 4 | 100 |
| IMP-A-4.5 | 4.5 | 100 |
| IMP-A-5 | 5 | 100 |
| IMP-A-5.5 | 5.5 | 100 |
| IMP-A-6 | 6 | 100 |
| IMP-A-6.5 | 6.5 | 100 |
| IMP-A-7 | 7 | 100 |
| IMP-A-8 | 8 | 100 |
| IMP-A-9 | 9 | 100 |
| IMP-A-10 | 10 | 100 |
| IMP-A-11 | 11 | 100 |
| IMP-A-12 | 12 | 100 |
| IMP-A-13 | 13 | 100 |
| IMP-A-14 | 14 | 100 |
| IMP-A-15 | 15 | 100 |
| IMP-A-16 | 16 | 100 |

MM **HEX** **1/4 DRIVE IMPACT** **Cr-Mo**

6.3mm (1/4) DRIVE SOCKET IMPACT

SAE **HEX** **1/4 DRIVE IMPACT** **Cr-Mo** HSN : 82042000

| Code | Sizes (SAE) | (₹) |
|-------------|-------------|-----|
| IMP-A-3/16A | 3/16 | 100 |
| IMP-A-1/4A | 1/4 | 100 |
| IMP-A-5/16A | 5/16 | 100 |
| IMP-A-3/8A | 3/8 | 100 |
| IMP-A-7/16A | 7/16 | 100 |
| IMP-A-1/2A | 1/2 | 100 |
| IMP-A-9/16A | 9/16 | 100 |
| IMP-A-5/8A | 5/8 | 100 |



IMPACT SOCKETERY

6.3mm (1/4) DRIVE ALLEN SOCKET IMPACT

MM **1/4 DRIVE IMPACT** **Cr-Mo** HSN : 82042000

| Code | Size | (₹) |
|------------|------|-----|
| IMP-A-ASH3 | 3 | 400 |
| IMP-A-ASH4 | 4 | 400 |
| IMP-A-ASH5 | 5 | 400 |
| IMP-A-ASH6 | 6 | 500 |

6.3mm (1/4) DRIVE ALLEN SOCKET IMPACT

SAE **1/4 DRIVE IMPACT** **Cr-Mo** HSN : 82042000

| Code | Size | (₹) |
|-----------------|------|-----|
| IMP-A-ASH 1/4A | 1/4 | 400 |
| IMP-A-ASH 1/8A | 1/8 | 400 |
| IMP-A-ASH 5/16A | 5/16 | 400 |
| IMP-A-ASH 5/32A | 5/32 | 500 |
| IMP-A-ASH 3/16A | 3/16 | 500 |
| IMP-A-ASH 3/8A | 3/8 | 500 |
| IMP-A-ASH 7/16A | 7/16 | 500 |
| IMP-A-ASH 7/32A | 7/32 | 500 |



9.5mm (3/8) DRIVE SOCKETS IMPACT

HSN : 82042000



3/8 DRIVE IMPACT
Cr-Mo
MM HEX

LENGTH 28MM

| Code | Size (mm) | (₹) |
|----------|-----------|-----|
| IMP-B-6 | 6 | 95 |
| IMP-B-7 | 7 | 95 |
| IMP-B-8 | 8 | 95 |
| IMP-B-9 | 9 | 95 |
| IMP-B-10 | 10 | 95 |
| IMP-B-11 | 11 | 95 |
| IMP-B-12 | 12 | 95 |
| IMP-B-13 | 13 | 100 |
| IMP-B-14 | 14 | 110 |
| IMP-B-15 | 15 | 110 |
| IMP-B-16 | 16 | 140 |
| IMP-B-17 | 17 | 170 |
| IMP-B-18 | 18 | 170 |
| IMP-B-19 | 19 | 170 |
| IMP-B-20 | 20 | 170 |
| IMP-B-21 | 21 | 170 |
| IMP-B-22 | 22 | 200 |
| IMP-B-24 | 24 | 250 |

LONG LENGTH 63MM

| Code | Size (mm) | (₹) |
|-----------|-----------|-----|
| IMP-B-6D | 6 | 140 |
| IMP-B-7D | 7 | 140 |
| IMP-B-8D | 8 | 160 |
| IMP-B-9D | 9 | 160 |
| IMP-B-10D | 10 | 170 |
| IMP-B-11D | 11 | 170 |
| IMP-B-12D | 12 | 170 |
| IMP-B-13D | 13 | 170 |
| IMP-B-14D | 14 | 180 |
| IMP-B-15D | 15 | 180 |
| IMP-B-16D | 16 | 200 |
| IMP-B-17D | 17 | 270 |
| IMP-B-18D | 18 | 270 |
| IMP-B-19D | 19 | 270 |
| IMP-B-20D | 20 | 270 |
| IMP-B-21D | 21 | 280 |
| IMP-B-22D | 22 | 288 |
| IMP-B-24D | 24 | 432 |

9.5mm (3/8) DRIVE SOCKETS IMPACT

HSN : 82042000

3/8 DRIVE IMPACT
Cr-Mo
SAE HEX

| Code | Sizes (SAE) | (₹) |
|--------------|-------------|-----|
| IMP-B-1/4A | 1/4 | 150 |
| IMP-B-9/32A | 9/32 | 150 |
| IMP-B-5/16A | 5/16 | 150 |
| IMP-B-11/32A | 11/32 | 150 |
| IMP-B-3/8A | 3/8 | 150 |
| IMP-B-7/16A | 7/16 | 150 |
| IMP-B-1/2A | 1/2 | 160 |
| IMP-B-9/16A | 9/16 | 160 |
| IMP-B-5/8A | 5/8 | 160 |
| IMP-B-11/16A | 11/16 | 175 |
| IMP-B-3/4A | 3/4 | 175 |
| IMP-B-13/16A | 13/16 | 250 |
| IMP-B-7/8A | 7/8 | 300 |
| IMP-B-15/16A | 15/16 | 360 |

9.5mm (3/8) DRIVE ALLEN SOCKET IMPACT

HSN : 82042000



3/8 DRIVE IMPACT
Cr-Mo
MM

| Code | Size | (₹) |
|-------------|------|-----|
| IMP-B-ASH3 | 3 | 450 |
| IMP-B-ASH4 | 4 | 450 |
| IMP-B-ASH5 | 5 | 450 |
| IMP-B-ASH6 | 6 | 450 |
| IMP-B-ASH8 | 8 | 500 |
| IMP-B-ASH10 | 10 | 550 |
| IMP-B-ASH13 | 13 | 600 |
| IMP-B-ASH15 | 15 | 600 |

3/8 DRIVE IMPACT
Cr-Mo
SAE

| Code | Size | (₹) |
|-----------------|------|-----|
| IMP-B-ASH 1/8A | 1/8 | 600 |
| IMP-B-ASH 5/32A | 5/32 | 600 |
| IMP-B-ASH 3/16A | 3/16 | 600 |
| IMP-B-ASH 7/32A | 7/32 | 600 |
| IMP-B-ASH 1/4A | 1/4 | 600 |
| IMP-B-ASH 5/16A | 5/16 | 600 |
| IMP-B-ASH 3/8A | 3/8 | 700 |

12.5MM (1/2) DRIVE IMPACT SOCKET

1/2 DRIVE IMPACT Cr-Mo MM HEX

HSN : 82042000



Generally Conforming to IS 7993-1988

LENGTH 38MM

LONG LENGTH 78MM

| Code | Sizes (mm) | Hex (₹) |
|----------|------------|---------|
| IMP-N-8 | 8 | 120 |
| IMP-N-9 | 9 | 120 |
| IMP-N-10 | 10 | 120 |
| IMP-N-11 | 11 | 120 |
| IMP-N-12 | 12 | 120 |
| IMP-N-13 | 13 | 120 |
| IMP-N-14 | 14 | 120 |
| IMP-N-15 | 15 | 120 |
| IMP-N-16 | 16 | 120 |
| IMP-N-17 | 17 | 125 |
| IMP-N-18 | 18 | 125 |
| IMP-N-19 | 19 | 130 |
| IMP-N-20 | 20 | 150 |
| IMP-N-21 | 21 | 150 |
| IMP-N-22 | 22 | 160 |
| IMP-N-23 | 23 | 180 |
| IMP-N-24 | 24 | 175 |
| IMP-N-25 | 25 | 252 |
| IMP-N-26 | 26 | 220 |
| IMP-N-27 | 27 | 280 |
| IMP-N-28 | 28 | 300 |
| IMP-N-29 | 29 | 280 |
| IMP-N-30 | 30 | 340 |
| IMP-N-31 | 31 | 300 |
| IMP-N-32 | 32 | 340 |
| IMP-N-33 | 33 | 450 |
| IMP-N-34 | 34 | 450 |
| IMP-N-35 | 35 | 500 |
| IMP-N-36 | 36 | 500 |
| IMP-N-38 | 38 | 500 |
| IMP-N-41 | 41 | 700 |
| IMP-N-46 | 46 | 800 |

| Code | Sizes (mm) | Hex (₹) |
|-----------|------------|---------|
| IMP-N-8D | 8 | 200 |
| IMP-N-9D | 9 | 200 |
| IMP-N-10D | 10 | 200 |
| IMP-N-11D | 11 | 200 |
| IMP-N-12D | 12 | 200 |
| IMP-N-13D | 13 | 200 |
| IMP-N-14D | 14 | 200 |
| IMP-N-15D | 15 | 200 |
| IMP-N-16D | 16 | 200 |
| IMP-N-17D | 17 | 220 |
| IMP-N-18D | 18 | 220 |
| IMP-N-19D | 19 | 220 |
| IMP-N-20D | 20 | 230 |
| IMP-N-21D | 21 | 230 |
| IMP-N-22D | 22 | 250 |
| IMP-N-23D | 23 | 270 |
| IMP-N-24D | 24 | 280 |
| IMP-N-25D | 25 | 325 |
| IMP-N-26D | 26 | 325 |
| IMP-N-27D | 27 | 325 |
| IMP-N-28D | 28 | 360 |
| IMP-N-29D | 29 | 460 |
| IMP-N-30D | 30 | 440 |
| IMP-N-31D | 31 | 500 |
| IMP-N-32D | 32 | 420 |
| IMP-N-33D | 33 | 600 |
| IMP-N-34D | 34 | 600 |
| IMP-N-35D | 35 | 750 |
| IMP-N-36D | 36 | 750 |
| IMP-N-38D | 38 | 780 |
| IMP-N-41D | 41 | 1000 |
| IMP-N-46D | 46 | 1100 |

IMPACT SOCKETERY

12.5MM (1/2) DRIVE BI-HEX IMPACT SOCKET

HSN : 82042000



LENGTH 38MM **LONG LENGTH 78MM**

| Code | Code | Sizes (mm) | (₹) | (₹) |
|-------------|---------------|------------|------|------|
| IMP-N-8 BH | IMP-N-8 D-BH | 8 | 180 | 300 |
| IMP-N-9 BH | IMP-N-9 D-BH | 9 | 180 | 300 |
| IMP-N-10 BH | IMP-N-10 D-BH | 10 | 180 | 300 |
| IMP-N-11BH | IMP-N-11D-BH | 11 | 180 | 300 |
| IMP-N-12 BH | IMP-N-12 D-BH | 12 | 180 | 300 |
| IMP-N-13 BH | IMP-N-13 D-BH | 13 | 180 | 300 |
| IMP-N-14 BH | IMP-N-14 D-BH | 14 | 180 | 300 |
| IMP-N-15 BH | IMP-N-15 D-BH | 15 | 180 | 300 |
| IMP-N-16 BH | IMP-N-16 D-BH | 16 | 180 | 300 |
| IMP-N-17 BH | IMP-N-17 D-BH | 17 | 190 | 330 |
| IMP-N-18 BH | IMP-N-18 D-BH | 18 | 190 | 330 |
| IMP-N-19 BH | IMP-N-19 D-BH | 19 | 195 | 330 |
| IMP-N-20 BH | IMP-N-20 D-BH | 20 | 225 | 345 |
| IMP-N-21 BH | IMP-N-21 D-BH | 21 | 225 | 345 |
| IMP-N-22 BH | IMP-N-22 D-BH | 22 | 240 | 375 |
| IMP-N-23 BH | IMP-N-23 D-BH | 23 | 270 | 405 |
| IMP-N-24 BH | IMP-N-24 D-BH | 24 | 260 | 420 |
| IMP-N-25 BH | IMP-N-25 D-BH | 25 | 378 | 488 |
| IMP-N-26 BH | IMP-N-26 D-BH | 26 | 330 | 488 |
| IMP-N-27 BH | IMP-N-27 D-BH | 27 | 420 | 488 |
| IMP-N-28 BH | IMP-N-28 D-BH | 28 | 450 | 540 |
| IMP-N-29 BH | IMP-N-29 D-BH | 29 | 420 | 690 |
| IMP-N-30 BH | IMP-N-30 D-BH | 30 | 510 | 660 |
| IMP-N-31 BH | IMP-N-31 D-BH | 31 | 450 | 750 |
| IMP-N-32 BH | IMP-N-32 D-BH | 32 | 510 | 630 |
| IMP-N-33 BH | IMP-N-33 D-BH | 33 | 675 | 900 |
| IMP-N-34 BH | IMP-N-34 D-BH | 34 | 675 | 900 |
| IMP-N-35 BH | IMP-N-35 D-BH | 35 | 750 | 1125 |
| IMP-N-36 BH | IMP-N-36 D-BH | 36 | 750 | 1125 |
| IMP-N-38 BH | IMP-N-38 D-BH | 38 | 750 | 1170 |
| IMP-N-41 BH | IMP-N-41 D-BH | 41 | 1050 | 1500 |
| IMP-N-46 BH | IMP-N-46 D-BH | 46 | 1200 | 1650 |



12.5MM (1/2) DRIVE DEEP IMPACT SOCKET

| | | | | |
|------------------|-------|-----|-----|------------------|
| 1/2 DRIVE IMPACT | Cr-Mo | SAE | HEX | LONG LENGTH 78MM |
|------------------|-------|-----|-----|------------------|

| Code | Sizes (SAE) | (₹) |
|---------|-------------|-----|
| DN-6190 | 3/8 | 165 |
| DN-6191 | 7/16 | 165 |
| DN-6192 | 1/2 | 165 |
| DN-6193 | 9/16 | 165 |
| DN-6194 | 5/8 | 165 |
| DN-6195 | 11/16 | 190 |
| DN-6196 | 3/4 | 190 |
| DN-6197 | 13/16 | 205 |
| DN-6198 | 7/8 | 225 |
| DN-6199 | 15/16 | 245 |
| DN-6200 | 1 | 345 |
| DN-6201 | 1.1/16 | 345 |
| DN-6202 | 1.1/8 | 415 |
| DN-6203 | 1.3/16 | 415 |
| DN-6204 | 1.1/4 | 415 |
| DN-6205 | 1.5/16 | 480 |
| DN-6206 | 1.3/8 | 690 |
| DN-6207 | 1.7/16 | 830 |
| DN-6208 | 1.1/2 | 965 |



IMPACT SOCKETRY

12.5mm (1/2) DRIVE IMPACT SPLINE SOCKET

HSN : 82042000



| | | |
|------------------|-------|----|
| 1/2 DRIVE IMPACT | Cr-Mo | MM |
|------------------|-------|----|

| Code | Size (mm) | (₹) |
|---------|-----------|-----|
| DN-6229 | 5 | 444 |
| DN-6230 | 6 | 444 |
| DN-6231 | 8 | 444 |
| DN-6232 | 9 | 444 |
| DN-6233 | 10 | 444 |
| DN-6234 | 12 | 444 |
| DN-6235 | 13 | 444 |
| DN-6236 | 14 | 444 |
| DN-6237 | 16 | 444 |
| DN-6238 | 18 | 444 |
| DN-6239 | 20 | 700 |
| DN-6240 | 22 | 750 |
| DN-6241 | 24 | 850 |

12.5MM (1/2) DRIVE IMPACT TORX

HSN : 82042000



| | | |
|------------------|-------|----|
| 1/2 DRIVE IMPACT | Cr-Mo | MM |
|------------------|-------|----|

| Code | Size (mm) | (₹) |
|------------|-----------|-----|
| IMP-N-T15 | 15 | 444 |
| IMP-N-T20 | 20 | 444 |
| IMP-N-T25 | 25 | 444 |
| IMP-N-T30 | 30 | 444 |
| IMP-N-T35 | 35 | 444 |
| IMP-N-T40 | 40 | 444 |
| IMP-N-T45 | 45 | 444 |
| IMP-N-T50 | 50 | 444 |
| IMP-N-T55 | 55 | 444 |
| IMP-N-T60 | 60 | 504 |
| IMP-N-T70 | 70 | 504 |
| IMP-N-T80 | 80 | 700 |
| IMP-N-T90 | 90 | 800 |
| IMP-N-T100 | 100 | 900 |

12.5mm (1/2) DRIVE IMPACT ALLEN SOCKET



HSN : 82042000

| Code | Size (mm) | (₹) |
|---------|-----------|------|
| DN-6251 | 4 | 540 |
| DN-6252 | 5 | 540 |
| DN-6253 | 6 | 540 |
| DN-6254 | 7 | 540 |
| DN-6255 | 8 | 540 |
| DN-6256 | 9 | 540 |
| DN-6257 | 10 | 540 |
| DN-6258 | 11 | 540 |
| DN-6259 | 12 | 540 |
| DN-6260 | 13 | 540 |
| DN-6261 | 14 | 540 |
| DN-6262 | 15 | 700 |
| DN-6263 | 16 | 700 |
| DN-6264 | 17 | 700 |
| DN-6265 | 18 | 800 |
| DN-6266 | 19 | 800 |
| DN-6267 | 20 | 800 |
| DN-6268 | 21 | 800 |
| DN-6269 | 22 | 800 |
| DN-6270 | 24 | 900 |
| DN-6271 | 27 | 1400 |
| DN-6272 | 30 | 1600 |

12.5mm (1/2) DRIVE IMPACT ALLEN SOCKET



HSN : 82042000

| Code | Sizes (SAE) | (₹) |
|---------|-------------|------|
| DN-6283 | 3/16 | 700 |
| DN-6284 | 7/32 | 700 |
| DN-6285 | 1/4 | 700 |
| DN-6286 | 5/32 | 700 |
| DN-6287 | 5/16 | 700 |
| DN-6288 | 3/8 | 740 |
| DN-6289 | 7/16 | 740 |
| DN-6290 | 1/2 | 780 |
| DN-6291 | 9/16 | 860 |
| DN-6292 | 5/8 | 935 |
| DN-6293 | 11/16 | 935 |
| DN-6294 | 3/4 | 1090 |



12.5MM (1/2) DRIVE SWIVEL IMPACT SOCKET



| Code | Size (mm) | (₹) |
|---------|-----------|------|
| DN-6315 | 10 | 1150 |
| DN-6316 | 11 | 1150 |
| DN-6317 | 12 | 1150 |
| DN-6318 | 13 | 1150 |
| DN-6319 | 14 | 1150 |
| DN-6320 | 15 | 1150 |
| DN-6321 | 16 | 1150 |
| DN-6322 | 17 | 1150 |
| DN-6323 | 18 | 1215 |
| DN-6324 | 19 | 1215 |
| DN-6325 | 20 | 1275 |
| DN-6326 | 21 | 1275 |
| DN-6327 | 22 | 1275 |
| DN-6328 | 23 | 1275 |
| DN-6329 | 24 | 1275 |

12.5MM (1/2) DRIVE SWIVEL IMPACT SOCKET



| Code | Size (mm) | (₹) |
|---------|-----------|------|
| DN-6385 | 10 | 1275 |
| DN-6386 | 11 | 1275 |
| DN-6387 | 12 | 1275 |
| DN-6388 | 13 | 1275 |
| DN-6389 | 14 | 1275 |
| DN-6390 | 15 | 1275 |
| DN-6391 | 16 | 1275 |
| DN-6392 | 17 | 1275 |
| DN-6393 | 18 | 1400 |
| DN-6394 | 19 | 1400 |
| DN-6395 | 20 | 1400 |
| DN-6396 | 21 | 1400 |
| DN-6397 | 22 | 1400 |
| DN-6398 | 23 | 1400 |
| DN-6399 | 24 | 1400 |



| Code | Sizes (SAE) | (₹) |
|---------|-------------|------|
| DN-6349 | 5/16 | 1620 |
| DN-6350 | 3/8 | 1620 |
| DN-6351 | 7/16 | 1620 |
| DN-6352 | 1/2 | 1620 |
| DN-6353 | 9/16 | 1620 |
| DN-6354 | 5/8 | 1620 |
| DN-6355 | 11/16 | 1620 |
| DN-6356 | 3/4 | 1620 |
| DN-6357 | 13/16 | 1790 |
| DN-6358 | 7/8 | 1790 |
| DN-6359 | 15/16 | 1790 |
| DN-6360 | 1 | 1790 |
| DN-6361 | 1.1/16 | 1790 |
| DN-6362 | 1.1/8 | 1960 |
| DN-6363 | 1.3/16 | 1960 |
| DN-6364 | 1.1/4 | 1960 |



| Code | Sizes (SAE) | (₹) |
|---------|-------------|------|
| DN-6420 | 5/16 | 1785 |
| DN-6421 | 3/8 | 1785 |
| DN-6422 | 7/16 | 1785 |
| DN-6423 | 1/2 | 1785 |
| DN-6424 | 9/16 | 1785 |
| DN-6425 | 5/8 | 1785 |
| DN-6426 | 11/16 | 1785 |
| DN-6427 | 3/4 | 1785 |
| DN-6428 | 13/16 | 1960 |
| DN-6429 | 7/8 | 1960 |
| DN-6430 | 15/16 | 1960 |
| DN-6431 | 1 | 1960 |
| DN-6432 | 1.1/16 | 1960 |
| DN-6433 | 1.1/8 | 2130 |
| DN-6434 | 1.3/16 | 2130 |
| DN-6435 | 1.1/4 | 2130 |

**19mm (3/4) DRIVE IMPACT SOCKETS
(HEAVY DUTY)** HSN : 82042000

3/4 DRIVE IMPACT **Cr-Mo** **MM** **HEX**

LENGTH 56MM

Generally Conforming to IS 7993-1988

| Code | Size (mm) | (₹) |
|-----------|-----------|------|
| IMP-C-14H | 14 | 444 |
| IMP-C-15H | 15 | 444 |
| IMP-C-16H | 16 | 444 |
| IMP-C-17H | 17 | 444 |
| IMP-C-18H | 18 | 444 |
| IMP-C-19H | 19 | 444 |
| IMP-C-20H | 20 | 444 |
| IMP-C-21H | 21 | 444 |
| IMP-C-22H | 22 | 444 |
| IMP-C-23H | 23 | 600 |
| IMP-C-24H | 24 | 460 |
| IMP-C-25H | 25 | 600 |
| IMP-C-26H | 26 | 500 |
| IMP-C-27H | 27 | 500 |
| IMP-C-28H | 28 | 500 |
| IMP-C-29H | 29 | 500 |
| IMP-C-30H | 30 | 500 |
| IMP-C-31H | 31 | 500 |
| IMP-C-32H | 32 | 520 |
| IMP-C-33H | 33 | 550 |
| IMP-C-34H | 34 | 500 |
| IMP-C-35H | 35 | 550 |
| IMP-C-36H | 36 | 550 |
| IMP-C-37H | 37 | 660 |
| IMP-C-38H | 38 | 600 |
| IMP-C-39H | 39 | 660 |
| IMP-C-40H | 40 | 660 |
| IMP-C-41H | 41 | 675 |
| IMP-C-42H | 42 | 780 |
| IMP-C-43H | 43 | 780 |
| IMP-C-44H | 44 | 900 |
| IMP-C-45H | 45 | 900 |
| IMP-C-46H | 46 | 780 |
| IMP-C-47H | 47 | 1000 |
| IMP-C-48H | 48 | 1000 |
| IMP-C-49H | 49 | 1200 |
| IMP-C-50H | 50 | 1000 |
| IMP-C-51H | 51 | 1300 |
| IMP-C-52H | 52 | 1300 |
| IMP-C-53H | 53 | 1400 |
| IMP-C-54H | 54 | 1400 |
| IMP-C-55H | 55 | 1200 |
| IMP-C-56H | 56 | 1300 |
| IMP-C-57H | 57 | 1400 |
| IMP-C-58H | 58 | 1400 |
| IMP-C-59H | 59 | 1500 |
| IMP-C-60H | 60 | 1500 |
| IMP-C-65H | 65 | 1800 |
| IMP-C-70H | 70 | 2000 |
| IMP-C-75H | 75 | 3200 |



**19mm (3/4) DRIVE IMPACT SOCKETS
(HEAVY DUTY)** **HSN : 82042000**

3/4 DRIVE IMPACT **Cr-Mo** **MM** **HEX** **LONG**

Generally Conforming to IS 7993-1988 **LONG LENGTH 90MM**

| Code | Size (mm) | (₹) |
|------------|-----------|------|
| IMP-C-14HD | 14 | 720 |
| IMP-C-15HD | 15 | 720 |
| IMP-C-16HD | 16 | 720 |
| IMP-C-17HD | 17 | 720 |
| IMP-C-18HD | 18 | 720 |
| IMP-C-19HD | 19 | 720 |
| IMP-C-20HD | 20 | 780 |
| IMP-C-21HD | 21 | 720 |
| IMP-C-22HD | 22 | 720 |
| IMP-C-23HD | 23 | 720 |
| IMP-C-24HD | 24 | 720 |
| IMP-C-25HD | 25 | 800 |
| IMP-C-26HD | 26 | 800 |
| IMP-C-27HD | 27 | 800 |
| IMP-C-28HD | 28 | 800 |
| IMP-C-29HD | 29 | 850 |
| IMP-C-30HD | 30 | 850 |
| IMP-C-31HD | 31 | 1100 |
| IMP-C-32HD | 32 | 900 |
| IMP-C-33HD | 33 | 900 |
| IMP-C-34HD | 34 | 900 |
| IMP-C-35HD | 35 | 950 |
| IMP-C-36HD | 36 | 950 |
| IMP-C-37HD | 37 | 1300 |
| IMP-C-38HD | 38 | 1100 |
| IMP-C-39HD | 39 | 1300 |
| IMP-C-40HD | 40 | 1300 |
| IMP-C-41HD | 41 | 1300 |
| IMP-C-42HD | 42 | 1500 |
| IMP-C-43HD | 43 | 1500 |
| IMP-C-44HD | 44 | 1800 |
| IMP-C-45HD | 45 | 1800 |
| IMP-C-46HD | 46 | 1500 |
| IMP-C-47HD | 47 | 1800 |
| IMP-C-48HD | 48 | 1800 |
| IMP-C-49HD | 49 | 1800 |
| IMP-C-50HD | 50 | 1600 |
| IMP-C-51HD | 51 | 2200 |
| IMP-C-52HD | 52 | 2200 |
| IMP-C-53HD | 53 | 2400 |
| IMP-C-54HD | 54 | 2400 |
| IMP-C-55HD | 55 | 2100 |
| IMP-C-56HD | 56 | 2200 |
| IMP-C-57HD | 57 | 2500 |
| IMP-C-58HD | 58 | 2500 |
| IMP-C-59HD | 59 | 2600 |
| IMP-C-60HD | 60 | 2760 |
| IMP-C-65HD | 65 | 3200 |
| IMP-C-70HD | 70 | 3800 |
| IMP-C-75HD | 75 | 5700 |



IMPACT SOCKETRY

19MM (3/4) DRIVE SWIVEL IMPACT SOCKET

IMPACT SOCKETTERY

| 3/4 DRIVE IMPACT | Cr-Mo | MM | HEX |
|------------------|-----------|------|-----|
| Code | Size (mm) | (₹) | |
| DN-6456 | 17 | 2860 | |
| DN-6457 | 19 | 2860 | |
| DN-6458 | 20 | 2860 | |
| DN-6459 | 21 | 2860 | |
| DN-6460 | 22 | 2860 | |
| DN-6461 | 23 | 2860 | |
| DN-6462 | 24 | 2860 | |
| DN-6463 | 25 | 2860 | |
| DN-6464 | 26 | 2860 | |
| DN-6465 | 27 | 2860 | |
| DN-6466 | 28 | 2860 | |
| DN-6467 | 29 | 2860 | |
| DN-6468 | 30 | 2860 | |
| DN-6469 | 31 | 2860 | |
| DN-6470 | 32 | 2860 | |
| DN-6471 | 33 | 3465 | |
| DN-6472 | 34 | 3465 | |
| DN-6473 | 35 | 3465 | |
| DN-6474 | 36 | 3465 | |
| DN-6475 | 37 | 3465 | |
| DN-6476 | 38 | 3465 | |
| DN-6477 | 39 | 3890 | |
| DN-6478 | 40 | 3890 | |
| DN-6479 | 41 | 3890 | |
| DN-6480 | 42 | 3890 | |
| DN-6481 | 43 | 3890 | |
| DN-6482 | 44 | 3890 | |
| DN-6483 | 45 | 3890 | |
| DN-6484 | 46 | 3890 | |



| Code | Sizes (SAE) | (₹) |
|---------|-------------|------|
| DN-6501 | 11/16 | 3715 |
| DN-6502 | 3/4 | 3715 |
| DN-6503 | 13/16 | 3715 |
| DN-6504 | 7/8 | 3715 |
| DN-6505 | 15/16 | 3715 |
| DN-6506 | 1 | 3715 |
| DN-6507 | 1.1/16 | 3715 |
| DN-6508 | 1.1/8 | 3715 |
| DN-6509 | 1.3/16 | 3715 |
| DN-6510 | 1.1/4 | 3715 |
| DN-6511 | 1.5/16 | 4505 |
| DN-6512 | 1.3/8 | 4505 |
| DN-6513 | 1.7/16 | 4505 |
| DN-6514 | 1.1/2 | 3715 |
| DN-6515 | 1.9/16 | 5060 |
| DN-6516 | 1.5/8 | 4505 |
| DN-6517 | 1.11/16 | 5060 |
| DN-6518 | 1.3/4 | 5060 |
| DN-6519 | 1.13/16 | 5060 |
| DN-6520 | 1.7/8 | 5060 |

19MM (3/4) DRIVE BI-HEX IMPACT SOCKETS (HEAVY DUTY)

| 3/4 DRIVE IMPACT | Cr-Mo | MM | BI-HEX |
|------------------|-------|----|--------|
|------------------|-------|----|--------|



| Generally Conforming to IS 7993-1988 | | | LENGTH 56MM | LENGTH 56MM | | |
|--------------------------------------|-----------|-----|-------------|-------------|------|--|
| Code | Size (mm) | (₹) | Code | Size (mm) | (₹) | |
| IMP-C-17BH | 17 | 710 | IMP-C-32BH | 32 | 832 | |
| IMP-C-18BH | 18 | 710 | IMP-C-33BH | 33 | 880 | |
| IMP-C-19BH | 19 | 710 | IMP-C-34BH | 34 | 800 | |
| IMP-C-20BH | 20 | 710 | IMP-C-35BH | 35 | 880 | |
| IMP-C-21BH | 21 | 710 | IMP-C-36BH | 36 | 880 | |
| IMP-C-22BH | 22 | 710 | IMP-C-37BH | 37 | 1055 | |
| IMP-C-23BH | 23 | 960 | IMP-C-38BH | 38 | 960 | |
| IMP-C-24BH | 24 | 740 | IMP-C-40BH | 40 | 1055 | |
| IMP-C-25BH | 25 | 960 | IMP-C-41BH | 41 | 1080 | |
| IMP-C-26BH | 26 | 800 | IMP-C-46BH | 46 | 1250 | |
| IMP-C-27BH | 27 | 800 | IMP-C-50BH | 50 | 1600 | |
| IMP-C-28BH | 28 | 800 | IMP-C-55BH | 55 | 1920 | |
| IMP-C-29BH | 29 | 800 | IMP-C-60BH | 60 | 2400 | |
| IMP-C-30BH | 30 | 800 | IMP-C-65BH | 65 | 2880 | |
| IMP-C-31BH | 31 | 800 | IMP-C-70BH | 70 | 3200 | |

19mm 3/4 IMPACT DRIVE SOCKETS

HSN : 82042000



Black Finish
Manufactured from chrome molybdenum steel



Generally Conforming to IS 7993-1988

LENGTH 90MM

LENGTH 90MM

| Code | Sizes | (₹) |
|----------------|---------|------|
| IMP-C-11/16A | 11/16 | 1000 |
| IMP-C-3/4A | 3/4 | 1000 |
| IMP-C-13/16A | 13/16 | 1000 |
| IMP-C-7/8A | 7/8 | 1000 |
| IMP-C-15/16A | 15/16 | 1000 |
| IMP-C-1A | 1 | 1320 |
| IMP-C-1.1/16A | 1.1/16 | 1320 |
| IMP-C-1.1/8A | 1.1/8 | 1320 |
| IMP-C-1.3/16A | 1.3/16 | 1320 |
| IMP-C-1.1/4A | 1.1/4 | 1380 |
| IMP-C-1.5/16A | 1.5/16 | 1380 |
| IMP-C-1.3/8A | 1.3/8 | 1440 |
| IMP-C-1.7/16A | 1.7/16 | 1500 |
| IMP-C-1.1/2A | 1.1/2 | 1500 |
| IMP-C-1.5/8A | 1.5/8 | 2100 |
| IMP-C-1.11/16A | 1.11/16 | 2340 |
| IMP-C-1.3/4A | 1.3/4 | 2340 |
| IMP-C-1.13/16A | 1.13/16 | 2460 |
| IMP-C-1.7/8A | 1.7/8 | 2520 |
| IMP-C-2A | 2 | 3240 |

| Code | Sizes | (₹) |
|----------------|---------|-------|
| IMP-C-2.1/16A | 2.1/16 | 3240 |
| IMP-C-2.1/8A | 2.1/8 | 3240 |
| IMP-C-2.3/16A | 2.3/16 | 3240 |
| IMP-C-2.1/4A | 2.1/4 | 3240 |
| IMP-C-2.3/8A | 2.3/8 | 3600 |
| IMP-C-2.7/16A | 2.7/16 | 3600 |
| IMP-C-2.1/2A | 2.1/2 | 3600 |
| IMP-C-2.9/16A | 2.9/16 | 3720 |
| IMP-C-2.5/8A | 2.5/8 | 3720 |
| IMP-C-2.3/4A | 2.3/4 | 5040 |
| IMP-C-2.15/16A | 2.15/16 | 5040 |
| IMP-C-3A | 3 | 6900 |
| IMP-C-3.1/8A | 3.1/8 | 6900 |
| IMP-C-3.1/4A | 3.1/4 | 6900 |
| IMP-C-3.3/8A | 3.3/8 | 9600 |
| IMP-C-3.1/2A | 3.1/2 | 10200 |
| IMP-C-3.3/4A | 3.3/4 | 10800 |
| IMP-C-3.7/8A | 3.7/8 | 11400 |
| IMP-C-4A | 4 | 13200 |
| - | - | - |

19mm 3/4 IMPACT DRIVE SOCKETS

HSN : 82042000



| Code | Size (WW) | (₹) |
|--------------|-----------|------|
| IMP-C-7/16W | 7/16 | 960 |
| IMP-C-1/2W | 1/2 | 960 |
| IMP-C-9/16W | 9/16 | 960 |
| IMP-C-5/8W | 5/8 | 960 |
| IMP-C-11/16W | 11/16 | 960 |
| IMP-C-3/4W | 3/4 | 1200 |
| IMP-C-7/8W | 7/8 | 1200 |
| IMP-C-1W | 1 | 2400 |
| IMP-C-1.1/8W | 1.1/8 | 2880 |
| IMP-C-1.1/4W | 1.1/4 | 2880 |



IMPACT ALLEN SOCKET 19mm (3/4) DRIVE



HSN : 82042000

| Code | Size (mm) | (₹) |
|---------|-----------|------|
| DN-6541 | 8 | 900 |
| DN-6542 | 10 | 900 |
| DN-6543 | 12 | 900 |
| DN-6544 | 13 | 900 |
| DN-6545 | 14 | 900 |
| DN-6546 | 15 | 1000 |
| DN-6547 | 16 | 1200 |
| DN-6548 | 17 | 1200 |
| DN-6549 | 18 | 1400 |
| DN-6550 | 19 | 1400 |
| DN-6551 | 21 | 1700 |
| DN-6552 | 22 | 1700 |
| DN-6553 | 24 | 1700 |
| DN-6554 | 27 | 1850 |
| DN-6555 | 30 | 1900 |
| DN-6556 | 32 | 2000 |
| DN-6557 | 36 | 2200 |
| DN-6558 | 41 | 3000 |
| DN-6559 | 46 | 4400 |
| DN-6560 | 50 | 5500 |



IMPACT ALLEN SOCKET 19mm (3/4) DRIVE



HSN : 82042000

| Code | Size | (₹) |
|---------|--------|------|
| DN-6581 | 1/2 | 1100 |
| DN-6582 | 9/16 | 1100 |
| DN-6583 | 5/8 | 1100 |
| DN-6584 | 11/16 | 1200 |
| DN-6585 | 3/4 | 1400 |
| DN-6586 | 13/16 | 1400 |
| DN-6587 | 7/8 | 1400 |
| DN-6588 | 15/16 | 1600 |
| DN-6589 | 1.1/16 | 1700 |
| DN-6590 | 1.3/16 | 1800 |
| DN-6591 | 1.1/4 | 2000 |

25mm (1) DRIVE IMPACT SOCKETS (HEAVY DUTY)

1 DRIVE IMPACT **Cr-Mo** **MM** **HEX** **LENGTH 90MM**

| Code | Size (mm) | (₹) |
|------------|-----------|-------|
| IMP-D-17H | 17 | 800 |
| IMP-D-18H | 18 | 800 |
| IMP-D-19H | 19 | 800 |
| IMP-D-20H | 20 | 800 |
| IMP-D-21H | 21 | 800 |
| IMP-D-22H | 22 | 800 |
| IMP-D-23H | 23 | 800 |
| IMP-D-24H | 24 | 800 |
| IMP-D-25H | 25 | 900 |
| IMP-D-26H | 26 | 1000 |
| IMP-D-27H | 27 | 800 |
| IMP-D-28H | 28 | 800 |
| IMP-D-29H | 29 | 1000 |
| IMP-D-30H | 30 | 800 |
| IMP-D-31H | 31 | 1150 |
| IMP-D-32H | 32 | 800 |
| IMP-D-33H | 33 | 900 |
| IMP-D-34H | 34 | 900 |
| IMP-D-35H | 35 | 900 |
| IMP-D-36H | 36 | 800 |
| IMP-D-37H | 37 | 1000 |
| IMP-D-38H | 38 | 800 |
| IMP-D-39H | 39 | 1100 |
| IMP-D-40H | 40 | 1300 |
| IMP-D-41H | 41 | 1200 |
| IMP-D-42H | 42 | 1700 |
| IMP-D-43H | 43 | 1700 |
| IMP-D-44H | 44 | 1700 |
| IMP-D-45H | 45 | 1700 |
| IMP-D-46H | 46 | 1450 |
| IMP-D-47H | 47 | 2000 |
| IMP-D-48H | 48 | 2000 |
| IMP-D-49H | 49 | 2200 |
| IMP-D-50H | 50 | 1650 |
| IMP-D-51H | 51 | 2100 |
| IMP-D-52H | 52 | 2100 |
| IMP-D-53H | 53 | 2300 |
| IMP-D-54H | 54 | 2300 |
| IMP-D-55H | 55 | 1950 |
| IMP-D-56H | 56 | 2400 |
| IMP-D-57H | 57 | 2400 |
| IMP-D-58H | 58 | 2500 |
| IMP-D-59H | 59 | 2600 |
| IMP-D-60H | 60 | 2100 |
| IMP-D-63H | 63 | 3200 |
| IMP-D-65H | 65 | 2700 |
| IMP-D-70H | 70 | 3300 |
| IMP-D-75H | 75 | 4000 |
| IMP-D-80H | 80 | 4500 |
| IMP-D-85H | 85 | 6000 |
| IMP-D-90H | 90 | 7500 |
| IMP-D-95H | 95 | 8500 |
| IMP-D-100H | 100 | 9000 |
| IMP-D-105H | 105 | 9500 |
| IMP-D-110H | 110 | 10000 |
| IMP-D-115H | 115 | 13000 |
| IMP-D-120H | 120 | 15000 |



IMPACT SOCKETERY

25mm (1) DRIVE IMPACT SOCKETS(HEAVY DUTY)

| DRIVE IMPACT | Cr-Mo | MM | BI-HEX | LENGTH 70MM |
|--------------|-----------|-------|--------|-------------|
| Code | Size (mm) | (₹) | | |
| IMP-D-17BH | 17 | 1080 | | |
| IMP-D-18BH | 18 | 1080 | | |
| IMP-D-19BH | 19 | 1080 | | |
| IMP-D-20BH | 20 | 1080 | | |
| IMP-D-21BH | 21 | 1080 | | |
| IMP-D-22BH | 22 | 1080 | | |
| IMP-D-23BH | 23 | 1080 | | |
| IMP-D-24BH | 24 | 1080 | | |
| IMP-D-25BH | 25 | 1215 | | |
| IMP-D-26BH | 26 | 1350 | | |
| IMP-D-27BH | 27 | 1080 | | |
| IMP-D-28BH | 28 | 1080 | | |
| IMP-D-29BH | 29 | 1350 | | |
| IMP-D-30BH | 30 | 1080 | | |
| IMP-D-31BH | 31 | 1553 | | |
| IMP-D-32BH | 32 | 1080 | | |
| IMP-D-33BH | 33 | 1215 | | |
| IMP-D-34BH | 34 | 1215 | | |
| IMP-D-35BH | 35 | 1215 | | |
| IMP-D-36BH | 36 | 1080 | | |
| IMP-D-37BH | 37 | 1350 | | |
| IMP-D-38BH | 38 | 1080 | | |
| IMP-D-39BH | 39 | 1485 | | |
| IMP-D-40BH | 40 | 1755 | | |
| IMP-D-41BH | 41 | 1620 | | |
| IMP-D-42BH | 42 | 2300 | | |
| IMP-D-43BH | 43 | 2300 | | |
| IMP-D-44BH | 44 | 2300 | | |
| IMP-D-45BH | 45 | 2300 | | |
| IMP-D-46BH | 46 | 1960 | | |
| IMP-D-47BH | 47 | 2700 | | |
| IMP-D-48BH | 48 | 2700 | | |
| IMP-D-49BH | 49 | 2970 | | |
| IMP-D-50BH | 50 | 2228 | | |
| IMP-D-51BH | 51 | 2835 | | |
| IMP-D-52BH | 52 | 2835 | | |
| IMP-D-53BH | 53 | 3105 | | |
| IMP-D-54BH | 54 | 3105 | | |
| IMP-D-55BH | 55 | 2630 | | |
| IMP-D-56BH | 56 | 3240 | | |
| IMP-D-57BH | 57 | 3240 | | |
| IMP-D-58BH | 58 | 3375 | | |
| IMP-D-59BH | 59 | 3510 | | |
| IMP-D-60BH | 60 | 2835 | | |
| IMP-D-63BH | 63 | 4320 | | |
| IMP-D-65BH | 65 | 3645 | | |
| IMP-D-70BH | 70 | 4455 | | |
| IMP-D-75BH | 75 | 5400 | | |
| IMP-D-80BH | 80 | 6075 | | |
| IMP-D-85BH | 85 | 8100 | | |
| IMP-D-90BH | 90 | 10125 | | |
| IMP-D-95BH | 95 | 11475 | | |
| IMP-D-100BH | 100 | 12150 | | |
| IMP-D-105BH | 105 | 12825 | | |
| IMP-D-110BH | 110 | 13500 | | |
| IMP-D-115BH | 115 | 17550 | | |
| IMP-D-120BH | 120 | 20250 | | |



25mm (1) DRIVE IMPACT SOCKETS (HEAVY DUTY)

| 1 DRIVE IMPACT | Cr-Mo | MM | HEX | LONG LENGTH 150MM |
|----------------------|--------------|-------|-----|----------------------|
| Code | Size (mm) | ₹ | | |
| IMP-D-17HD | 17 | 1240 | | |
| IMP-D-18HD | 18 | 1240 | | |
| IMP-D-19HD | 19 | 1240 | | |
| IMP-D-20HD | 20 | 1240 | | |
| IMP-D-21HD | 21 | 1240 | | |
| IMP-D-22HD | 22 | 1240 | | |
| IMP-D-23HD | 23 | 1240 | | |
| IMP-D-24HD | 24 | 1240 | | |
| IMP-D-25HD | 25 | 1395 | | |
| IMP-D-26HD | 26 | 1550 | | |
| IMP-D-27HD | 27 | 1240 | | |
| IMP-D-28HD | 28 | 1240 | | |
| IMP-D-29HD | 29 | 1550 | | |
| IMP-D-30HD | 30 | 1240 | | |
| IMP-D-31HD | 31 | 1783 | | |
| IMP-D-32HD | 32 | 1240 | | |
| IMP-D-33HD | 33 | 1395 | | |
| IMP-D-34HD | 34 | 1395 | | |
| IMP-D-35HD | 35 | 1395 | | |
| IMP-D-36HD | 36 | 1240 | | |
| IMP-D-37HD | 37 | 1550 | | |
| IMP-D-38HD | 38 | 1240 | | |
| IMP-D-39HD | 39 | 1705 | | |
| IMP-D-40HD | 40 | 2015 | | |
| IMP-D-41HD | 41 | 1860 | | |
| IMP-D-42HD | 42 | 2635 | | |
| IMP-D-43HD | 43 | 2635 | | |
| IMP-D-44HD | 44 | 2635 | | |
| IMP-D-45HD | 45 | 2635 | | |
| IMP-D-46HD | 46 | 2250 | | |
| IMP-D-47HD | 47 | 3100 | | |
| IMP-D-48HD | 48 | 3100 | | |
| IMP-D-49HD | 49 | 3410 | | |
| IMP-D-50HD | 50 | 2560 | | |
| IMP-D-51HD | 51 | 3255 | | |
| IMP-D-52HD | 52 | 3255 | | |
| IMP-D-53HD | 53 | 3565 | | |
| IMP-D-54HD | 54 | 3565 | | |
| IMP-D-55HD | 55 | 3030 | | |
| IMP-D-56HD | 56 | 3720 | | |
| IMP-D-57HD | 57 | 3720 | | |
| IMP-D-58HD | 58 | 3875 | | |
| IMP-D-59HD | 59 | 4030 | | |
| IMP-D-60HD | 60 | 3255 | | |
| IMP-D-63HD | 63 | 4960 | | |
| IMP-D-65HD | 65 | 4185 | | |
| IMP-D-70HD | 70 | 5115 | | |
| IMP-D-75HD | 75 | 6200 | | |
| IMP-D-80HD | 80 | 6975 | | |
| IMP-D-85HD | 85 | 9300 | | |
| IMP-D-90HD | 90 | 11625 | | |
| IMP-D-95HD | 95 | 13175 | | |
| IMP-D-100HD | 100 | 13950 | | |
| IMP-D-105HD | 105 | 14725 | | |
| IMP-D-110HD | 110 | 15500 | | |
| IMP-D-115HD | 115 | 20150 | | |
| IMP-D-120HD | 120 | 23250 | | |



25mm (1) DRIVE IMPACT SOCKETS (HEAVY DUTY)

| 1 DRIVE IMPACT | Cr-Mo | MM | BI-HEX | LONG LENGTH 150MM |
|----------------|-----------|-------|--------|-------------------|
| Code | Size (mm) | ₹ | | |
| IMP-D-17BHD | 17 | 1800 | | |
| IMP-D-18BHD | 18 | 1800 | | |
| IMP-D-19BHD | 19 | 1800 | | |
| IMP-D-20BHD | 20 | 1800 | | |
| IMP-D-21BHD | 21 | 1800 | | |
| IMP-D-22BHD | 22 | 1800 | | |
| IMP-D-23BHD | 23 | 1800 | | |
| IMP-D-24BHD | 24 | 1800 | | |
| IMP-D-25BHD | 25 | 2020 | | |
| IMP-D-26BHD | 26 | 2250 | | |
| IMP-D-27BHD | 27 | 1800 | | |
| IMP-D-28BHD | 28 | 1800 | | |
| IMP-D-29BHD | 29 | 2250 | | |
| IMP-D-30BHD | 30 | 1800 | | |
| IMP-D-31BHD | 31 | 2585 | | |
| IMP-D-32BHD | 32 | 1800 | | |
| IMP-D-33BHD | 33 | 2020 | | |
| IMP-D-34BHD | 34 | 2020 | | |
| IMP-D-35BHD | 35 | 2020 | | |
| IMP-D-36BHD | 36 | 1800 | | |
| IMP-D-37BHD | 37 | 2250 | | |
| IMP-D-38BHD | 38 | 1800 | | |
| IMP-D-39BHD | 39 | 2470 | | |
| IMP-D-40BHD | 40 | 2920 | | |
| IMP-D-41BHD | 41 | 2700 | | |
| IMP-D-42BHD | 42 | 3820 | | |
| IMP-D-43BHD | 43 | 3820 | | |
| IMP-D-44BHD | 44 | 3820 | | |
| IMP-D-45BHD | 45 | 3820 | | |
| IMP-D-46BHD | 46 | 3260 | | |
| IMP-D-47BHD | 47 | 4500 | | |
| IMP-D-48BHD | 48 | 4500 | | |
| IMP-D-49BHD | 49 | 4950 | | |
| IMP-D-50BHD | 50 | 3700 | | |
| IMP-D-51BHD | 51 | 4720 | | |
| IMP-D-52BHD | 52 | 4720 | | |
| IMP-D-53BHD | 53 | 5170 | | |
| IMP-D-54BHD | 54 | 5170 | | |
| IMP-D-55BHD | 55 | 4380 | | |
| IMP-D-56BHD | 56 | 5390 | | |
| IMP-D-57BHD | 57 | 5390 | | |
| IMP-D-58BHD | 58 | 5620 | | |
| IMP-D-59BHD | 59 | 5845 | | |
| IMP-D-60BHD | 60 | 4720 | | |
| IMP-D-63BHD | 63 | 7190 | | |
| IMP-D-65BHD | 65 | 6070 | | |
| IMP-D-70BHD | 70 | 7415 | | |
| IMP-D-75BHD | 75 | 8990 | | |
| IMP-D-80BHD | 80 | 10115 | | |
| IMP-D-85BHD | 85 | 13485 | | |
| IMP-D-90BHD | 90 | 16855 | | |
| IMP-D-95BHD | 95 | 19100 | | |
| IMP-D-100BHD | 100 | 20225 | | |
| IMP-D-105BHD | 105 | 21350 | | |
| IMP-D-110BHD | 110 | 22475 | | |
| IMP-D-115BHD | 115 | 29215 | | |
| IMP-D-120BHD | 120 | 33710 | | |



25mm (1) IMPACT DRIVE SOCKETS

HSN : 82042000



Generally Conforming to IS 7993-1988

| Code | Sizes (SAE) | (₹) |
|----------------|-------------|-------|
| IMP-D-3/4A | 3/4 | 1150 |
| IMP-D-13/16A | 13/16 | 1150 |
| IMP-D-7/8A | 7/8 | 1150 |
| IMP-D-15/16A | 15/16 | 1150 |
| IMP-D-1A | 1 | 1150 |
| IMP-D-1.1/16A | 1.1/16 | 1150 |
| IMP-D-1.1/8A | 1.1/8 | 1150 |
| IMP-D-1.3/16A | 1.3/16 | 1150 |
| IMP-D-1.1/4A | 1.1/4 | 1150 |
| IMP-D-1.5/16A | 1.5/16 | 1300 |
| IMP-D-1.3/8A | 1.3/8 | 1300 |
| IMP-D-1.7/16A | 1.7/16 | 1300 |
| IMP-D-1.1/2A | 1.1/2 | 1300 |
| IMP-D-1.5/8A | 1.5/8 | 2450 |
| IMP-D-1.11/16A | 1.11/16 | 2450 |
| IMP-D-1.3/4A | 1.3/4 | 2450 |
| IMP-D-1.13/16A | 1.13/16 | 2900 |
| IMP-D-1.7/8A | 1.7/8 | 3200 |
| IMP-D-2A | 2 | 3200 |
| IMP-D-2.1/16A | 2.1/16 | 3200 |
| IMP-D-2.1/8A | 2.1/8 | 3200 |
| IMP-D-2.3/16A | 2.3/16 | 3200 |
| IMP-D-2.1/4A | 2.1/4 | 3500 |
| IMP-D-2.5/16A | 2.5/16 | 3500 |
| IMP-D-2.3/8A | 2.3/8 | 3900 |
| IMP-D-2.7/16A | 2.7/16 | 3900 |
| IMP-D-2.1/2A | 2.1/2 | 3900 |
| IMP-D-2.9/16A | 2.9/16 | 3900 |
| IMP-D-2.5/8A | 2.5/8 | 3900 |
| IMP-D-2.11/16A | 2.11/16 | 5000 |
| IMP-D-2.3/4A | 2.3/4 | 5000 |
| IMP-D-2.13/16A | 2.13/16 | 5500 |
| IMP-D-2.7/8A | 2.7/8 | 6000 |
| IMP-D-2.15/16A | 2.15/16 | 6000 |
| IMP-D-3A | 3 | 6200 |
| IMP-D-3.1/8A | 3.1/8 | 7000 |
| IMP-D-3.1/4A | 3.1/4 | 9000 |
| IMP-D-3.3/8A | 3.3/8 | 9000 |
| IMP-D-3.1/2A | 3.1/2 | 12300 |
| IMP-D-3.3/4A | 3.3/4 | 13050 |
| IMP-D-3.7/8A | 3.7/8 | 14500 |
| IMP-D-4A | 4 | 18500 |



IMPACT ALLEN SOCKET 25mm (1) DRIVE



| 1 DRIVE IMPACT | Cr-Mo | MM | HSN : 82042000 |
|----------------|-----------|------|----------------|
| Code | Size (mm) | (₹) | |
| IMP-D-ASH12 | 12 | 1900 | |
| IMP-D-ASH14 | 14 | 1900 | |
| IMP-D-ASH17 | 17 | 1950 | |
| IMP-D-ASH18 | 18 | 2200 | |
| IMP-D-ASH19 | 19 | 1950 | |
| IMP-D-ASH21 | 21 | 1950 | |
| IMP-D-ASH22 | 22 | 2400 | |
| IMP-D-ASH24 | 24 | 2600 | |
| IMP-D-ASH27 | 27 | 2700 | |
| IMP-D-ASH30 | 30 | 3000 | |
| IMP-D-ASH32 | 32 | 3400 | |
| IMP-D-ASH34 | 34 | 3600 | |
| IMP-D-ASH36 | 36 | 3600 | |
| IMP-D-ASH41 | 41 | 5500 | |
| IMP-D-ASH42 | 42 | 5500 | |
| IMP-D-ASH46 | 46 | 7000 | |

25mm (1) IMPACT DRIVE SOCKETS

| 1 DRIVE IMPACT | Cr-Mo | WW | LENGTH 90MM |
|----------------|-------|----|-------------|
|----------------|-------|----|-------------|

| Code | Sizes (WW) | Bolt Size | (₹) |
|--------------|------------|------------------|------|
| IMP-D-3/4W | 3/4 | (for 7/8 Bolt) | 960 |
| IMP-D-7/8W | 7/8 | (for 1 Bolt) | 1200 |
| IMP-D-1W | 1 | (for 1.1/8 Bolt) | 2400 |
| IMP-D-1.1/8W | 1.1/8 | (for 1-1/4 Bolt) | 3000 |
| IMP-D-1.1/4W | 1.1/4 | (for 1.3/8 Bolt) | 3000 |
| IMP-D-1-3/8W | 1-3/8 | (for 1-1/2 Bolt) | 3300 |
| IMP-D-1.1/2W | 1.1/2 | (for 1.5/8 Bolt) | 3900 |
| IMP-D-1.5/8W | 1.5/8 | (for 1.3/4 Bolt) | 4800 |
| IMP-D-1.3/4W | 1.3/4 | (for 1.7/8 Bolt) | 5700 |
| IMP-D-1-7/8W | 1-7/8 | (for 2 Bolt) | 6600 |
| IMP-D-2W | 2 | (for 2.1/8 Bolt) | 7800 |

IMPACT ALLEN SOCKET 25mm (1) DRIVE

| 1 DRIVE IMPACT | Cr-Mo | SAE | HSN : 82042000 |
|----------------|--------|------|----------------|
| Code | Size | (₹) | |
| DN-6611 | 3/8 | 4000 | |
| DN-6612 | 9/16 | 4000 | |
| DN-6613 | 5/8 | 4000 | |
| DN-6614 | 3/4 | 4000 | |
| DN-6615 | 15/16 | 5500 | |
| DN-6616 | 1 | 6000 | |
| DN-6617 | 1.1/16 | 6900 | |
| DN-6618 | 1.1/8 | 7300 | |

25MM (1) DRIVE SWIVEL IMPACT SOCKET

| Code | Sizes | (₹) |
|---------|-------|------|
| DN-6639 | 24 | 5400 |
| DN-6640 | 26 | 5400 |
| DN-6641 | 27 | 5400 |
| DN-6642 | 29 | 5400 |
| DN-6643 | 30 | 5400 |
| DN-6644 | 32 | 5400 |
| DN-6645 | 33 | 5800 |
| DN-6646 | 34 | 5800 |
| DN-6647 | 35 | 5800 |
| DN-6648 | 36 | 5800 |
| DN-6649 | 38 | 5800 |
| DN-6650 | 41 | 6500 |
| DN-6651 | 42 | 6500 |
| DN-6652 | 43 | 6500 |
| DN-6653 | 44 | 6500 |
| DN-6654 | 45 | 6500 |
| DN-6655 | 46 | 6500 |
| DN-6656 | 47 | 6500 |
| DN-6657 | 48 | 6500 |
| DN-6658 | 50 | 6500 |



IMPACT SOCKETERY

25MM (1) DRIVE SWIVEL IMPACT SOCKET

| Code | Sizes | (₹) |
|---------|---------|------|
| DN-6679 | 7/8 | 7600 |
| DN-6680 | 15/16 | 7600 |
| DN-6681 | 1.1/16 | 7600 |
| DN-6682 | 1.1/8 | 7600 |
| DN-6683 | 1.3/16 | 7600 |
| DN-6684 | 1.1/4 | 7600 |
| DN-6685 | 1.5/16 | 8100 |
| DN-6686 | 1.3/8 | 8100 |
| DN-6687 | 1.7/16 | 8100 |
| DN-6688 | 1.1/2 | 8100 |
| DN-6689 | 1.9/16 | 9100 |
| DN-6690 | 1.5/8 | 9100 |
| DN-6691 | 1.11/16 | 9100 |
| DN-6692 | 1.3/4 | 9100 |
| DN-6693 | 1.13/16 | 9100 |
| DN-6694 | 1.7/8 | 9100 |
| DN-6695 | 1.15/16 | 9100 |
| DN-6696 | 2 | 9100 |

1-1/2 DRIVE IMPACT SOCKETS (HEAVY DUTY)

HSN : 82042000



1.1/2 DRIVE IMPACT Cr-Mo MM HEX LENGTH 90-100MM

| Code | Size (mm) | (₹) |
|----------|-----------|------|
| IMP-E-30 | 30 | 2000 |
| IMP-E-32 | 32 | 2000 |
| IMP-E-36 | 36 | 2000 |
| IMP-E-38 | 38 | 2000 |
| IMP-E-41 | 41 | 2650 |
| IMP-E-42 | 42 | 3300 |
| IMP-E-43 | 43 | 3300 |
| IMP-E-46 | 46 | 3300 |
| IMP-E-47 | 47 | 3750 |
| IMP-E-48 | 48 | 4125 |
| IMP-E-50 | 50 | 4125 |
| IMP-E-52 | 52 | 4313 |
| IMP-E-54 | 54 | 4500 |
| IMP-E-55 | 55 | 4550 |
| IMP-E-56 | 56 | 4600 |
| IMP-E-58 | 58 | 4800 |
| IMP-E-60 | 60 | 4900 |
| IMP-E-65 | 65 | 5700 |
| IMP-E-70 | 70 | 6600 |

Generally Conforming to IS 7993-1988

| Code | Size (mm) | (₹) |
|-----------|-----------|-------|
| IMP-E-75 | 75 | 7400 |
| IMP-E-80 | 80 | 7400 |
| IMP-E-85 | 85 | 7800 |
| IMP-E-90 | 90 | 9500 |
| IMP-E-95 | 95 | 9875 |
| IMP-E-100 | 100 | 11250 |
| IMP-E-105 | 105 | 12500 |
| IMP-E-110 | 110 | 13750 |
| IMP-E-115 | 115 | 15000 |
| IMP-E-120 | 120 | 16250 |
| IMP-E-125 | 125 | 17500 |
| IMP-E-130 | 130 | 26000 |
| IMP-E-135 | 135 | 30000 |
| IMP-E-140 | 140 | 40000 |
| IMP-E-145 | 145 | 50000 |
| IMP-E-150 | 150 | 65000 |
| IMP-E-155 | 155 | 70000 |
| IMP-E-160 | 160 | 75000 |

IMPACT ALLEN SOCKET (1.1/2) DRIVE

1.1/2 DRIVE IMPACT Cr-Mo MM

HSN : 82042000

| Code | Size (mm) | (₹) |
|--------------|-----------|-------|
| IMP-E-ASH36 | 36 | 7350 |
| IMP-E-ASH38 | 38 | 7700 |
| IMP-E-ASH41 | 41 | 8500 |
| IMP-E-ASH46 | 46 | 9900 |
| IMP-E-ASH50 | 50 | 10900 |
| IMP-E-ASH55 | 55 | 12800 |
| IMP-E-ASH60 | 60 | 13900 |
| IMP-E-ASH65 | 65 | 15000 |
| IMP-E-ASH70 | 70 | 16200 |
| IMP-E-ASH75 | 75 | 17300 |
| IMP-E-ASH80 | 80 | 18500 |
| IMP-E-ASH85 | 85 | 19700 |
| IMP-E-ASH90 | 90 | 20800 |
| IMP-E-ASH95 | 95 | 22000 |
| IMP-E-ASH100 | 100 | 23200 |



1-1/2 DRIVE IMPACT SOCKETS (HEAVY DUTY)

HSN : 82042000



1.1/2 DRIVE IMPACT Cr-Mo MM HEX LENGTH 150MM

Generally Conforming to IS 7993-1988

| Code | Size (mm) | (₹) |
|------------|-----------|--------|
| IMP-E-36D | 36 | 5000 |
| IMP-E-38D | 38 | 5000 |
| IMP-E-41D | 41 | 5000 |
| IMP-E-46D | 46 | 5000 |
| IMP-E-50D | 50 | 5750 |
| IMP-E-55D | 55 | 6450 |
| IMP-E-60D | 60 | 7200 |
| IMP-E-65D | 65 | 8600 |
| IMP-E-70D | 70 | 10000 |
| IMP-E-75D | 75 | 11500 |
| IMP-E-80D | 80 | 14400 |
| IMP-E-85D | 85 | 16000 |
| IMP-E-90D | 90 | 20250 |
| IMP-E-95D | 95 | 23000 |
| IMP-E-100D | 100 | 25800 |
| IMP-E-105D | 105 | 28700 |
| IMP-E-110D | 110 | 33000 |
| IMP-E-115D | 115 | 34400 |
| IMP-E-120D | 120 | 38700 |
| IMP-E-125D | 125 | 40000 |
| IMP-E-130D | 130 | 45000 |
| IMP-E-135D | 135 | 50000 |
| IMP-E-140D | 140 | 60000 |
| IMP-E-145D | 145 | 60000 |
| IMP-E-150D | 150 | 97500 |
| IMP-E-155D | 155 | 105000 |
| IMP-E-160D | 160 | 120000 |

1-1/2 DRIVE IMPACT SOCKET (HEAVY DUTY)

HSN : 82042000



1.1/2 DRIVE IMPACT **Cr-Mo** **SAE** **HEX**

| Code | Size (Sae) | (₹) |
|----------------|------------|-------|
| IMP-E-1.3/8A | 1.3/8 | 3700 |
| IMP-E-1.7/16A | 1.7/16 | 3800 |
| IMP-E-1.1/2A | 1.1/2 | 3900 |
| IMP-E-1.5/8A | 1.5/8 | 4300 |
| IMP-E-1.11/16A | 1.11/16 | 4400 |
| IMP-E-1.3/4A | 1.3/4 | 4500 |
| IMP-E-1.13/16A | 1.13/16 | 4900 |
| IMP-E-1.7/8A | 1.7/8 | 5100 |
| IMP-E-1.15/16A | 1.15/16 | 5200 |
| IMP-E-2A | 2 | 5500 |
| IMP-E-2.1/16A | 2.1/16 | 5800 |
| IMP-E-2.3/16A | 2.3/16 | 6100 |
| IMP-E-2.1/4A | 2.1/4 | 6300 |
| IMP-E-2.5/16A | 2.5/16 | 6500 |
| IMP-E-2.3/8A | 2.3/8 | 6600 |
| IMP-E-2.7/16A | 2.7/16 | 7200 |
| IMP-E-2.9/16A | 2.9/16 | 7600 |
| IMP-E-2.5/8A | 2.5/8 | 10000 |
| IMP-E-2.3/4A | 2.3/4 | 10000 |
| IMP-E-2.13/16A | 2.13/16 | 10000 |
| IMP-E-2.15/16A | 2.15/16 | 10000 |
| IMP-E-3A | 3 | 10000 |
| IMP-E-3.1/8A | 3.1/8 | 11000 |
| IMP-E-3.3/8A | 3.3/8 | 13300 |
| IMP-E-3.1/2A | 3.1/2 | 14700 |
| IMP-E-3.3/4A | 3.3/4 | 17000 |
| IMP-E-3.7/8A | 3.7/8 | 18700 |
| IMP-E-4.1/8A | 4.1/8 | 22300 |
| IMP-E-4.1/4A | 4.1/4 | 22300 |
| IMP-E-4.1/2A | 4.1/2 | 27600 |
| IMP-E-4.5/8A | 4.5/8 | 28900 |

2-1/2 DRIVE IMPACT SOCKETS (HEAVY DUTY)

HSN : 82042000



2-1/2 DRIVE IMPACT **Cr-Mo** **MM** **HEX**

Generally Conforming to IS 7993-1988

| Code | Size (mm) | (₹) |
|-----------|-----------|--------|
| IMP-F-60 | 60 | 15000 |
| IMP-F-65 | 65 | 15000 |
| IMP-F-70 | 70 | 16000 |
| IMP-F-75 | 75 | 16000 |
| IMP-F-80 | 80 | 17000 |
| IMP-F-85 | 85 | 20000 |
| IMP-F-90 | 90 | 24000 |
| IMP-F-95 | 95 | 26000 |
| IMP-F-100 | 100 | 28000 |
| IMP-F-105 | 105 | 29000 |
| IMP-F-110 | 110 | 30000 |
| IMP-F-115 | 115 | 34000 |
| IMP-F-120 | 120 | 37000 |
| IMP-F-125 | 125 | 39000 |
| IMP-F-130 | 130 | 46000 |
| IMP-F-135 | 135 | 50000 |
| IMP-F-140 | 140 | 56000 |
| IMP-F-145 | 145 | 70000 |
| IMP-F-150 | 150 | 90000 |
| IMP-F-155 | 155 | 120000 |
| IMP-F-160 | 160 | 130000 |
| IMP-F-165 | 165 | 150000 |
| IMP-F-170 | 170 | 170000 |
| IMP-F-175 | 175 | 200000 |
| IMP-F-180 | 180 | 240000 |

2-1/2 DRIVE IMPACT **Cr-Mo** **SAE** **HEX**

| Code | Size (Sae) | (₹) |
|----------------|------------|-------|
| IMP-F-2.1/2A | 2.1/2 | 15800 |
| IMP-F-2.1/4A | 2.1/4 | 15800 |
| IMP-F-2.3/8A | 2.3/8 | 15800 |
| IMP-F-2.7/16A | 2.7/16 | 16000 |
| IMP-F-2.9/16A | 2.9/16 | 16300 |
| IMP-F-2.5/8A | 2.5/8 | 16300 |
| IMP-F-2.3/4A | 2.3/4 | 17000 |
| IMP-F-2.11/16A | 2.11/16 | 17500 |
| IMP-F-2.13/16A | 2.13/16 | 17500 |
| IMP-F-2.7/8A | 2.7/8 | 17900 |
| IMP-F-2.15/16A | 2.15/16 | 18000 |
| IMP-F-3A | 3 | 18000 |
| IMP-F-3.1/8A | 3.1/8 | 18400 |
| IMP-F-3.1/4A | 3.1/4 | 21900 |
| IMP-F-3.1/2A | 3.1/2 | 25800 |
| IMP-F-3.3/4 | 3.3/4 | 29000 |
| IMP-F-3.7/8A | 3.7/8 | 30000 |
| IMP-F-4A | 4 | 32800 |
| IMP-F-4.1/4A | 4.1/4 | 33200 |
| IMP-F-4.1/2A | 4.1/2 | 37000 |
| IMP-F-4.5/8A | 4.5/8 | 39000 |
| IMP-F-5A | 5 | 46800 |
| IMP-F-5.1/4A | 5.1/4 | 49300 |
| IMP-F-5.3/8A | 5.3/8 | 54500 |
| IMP-F-5.5/8A | 5.5/8 | 60800 |
| IMP-F-5.3/4A | 5.3/4 | 68200 |
| IMP-F-6A | 6 | 75800 |
| IMP-F-6.1/8A | 6.1/8 | 81500 |
| IMP-F-6.1/4A | 6.1/4 | 89400 |

IMPACT SOCKETERY

SWIVEL HANDLE

| Code | Drive | (₹) |
|---------|-------|-------|
| DN-6716 | 1/4 | 1150 |
| DN-6717 | 3/8 | 1150 |
| DN-6718 | 1/2 | 1750 |
| DN-6719 | 3/4 | 4500 |
| DN-6720 | 1 | 11000 |

IMPACT EXTENSION BAR (BOTH SIDE FEMALE)



| Code | Drive | Length (mm) | (₹) |
|---------|-------|-------------|------|
| DN-6740 | 1 | 75 | 2280 |

IMPACT RATCHET HANDLE

HSN : 82042000

| Code | Drive | Type | (₹) |
|---------|-------|------------------|-------|
| DN-6761 | 1/2 | REVERSIBLE | 2200 |
| DN-6762 | 3/4 | REVERSIBLE | 3500 |
| DN-6763 | 1 | REVERSIBLE | 11000 |
| DN-6764 | 1 | NON - REVERSIBLE | 10000 |
| DN-6765 | 1-1/2 | NON - REVERSIBLE | 29000 |



IMPACT UNIVERSAL JOINT

HSN : 82042000

| Code | Drive | (₹) |
|---------|-------|-------|
| DN-6786 | 3/8 | 800 |
| DN-6787 | 1/2 | 1100 |
| DN-6788 | 3/4 | 2500 |
| DN-6789 | 1 | 5000 |
| DN-6790 | 1-1/2 | 14000 |



IMPACT EXTENSION BAR

Black Finish

HSN : 82042000

| Code | Drive | Length (mm) | (₹) |
|---------|-------|-------------|-------|
| DN-6811 | 3/8 | 75 | 250 |
| DN-6812 | 3/8 | 100 | 400 |
| DN-6813 | 3/8 | 150 | 450 |
| DN-6814 | 3/8 | 200 | 500 |
| DN-6815 | 3/8 | 250 | 550 |
| DN-6816 | 3/8 | 300 | 800 |
| DN-6817 | 1/4 | 55 | 500 |
| DN-6818 | 1/4 | 100 | 700 |
| DN-6819 | 1/4 | 150 | 900 |
| DN-6820 | 1/2 | 75 | 470 |
| DN-6821 | 1/2 | 100 | 500 |
| DN-6822 | 1/2 | 125 | 500 |
| DN-6823 | 1/2 | 150 | 600 |
| DN-6824 | 1/2 | 200 | 700 |
| DN-6825 | 1/2 | 250 | 750 |
| DN-6826 | 1/2 | 300 | 1000 |
| DN-6827 | 3/4 | 100 | 700 |
| DN-6828 | 3/4 | 150 | 800 |
| DN-6829 | 3/4 | 200 | 1200 |
| DN-6830 | 3/4 | 300 | 1700 |
| DN-6831 | 3/4 | 400 | 1900 |
| DN-6832 | 1 | 150 | 1150 |
| DN-6833 | 1 | 200 | 1900 |
| DN-6834 | 1 | 300 | 2200 |
| DN-6835 | 1 | 400 | 2600 |
| DN-6836 | 1-1/2 | 200 | 4800 |
| DN-6837 | 1-1/2 | 250 | 5500 |
| DN-6838 | 1-1/2 | 300 | 6300 |
| DN-6839 | 1-1/2 | 400 | 8000 |
| DN-6840 | 1-1/2 | 500 | 14000 |
| DN-6841 | 2-1/2 | 300 | 30000 |
| DN-6842 | 2-1/2 | 400 | 42000 |
| DN-6843 | 2-1/2 | 510 | 51000 |



IMPACT L-HANDLE

HSN : 82042000

| Code | Drive | Length (mm) | (₹) |
|---------|-------|-------------|-------|
| DN-6864 | 1/2 | 165 | 550 |
| DN-6865 | 1/2 | 200 | 800 |
| DN-6866 | 1/2 | 250 | 850 |
| DN-6867 | 1/2 | 300 | 900 |
| DN-6868 | 1/2 | 450 | 1100 |
| DN-6869 | 3/4 | 300 | 1000 |
| DN-6870 | 3/4 | 450 | 1900 |
| DN-6871 | 1 | 350 | 2500 |
| DN-6872 | 1 | 600 | 5500 |
| DN-6873 | 2-1/2 | 800 | 29000 |



IMPACT SOCKETS ADAPTORS

HSN : 82042000

| Code | Size | (₹) |
|----------------------|---------------|-------|
| IMP-SA 3/8Fx1/4M | 3/8Fx1/4M | 300 |
| IMP-SA 1/4Fx3/8M | 1/4Fx3/8M | 300 |
| IMP-SA 1/2Fx3/8M | 1/2Fx3/8M | 360 |
| IMP-SA 3/8Fx1/2M | 3/8Fx1/2M | 360 |
| IMP-SA 1/2Fx3/4M | 1/2Fx3/4M | 550 |
| IMP-SA 3/4Fx1/2M | 3/4Fx1/2M | 600 |
| IMP-SA 1/2Fx1M | 1/2Fx1M | 1000 |
| IMP-SA 1/2Mx1F | 1/2Mx1F | 1000 |
| IMP-SA 3/4Fx1M | 3/4Fx1M | 1100 |
| IMP-SA 3/4Mx1F | 3/4Mx1F | 1250 |
| IMP-SA 1-1/2Fx1M | 1-1/2Fx1M | 2300 |
| IMP-SA 1-1/2Mx1F | 1-1/2Mx1F | 2100 |
| IMP-SA 1-1/2Mx2.1/2F | 1-1/2Mx2.1/2F | 14000 |
| IMP-SA 2-1/2Mx1-1/2F | 2-1/2Mx1-1/2F | 8000 |



BIT HOLDER IMPACT TYPE

Special Alloy Steel

| Code | Size | (₹) |
|---------|---------------------|-----|
| DN-6894 | 3/8 Drive x 1/4 Hex | 200 |
| DN-6895 | 1/2 Drive x 1/4 Hex | 220 |



IMPACT SLIDING T - HANDLE

HSN : 82042000

| Code | Drive | (₹) |
|----------|-------|-------|
| IMP-TH-A | 1/4 | 700 |
| IMP-TH-B | 3/8 | 500 |
| IMP-TH-N | 1/2 | 700 |
| IMP-TH-C | 3/4 | 2000 |
| IMP-TH-D | 1 | 5500 |
| IMP-TH-E | 1-1/2 | 16000 |
| IMP-TH-F | 2-1/2 | 28000 |



1/4 DRIVE SOCKET SET HSN : 82042000



**BLOW
MOULDED
CASE
OR
METAL BOX**

**1/4
DRIVE** **MM** **HEX**

| Code | Contents | (₹) |
|-------------------------------|--|-------------|
| SOCKET SET DN-2462 | Regular Sockets : 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm Bit Sockets(Hex) : 3, 4, 5, 6, 7, 8 mm Bit Sockets (Star) : T10, T15, T20, T25, T30, T40 Bit Sockets (Slotted) : 4, 5.5, 7 mm Bit Sockets (Phillips) : PH-1, PH2, PH3 Bit Sockets (Pozidrive) : PZ1, PZ2, PZ3 KEY WRENCH : 1.27, 1.5, 2, 2.5 mm Extension Bar : 50mm & 100mm Sliding T-Handle : 115mm Universal Joint Round Ratchet Handle with Quick Release Flexible Extension Bit Adaptor 46 Pcs. (Socket & Accessories) | 2200 |
| Code | Contents | (₹) |
| SOCKET SET A-SA23 | Sockets : 4, 4.5, 5, 5.5, 6, 7, 8, 10, 11, 12, 13, 14 1/4 Adaptor Torx bit Sockets : T20, T25, T30, T40 Accessories : T Handle Extension Bar 50mm, 100mm Universal Joint Swivel Handle or L Handle Ratchet Handle 17 SOCKETS & 6 ACCESSORIES | 2100 |

10mm (3/8) DRIVE SOCKET SETS

HSN : 82042000



S
O
C
K
E
T
S

S
E
T
S

3/8
DRIVE

MM

HEX

| Code | Contents | (₹) |
|-------------------------|--|-------------|
| SOCKET SET B-12M | Socket Spanners : 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm Reversible Ratchet Handle 12 Pcs.(10 Sockets & 1 Accessory + Plastic Hanger) | 2100 |
| SOCKET SET B-20M | Sockets : 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 21, 22 Spark Plug 21 Accessories : T Handle Extension Bar 75mm, 150mm Universal Joint or L Handle Swivel Handle Ratchet Handle 14 Sockets & 6 Accessories (Plastic or Metal Box) | 3800 |

E- SOCKET SET - 9 PCS SET HSN : 82042000



1/2
DRIVE **MM**

| Code | Contents | (₹) |
|---------|---|------|
| DN-7001 | E10, E11, E12, E14, E16, E18, E20, E22 & E24 (Hanger Packing) | 1225 |
| DN-7002 | E10, E11, E12, E14, E16, E18, E20, E22 & E24 (BMC / METAL BOX) | 1225 |

ALLEN SOCKET SET - 8 PCS SET
(BMC / METAL BOX) HSN : 82042000



1/2
DRIVE **MM**

| Code | Contents | (₹) |
|---------|--|------|
| DN-7013 | 4H, 5H, 6H, 8H, 10H, 12H, 14H & 17H (Hanger Packing) | 1080 |
| DN-7014 | 4H, 5H, 6H, 8H, 10H, 12H, 14H & 17H (BMC / METAL BOX) | 1140 |

TORX SOCKET SET - 8 PCS SET

HSN : 82042000

BLOW
MOULDED
CASE
OR
METAL BOX



S
O
C
K
E
T
S

S
E
T
S

1/2
DRIVE MM

| Code | Contents | (₹) |
|---------|--|------|
| DN-7025 | T20, T25, T27, T30, T35, T40, T45 & T50 (Hanger Packing) | 1350 |
| DN-7026 | T20, T25, T27, T30, T35, T40, T45 & T50 (BMC / METAL BOX) | 1500 |

TORX BIT & E- SOCKET SET - 19 PCS SET

HSN : 82042000



BLOW
MOULDED
CASE
OR
METAL BOX

1/2
DRIVE MM

| Code | Contents | (₹) |
|---------|---|------|
| DN-7037 | Torx Sockets : T20, T25, T27, T30, T40, T45, T50, T55, T60 & T70 E- Sockets : E10, E11, E12, E14, E16, E18, E20, E22 & E24 | 2750 |

12.5mm (1/2) DRIVE SOCKET SETS HSN : 82042000



Chrome Vanadium Steel

Available in Metal Box Packing

| Code HEX | Code BI-HEX | SETS Contents | (₹) |
|-------------------|--------------------|--|------|
| DN-S31H | DN-S31BH | 6 Sockets & 1 Accessories Socket Spanners : 11, 14, 17, 19, 22, 24mm L-Handle : 300mm | 1200 |
| DN-15M-H | DN-15M-BH | 11 Sockets & 4 Accessories Socket Spanners : 10 - 32mm Extension Bar : 125mm 250mm Sliding T-Handle : 300mm Reversible Ratchet Handle with Quick Release | 3200 |
| DN-18M-H | DN-18M-BH | 14 Sockets & 4 Accessories Socket Spanners: 8 - 22mm Extension Bar : 125mm 250mm Sliding T-Handle : 300mm L- Handle or Universal Joint | 2400 |
| DN-22M-H | DN-22M-BH | 19 Sockets & 3 Accessories Socket Spanners : 8 - 32mm Extension Bar : Small, Big Sliding T-Handle : 300mm | 3750 |
| DN-24M-H METAL | DN-24M-BH METAL | 19 Sockets & 5 Accessories Socket Spanners : 11 - 32mm Extension Bar : 125mm 250mm Sliding T-Handle : 300mm L- Handle or Universal Joint Reversible Ratchet Handle with Quick Release | 4400 |
| DN-27M-H METAL | DN-27M-BH METAL | 22 Sockets & 5 Accessories Socket Spanners : 8 - 32mm Extension Bar : 125, 250mm Sliding T-Handle : 300mm L- Handle or Universal Joint Reversible Ratchet Handle with Quick Release | 4650 |
| DN-S11XL-H | DN-S11XL-BH | 22 Sockets & 5 Accessories Socket Spanners : 8 - 34mm Extension Bar : 125, 250mm Sliding T-Handle : 300mm Universal Joint or L Handle Ratchet Handle | 5500 |

12.5mm (1/2) DRIVE HEX & BI-HEX SOCKET SET

HSN : 82042000



S
O
C
K
E
T
S

S
E
T
S

1/2 DRIVE MM HEX BIHEX BLOW MOULDED CASE

| Code HEX | Code BI-HEX | Contents: | (₹) |
|-----------------|------------------|---|------|
| DN-24M-H BMC | DN-24M-BH BMC | 18 Sockets & 6 Accessories Socket Spanners : 8 - 32mm Extension Bar : 125mm,250mm Sliding T-Handle : 300mm Spark Plug: 16 or 21mm Reversible Ratchet (72 Teeth) L- Handle or Universal Joint | 4200 |
| DN-27M-H BMC | DN-27M-BH BMC | 20 Sockets & 7 Accessories Socket Spanners : 8 - 32mm Extension Bar : 125mm,250mm Sliding T-Handle : 300mm Spark Plug: 16 & 21mm Reversible Ratchet (72 Teeth) L- Handle or Universal Joint | 4400 |

12.5mm (1/2) DRIVE SOCKET SET

HSN : 82042000



Triple Chrome Plated
Chrome Vanadium Steel



| Code HEX | Code BI-HEX | Contents | (₹) |
|---|----------------|---|------|
| DN-15W-H  | DN-15W-BH | Socket Spanners : 10 Sockets 3/16B.S to 3/4B.S (WW Sizes) Extension Bar : 125, 250mm Sliding T-Handle L-Handle Reversible Ratchet Handle with Quick Release 10 SOCKETS & 5 ACCESSORIES | 3300 |
| Code HEX | Code BI-HEX | Contents | (₹) |
| DN-13SAE-H  | DN-13SAE-BH | Socket Spanners : 3/8 - 1-1/4 SAE Extension Bar Reversible Ratchet Handle with Quick Release 13 Pcs (10 Sockets, 2 Accessories & 1 Plastic Hanger) | 2800 |
| Code HEX | Code BI-HEX | Contents | (₹) |
| DN-15SAE-H  | DN-15SAE-BH | Socket Spanners : 10 Sockets 3/8 - 1-1/4 SAE Extension Bar : 125, 250mm Sliding T-Handle L-Handle Reversible Ratchet Handle with Quick Release 10 Sockets & 5 Accessories | 3300 |

12.5mm (1/2) DRIVE DEEP SOCKET SET

HSN : 82042000



S
O
C
K
E
T
S

S
E
T
S

1/2 DRIVE MM HEX BIHEX LONG SERIES

| Code HEX | Code BI-HEX | Contents : | (₹) |
|-----------|-------------|--|-------------|
| DN-11M-HD | DN-11M-BHD | Sockets : 8,10, 12, 13, 14, 16, 17, 18, 19, 21, & 24mm (BMC / METAL BOX) 11 Deep Sockets | 2300 |
| DN-24M-HD | DN-24M-BHD | Socket Spanners : 10 - 32mm Extension Bar : 125mm , 250mm Sliding T-Handle Reversible Ratchet Handle Swivel Handle L- Handle / Universal Joint 18 Sockets & 6 Accessories | 7500 |

IMPACT SOCKET SET 12.5MM (1/2) DRIVE

HSN : 82042000



**BLOW
MOULDED
CASE
OR
METAL BOX**

1/2 DRIVE MM Cr-Mo

| Code | Contents | (₹) |
|---------------------|---|-------------|
| IMP-DN-9M | Socket Spanners : 8 - 27mm 9 Sockets | 2700 |
| IMP-DN-10M27 | Socket Spanners : 10 - 27mm 10 Sockets | 2850 |
| IMP-DN-10M32 | Socket Spanners : 8 - 32mm 10 Sockets | 2850 |
| IMP-DN-15M | Socket Spanners : 8 - 32mm 15 Sockets | 3200 |

IMPACT SOCKET SET 12.5MM (1/2) DRIVE

HSN : 82042000



**BLOW
MOULDED
CASE
OR
METAL BOX**

**S
O
C
K
E
T
S

S
E
T
S**

**1/2
DRIVE** **MM** **Cr-Mo**

| Code | Contents | (₹) |
|-------------------|--|--------------|
| IMP-DN-24M | Socket Spanners : 8 - 32mm Extension Bar : 125mm 250mm Sliding T-Handle : 300mm L- Handle / Universal Joint Reversible Ratchet Handle with Quick Release 19 Sockets + 5 Accessories | 8800 |
| Code | Contents | (₹) |
| IMP-DN-32M | (IMPACT) Socket Spanners :8 - 32mm/Spark Plug (26 Sockets) Hex & Bi-Hex Extension Bar : 125mm 250mm Sliding T-Handle Reversible Ratchet Handle with Quick Release Universal Joint or L Handle Adapter Plastic Box or Metal Box (6 Accessories) | 15900 |

IMPACT TORX SOCKET SET - 8 PCS SET

HSN : 82042000



**BLOW
MOULDED
CASE
OR
METAL BOX**

**1/2
DRIVE** **MM**

| Code | Contents | (₹) |
|---------|---|------|
| DN-7048 | T20, T25, T30, T35, T40, T45, T50 & T55 | 4000 |

IMPACT SPLINE SOCKET SET - 8 PCS SET

**1/2
DRIVE** **MM**

| Code | Contents | (₹) |
|---------|--------------------------------------|------|
| DN-7059 | M6, M8, M9, M10, M12M M13, M14 & M16 | 3800 |

IMPACT ALLEN SOCKET SET

**1/2
DRIVE** **MM**

| Code | Contents | No. of Pcs | (₹) |
|---------|--|------------|------|
| DN-7070 | 4H, 6H, 8H, 10H, 12H, 14H, 17H & 19H | 8 Pcs | 3300 |
| DN-7071 | 4H, 6H, 7H, 8H, 10H, 12H, 14H, 17H & 19H | 9 Pcs | 3600 |

**DEEP / LONG IMPACT SOCKET SET
12.5MM (1/2) DRIVE**

HSN : 82042000



**BLOW
MOULDED
CASE
OR
METAL BOX**

**1/2
DRIVE** **MM**

Cr-Mo **Long
Series**

| Code | Contents | (₹) |
|-------------|---|-------|
| IMP-DN-32MD | 26 Sockets & 6 Accessories (IMPACT) Socket Spanners : 8 - 32mm/Spark Plug (26 Sockets) Hex & Bi-Hex Extension Bar : 125mm & 250mm Sliding T-Handle Reversible Ratchet Handle with Quick Release Universal Joint Adapter Plastic Box | 18000 |

**HEX DEEP / LONG IMPACT SOCKET SET
12.5MM (1/2) DRIVE**

HSN : 82042000



**BLOW
MOULDED
CASE
OR
METAL BOX**

**1/2
DRIVE** **MM**

Cr-Mo **Long
Series**

| Code | Contents | (₹) |
|-------------|--|-------|
| IMP-DN-12MD | 12 Sockets Deep / Long (IMPACT) Socket Spanners : 8 - 32mm | 3300 |
| IMP-DN-15MD | 15 Sockets Deep / Long (IMPACT) Socket Spanners : 8 - 32mm | 3800 |
| Code | Contents | (₹) |
| IMP-DN-24MD | Deep / Long (IMPACT) Socket Spanners : 8 - 32mm Extension Bar : 125mm 250mm Sliding T-Handle : 300mm L- Handle / Universal Joint Ratchet Handle 19 Sockets & 5 Accessories | 13000 |

19mm (3/4) DRIVE SOCKET SETS

HSN : 82042000



**BLOW
MOULDED
CASE
OR
METAL BOX**

**3/4
DRIVE SAE**

| Code HEX | Code BI-HEX | Contents | (₹) |
|---------------|----------------|--|--------------|
| C-21AH | C-21ABH | Socket Spanners : 3/4 - 2 SAE (16 Sockets) Extension Bar : Small, Medium, Big / L Handle Sliding T Handle Reversible Ratchet Handle 16 Sockets & 5 Accessories (Blow moulded case or Metal Box) | 18000 |

**19mm (3/4) DRIVE SOCKET SETS
19 to 50mm**

HSN : 82042000



**BLOW
MOULDED
CASE
OR
METAL BOX**

**3/4
DRIVE MM**

| Code HEX | Code BI-HEX | Contents | (₹) |
|---------------|----------------|---|--------------|
| C-21MH | C-21MBH | Socket Spanners : 19 - 50mm Extension Bar : Small & Big / L Handle Sliding T Handle Ratchet Handle 16 Sockets & 4 Accessories (Blow moulded case or Metal Box) | 16000 |

19mm (3/4) DRIVE SOCKET SETS

HSN : 82042000



BLOW
MOULDED
CASE
OR
METAL BOX

S
O
C
K
E
T
S

S
E
T
S

3/4
DRIVE

MM

HEX
BIHEX

| Code HEX | Code BI-HEX | Contents | (₹) |
|-----------------|------------------|---|--------------|
| C-14MH | C-14MBH | 10 Sockets & 4 Accessories Socket Spanners : 22 - 50mm Extension Bar : 100 & 200mm Sliding T-Handle : 500mm Ratchet handle | 10000 |
| C-14MHBB | C-14MBHBB | 10 Sockets & 4 Accessories Socket Spanners : 22 - 50mm Extension Bar : 100 & 200mm Sliding T-Handle : 500mm Ratchet Handle | 12400 |

19mm (3/4) DRIVE IMPACT SOCKET SET

HSN : 82042000

**BLOW
MOULDED
CASE
OR
METAL BOX**



**3/4
DRIVE**

| Code | Contents | (₹) |
|-------------------|---|--------------|
| IMP-C-27MA | 22 Sockets & 5 Accessories (MM + SAE) Impact Socket Spanners : 22 - 50mm (10 Sockets) 7/8SAE - 2 SAE (12 Sockets) (56mm Regular Length) Extension Bar Small Extension Bar Big Sliding T-Handle or L Handle Ratchet Handle Adaptor | 27000 |
| IMP-C-14M | 10 Sockets & 4 Accessories Impact Socket Spanners : 22 - 50mm (10 Sockets) (56mm Regular Length) Extension Bar Small Extension Bar Big Sliding T-Handle or L Handle Ratchet Handle | 15000 |
| IMP-C-21M | 16 Sockets & 5 Accessories Impact Socket Spanners : 19 - 50mm (16 Sockets) (56mm Regular Length) Extension Bar Small Extension Bar Big Sliding T-Handle or L Handle Universal Impact Adaptor Ratchet handle | 19000 |

19mm (3/4) DRIVE IMPACT SOCKET SET
3/4 - 2 SAE (90mm Length)

HSN : 82042000



BLOW
MOULDED
CASE
OR
METAL BOX

3/4
DRIVE

| Code | Contents | (₹) |
|---------------------------------|---|--------------|
| IMP-C-21AD SAE | 16 Sockets & 5 Accessories + Box Socket Spanners : 3/4 - 2 SAE (16 Sockets) (90mm Long Length) Extension Bar Small, Medium, Big Sliding T-Handle or L Handle Ratchet handle | 23000 |

19mm (3/4) DRIVE HEX IMPACT SOCKET SET
1/2 - 1.1/4 WW (90mm Length)

HSN : 82042000



BLOW
MOULDED
CASE
OR
METAL BOX

3/4
DRIVE

| Code | Contents | (₹) |
|--------------------------------|--|--------------|
| IMP-C-15WD WW | 10 Sockets & 5 Accessories Socket Spanners : 7/16 - 1.1/4WW (10 Sockets) (90mm Long Length) Extension Bar Small, Medium, Big Sliding T-Handle or L Handle Ratchet handle | 23000 |

25mm (1) DRIVE SOCKET SET

HSN : 82042000



1
DRIVE

| Code | Sizes | (₹) |
|---------------------|---|--------------|
| D-15MH MM | Socket Spanner : 36 - 80mm (11 Sockets) Sliding T-Handle Extension Bar Small Extension Bar Big Ratchet Handle | 40000 |
| Code | Sizes | (₹) |
| D-14A SAE | 10 Sockets & 4 Accessories Socket Spanners : 1.1/4 - 3 SAE (10 Sockets) Extension Bar Small Extension Bar Big Sliding T-Handle Ratchet handle | 56000 |

25mm (1) DRIVE IMPACT SOCKET SET

HSN : 82042000



S
O
C
K
E
T
S

S
E
T
S

| Code | Sizes | (₹) |
|---|--|--------------|
| IMP-D-14M  | 10 Sockets & 4 Accessories Impact Sockets (10 Sizes) Sockets: 36 to 80mm (90mm Length) Sliding T-Handle or L handle Extension Bar Small, Extension Bar Big Ratchet Handle | 39000 |
| Code | Sizes | (₹) |
| IMP-D-14A  | 10 Sockets & 4 Accessories Socket Spanners : 1.1/4 - 3 SAE Extension Bar Small, Big Sliding T-Handle or L Handle Ratchet handle | 57000 |
| Code | Sizes | (₹) |
| IMP-D-14W  | 10 Sockets & 4 Accessories Socket Spanners : 3/4 - 2 WW Extension Bar Small, Big Sliding T-Handle or L Handle Ratchet handle | 57000 |

HEX ALLEN KEY - SHORT PATTERN

HSN : 82041120



Chrome Vanadium Steel
Black Finish

Generally Conforming to IS 3082-2008

| Code | Size (mm) | (₹) |
|--------|-----------|-----|
| AK0.72 | 0.72 | 11 |
| AK1.27 | 1.27 | 11 |
| AK1.5 | 1.5 | 8 |
| AK2 | 2 | 8 |
| AK2.5 | 2.5 | 8 |
| AK3 | 3 | 8 |
| AK4 | 4 | 13 |
| AK5 | 5 | 15 |
| AK5.5 | 5.5 | 30 |
| AK6 | 6 | 21 |
| AK7 | 7 | 35 |
| AK8 | 8 | 35 |
| AK9 | 9 | 60 |
| AK10 | 10 | 57 |
| AK11 | 11 | 125 |
| AK12 | 12 | 120 |
| AK13 | 13 | 185 |
| AK14 | 14 | 165 |
| AK15 | 15 | 330 |
| AK16 | 16 | 350 |
| AK17 | 17 | 300 |
| AK18 | 18 | 450 |
| AK19 | 19 | 410 |
| AK20 | 20 | 900 |

Chamfered Heads

Proper Heat Treatment 48-52 HRc

| Code | Size (mm) | (₹) |
|------|-----------|-------|
| AK21 | 21 | 1600 |
| AK22 | 22 | 800 |
| AK23 | 23 | 1800 |
| AK24 | 24 | 900 |
| AK25 | 25 | 2700 |
| AK26 | 26 | 2800 |
| AK27 | 27 | 1650 |
| AK28 | 28 | 2900 |
| AK29 | 29 | 2900 |
| AK30 | 30 | 2200 |
| AK32 | 32 | 3100 |
| AK34 | 34 | 4440 |
| AK36 | 36 | 4200 |
| AK38 | 38 | 6500 |
| AK41 | 41 | 10000 |
| AK46 | 46 | 14400 |
| AK50 | 50 | 16000 |
| AK55 | 55 | 28000 |
| AK60 | 60 | 35000 |
| AK65 | 65 | 47000 |
| AK70 | 70 | 64000 |
| AK75 | 75 | 76000 |
| AK80 | 80 | 90000 |

HEX ALLEN KEY SET - SHORT PATTERN

Chrome Vanadium Steel

Black Finish

Chamfered Heads

Proper Heat Treatment 48-52 HRc

Sliding Box Packing/ Blister Packing

| Code | Contents | (₹) |
|-----------------------------------|---|-----|
| DN-KM9V - BL (BLISTER PACKING) | 9 Pcs. Set (mm) 1.5,2,2.5,3,4,5,6,8,10 | 220 |
| DN-KM9V (BOX PACKING) | 9 Pcs. Set (mm) 1.5,2,2.5,3,4,5,6,8,10 | 220 |



HEX ALLEN KEY - SHORT PATTERN

HSN : 82041120



SAE

Generally Conforming to IS 3082-2008

| Code | Size American SAE | (₹) |
|-----------|-------------------|------|
| AK 1/16A | 1/16 | 8 |
| AK 5/64A | 5/64 | 8 |
| AK 3/32A | 3/32 | 8 |
| AK 1/8A | 1/8 | 8 |
| AK 5/32A | 5/32 | 11 |
| AK 3/16A | 3/16 | 16 |
| AK 7/32A | 7/32 | 17 |
| AK 1/4A | 1/4 | 25 |
| AK 5/16A | 5/16 | 34 |
| AK 3/8A | 3/8 | 57 |
| AK 7/16A | 7/16 | 96 |
| AK 1/2A | 1/2 | 120 |
| AK 9/16A | 9/16 | 170 |
| AK 5/8A | 5/8 | 260 |
| AK 3/4A | 3/4 | 400 |
| AK 7/8A | 7/8 | 860 |
| AK 1A | 1 | 2500 |
| AK 1.1/8A | 1.1/8 | 3200 |
| AK 1.1/4A | 1.1/4 | 4500 |

HEX ALLEN KEY SET - SHORT PATTERN

Chrome Vanadium Steel
Black Finish
Chamfered Heads
Proper Heat Treatment 48-52 HRc
Sliding Box Packing/ Blister Packing

| Code | Contents | (₹) |
|------------------------------------|--|-----|
| DN-KI10V - BL (BLISTER PACKING) | 10 Pcs. Set (SAE) 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 | 220 |
| DN-KI10V (BOX PACKING) | 10 Pcs. Set (SAE) 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 | 220 |



HEX ALLEN KEY - LONG PATTERN

HSN : 82041120



Chrome Vanadium Steel/ Special grade High Tensile Alloy Steel
Black Finish
Chamfered Heads
Proper Heat Treatment 48-52 HRc

Generally Conforming to IS 3082-2008

| Code | Size (mm) | (₹) |
|---------|-----------|-----|
| AK1.5 L | 1.5 Long | 15 |
| AK2 L | 2 Long | 17 |
| AK2.5 L | 2.5 Long | 17 |
| AK3 L | 3 Long | 20 |
| AK4 L | 4 Long | 24 |
| AK5 L | 5 Long | 35 |
| AK6 L | 6 Long | 42 |
| AK7 L | 7 Long | 60 |
| AK8 L | 8 Long | 60 |
| AK9 L | 9 Long | 90 |
| AK10 L | 10 Long | 90 |
| AK12 L | 12 Long | 180 |

| Code | Size (mm) | (₹) |
|--------|-----------|--------|
| AK14 L | 14 Long | 270 |
| AK17 L | 17 Long | 480 |
| AK19 L | 19 Long | 600 |
| AK34 L | 34 Long | 5400 |
| AK36 L | 36 Long | 5400 |
| AK50 L | 50 Long | 23400 |
| AK55 L | 55 Long | 34320 |
| AK60 L | 60 Long | 38220 |
| AK65 L | 65 Long | 66300 |
| AK70 L | 70 Long | 74100 |
| AK75 L | 75 Long | 89700 |
| AK80 L | 80 Long | 101400 |

HEX ALLEN KEY SETS - LONG PATTERN



Black Finish

| Code | Contents | (₹) |
|---------|---|-----|
| DN-8001 | 9 Pcs. Set (mm) Long Type 1.5,2,2.5,3,4,5,6,8,10 | 450 |
| DN-8002 | 10 Pcs. Set (SAE) Long Type 1/16,5/64,3/32,1/8,5/32,3/16,7/32,1/4,5/16,3/8 | 550 |

HEX ALLEN KEY SET LONG ARM (BALL TYPE)

HSN : 82041120



| Code | Contents | (₹) |
|-----------|--|------|
| DNKBHM9L | 9 Pcs. Set (mm) (Long arm) (Ball Type) 1.5,2,2.5,3,4,5,6,8,10 | 700 |
| DNKBHM9LB | 9 Pcs. Set (mm) (Long arm) (Ball Type) 1.5,2,2.5,3,4,5,6,8,10 (Brown) | 1000 |

HEX ALLEN KEY SET EXTRA LONG ARM

HSN : 82041120



| Code | Contents | (₹) |
|-----------|--|-----|
| DNXLONG9L | 9 Pcs. Set (mm) (Extra Long arm) 1.5,2,2.5,3,4,5,6,8,10 | 900 |

ALLEN KEY (TORX) HSN : 82041120



| Code | Size (mm) | (₹) |
|--------|-----------|-----|
| AK-T5 | 5 | 40 |
| AK-T6 | 6 | 40 |
| AK-T7 | 7 | 40 |
| AK-T8 | 8 | 40 |
| AK-T9 | 9 | 40 |
| AK-T10 | 10 | 40 |
| AK-T15 | 15 | 40 |
| AK-T20 | 20 | 42 |
| AK-T25 | 25 | 44 |
| AK-T27 | 27 | 55 |
| AK-T30 | 30 | 60 |
| AK-T40 | 40 | 80 |
| AK-T45 | 45 | 110 |
| AK-T50 | 50 | 135 |

ALLEN KEY SET (TORX) HSN : 82041120



| Code | Contents | (₹) |
|-------------------|--|-----|
| DNKTH7S (REGULAR) | 7 Pcs. Set (mm) (Short Type) (Torx) T10, T15, T20, T25, T27, T30, T40 | 315 |
| DNKTH8S (REGULAR) | 8 Pcs. Set (mm) (Short Type) (Torx) T5, T6, T7, T8, T9, T10, T15, T20 | 400 |
| DNKTH9S (REGULAR) | 9 Pcs. Set (mm) (Short Type) (Torx) T10, T15, T20, T25, T27, T30, T40, T45, T50 | 600 |
| DNKTH9L (LONG) | 9 Pcs. Set (mm) (Long Type) (Torx) T10, T15, T20, T25, T27, T30, T40, T45, T50 | 850 |

ALLEN KEY (BROWN) HSN : 82041120



Generally Conforming to IS 3082-2008

| Code | Size (mm) | (₹) |
|--------|-----------|-----|
| AKB1.5 | 1.5 | 19 |
| AKB2 | 2 | 19 |
| AKB2.5 | 2.5 | 19 |
| AKB3 | 3 | 25 |
| AKB4 | 4 | 26 |
| AKB5 | 5 | 40 |
| AKB6 | 6 | 52 |
| AKB7 | 7 | 75 |
| AKB8 | 8 | 120 |
| AKB9 | 9 | 135 |
| AKB10 | 10 | 220 |
| AKB12 | 12 | 320 |

| Code | Size (Sae) | (₹) |
|----------|------------|-----|
| AKB1/16A | 1/16 | 14 |
| AKB5/64A | 5/64 | 14 |
| AKB3/32A | 3/32 | 14 |
| AKB 1/8A | 1/8 | 15 |
| AKB5/32A | 5/32 | 16 |
| AKB3/16A | 3/16 | 30 |
| AKB7/32A | 7/32 | 45 |
| AKB 1/4A | 1/4 | 75 |
| AKB5/16A | 5/16 | 80 |
| AKB 3/8A | 3/8 | 150 |

ALLEN KEYS

ALLEN KEY SET - BROWN



| Code | Contents | (₹) |
|---------|--|-----|
| DN-8023 | 9 Pcs. Set (mm)(Short Pattern) 1.5,2,2.5,3,4,5,6,8,10 (Brown) | 500 |
| DN-8024 | 10 Pcs. Set (SAE)(Short Pattern) 1/16,5/64,3/32,1/8,5/32,3/16,7/32,1/4,5/16,3/8 | 500 |
| DN-8025 | 9 Pcs. Set (mm)(Long Pattern) 1.5,2,2.5,3,4,5,6,8,10 (Brown) | 700 |

ALLEN KEY TORX (BROWN) HSN : 82041120



**S2
MATERIAL**

| Code | Size (mm) | (₹) |
|---------|-----------|-----|
| DN-8046 | 5 | 40 |
| DN-8047 | 6 | 40 |
| DN-8048 | 7 | 40 |
| DN-8049 | 8 | 40 |
| DN-8050 | 9 | 45 |
| DN-8051 | 10 | 45 |
| DN-8052 | 15 | 45 |
| DN-8053 | 20 | 47 |
| DN-8054 | 25 | 50 |
| DN-8055 | 27 | 55 |
| DN-8056 | 30 | 60 |
| DN-8057 | 40 | 80 |
| DN-8058 | 45 | 110 |
| DN-8059 | 50 | 130 |

ALLEN KEY SET TORX - BROWN



| Code | Contents | (₹) |
|---------|---|-----|
| DN-8060 | 9 Pcs. Set (mm) Torx Brown T10,15,20,25,27,30,40,45,50 | 650 |

ALLEN KEY LONG BALL POINT HSN : 82041120



**S2
MATERIAL**

MM

Generally Conforming to IS 3082-2008

| Code | Size (mm) | Material | (₹) |
|---------|-----------|----------|------|
| DN-8081 | 1.5 | S2 | 45 |
| DN-8082 | 2 | S2 | 50 |
| DN-8083 | 2.5 | S2 | 60 |
| DN-8084 | 3 | S2 | 70 |
| DN-8085 | 4 | S2 | 80 |
| DN-8086 | 5 | S2 | 90 |
| DN-8087 | 6 | S2 | 100 |
| DN-8088 | 7 | S2 | 140 |
| DN-8089 | 8 | S2 | 150 |
| DN-8090 | 9 | S2 | 200 |
| DN-8091 | 10 | S2 | 200 |
| DN-8092 | 12 | White/S2 | 350 |
| DN-8093 | 14 | White/S2 | 400 |
| DN-8094 | 17 | White/S2 | 700 |
| DN-8095 | 19 | White/S2 | 960 |
| DN-8096 | 22 | White/S2 | 1480 |
| DN-8097 | 24 | White/S2 | 1860 |
| DN-8098 | 27 | White/S2 | 2600 |
| DN-8099 | 30 | White/S2 | 4000 |
| DN-8100 | 32 | White/S2 | 4500 |
| DN-8101 | 36 | White/S2 | 6500 |

SAE

| Code | Size (Sae) | (₹) |
|---------|------------|-----|
| DN-8121 | 1/16 | 45 |
| DN-8122 | 5/64 | 50 |
| DN-8123 | 3/32 | 60 |
| DN-8124 | 1/8 | 70 |
| DN-8125 | 5/32 | 80 |
| DN-8126 | 3/16 | 90 |
| DN-8127 | 7/32 | 100 |
| DN-8128 | 1/4 | 110 |
| DN-8129 | 5/16 | 150 |
| DN-8130 | 3/8 | 200 |

**A
L
L
E
N

K
E
Y
S**

ALLEN KEY LONG BALL POINT SETS



| Code | Contents | (₹) |
|---------|--|------|
| DN-8141 | 9 Pcs. Set (mm) (Long Ball Point) - Brown 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 | 900 |
| DN-8142 | 10 Pcs. Set (SAE) (Long Ball Point) - Brown 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 | 1000 |

ALLEN KEY EXTRA LONG BALL POINT (BROWN) HSN : 82041120



**S2
MATERIAL**

MM

SAE

Generally Conforming to IS 3082-2008

| Code | Size (mm) | (₹) |
|---------|-----------|-----|
| DN-8161 | 1.5 | 45 |
| DN-8162 | 2 | 75 |
| DN-8163 | 2.5 | 90 |
| DN-8164 | 3 | 105 |
| DN-8165 | 4 | 120 |
| DN-8166 | 5 | 135 |
| DN-8167 | 6 | 150 |
| DN-8168 | 7 | 210 |
| DN-8169 | 8 | 225 |
| DN-8170 | 9 | 300 |
| DN-8171 | 10 | 300 |

| Code | Size (See) | (₹) |
|---------|------------|-----|
| DN-8191 | 1/16 | 68 |
| DN-8192 | 5/64 | 75 |
| DN-8193 | 3/32 | 90 |
| DN-8194 | 1/8 | 105 |
| DN-8195 | 5/32 | 120 |
| DN-8196 | 3/16 | 135 |
| DN-8197 | 7/32 | 150 |
| DN-8198 | 1/4 | 165 |
| DN-8199 | 5/16 | 225 |
| DN-8200 | 3/8 | 300 |

ALLEN KEY EXTRA LONG BALL POINT SET (BROWN)



| Code | Contents | (₹) |
|---------|---|------|
| DN-8220 | 10 Pcs. Set (SAE) 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 | 1350 |

TWO-WAY HEX KEY WITH HANDLE

HSN : 82041120



| Code | Size (mm) | (₹) |
|---------|-----------|------|
| TAK 1.5 | 1.5 | 100 |
| TAK 2 | 2 | 100 |
| TAK 2.5 | 2.5 | 100 |
| TAK 3 | 3 | 110 |
| TAK 4 | 4 | 130 |
| TAK 5 | 5 | 140 |
| TAK 5.5 | 5.5 | 135 |
| TAK 6 | 6 | 160 |
| TAK 7 | 7 | 220 |
| TAK 8 | 8 | 200 |
| TAK 9 | 9 | 290 |
| TAK 10 | 10 | 250 |
| TAK 12 | 12 | 800 |
| TAK 14 | 14 | 1200 |

ALLEN KEYS

TWO-WAY HEX KEYS SET WITH HANDLE

| SETS | | |
|-------------------|--|------|
| Code | Description | (₹) |
| Black DN-TAKM9 | T Handle Alien Keys 9 Pcs. Set (1.5-10mm) (Blister Packing) | 1200 |



TWO-WAY HEX KEY WITH HANDLE

HSN : 82041120



| Code | Size (Sae) | (₹) |
|----------|------------|-----|
| TAK 1/16 | 1/16 | 75 |
| TAK 5/64 | 5/64 | 75 |
| TAK 3/32 | 3/32 | 80 |
| TAK 1/8 | 1/8 | 80 |
| TAK 5/32 | 5/32 | 100 |
| TAK 3/16 | 3/16 | 110 |
| TAK 7/32 | 7/32 | 120 |
| TAK 1/4 | 1/4 | 220 |
| TAK 5/16 | 5/16 | 220 |
| TAK 3/8 | 3/8 | 285 |
| TAK 7/16 | 7/16 | 700 |
| TAK 1/2 | 1/2 | 900 |

TWO-WAY HEX KEY WITH HANDLE SET

| SETS | | |
|--------------------|---|------|
| Code | Description | (₹) |
| Black DN-TAK10A | T Handle Allen Keys 10 Pcs. Set (1/16 - 3/8 SAE) (Blister Packing) | 1260 |



T-TYPE BALL POINT ALLEN KEYS-TWO WAY

HSN : 82041120

**TWO WAY
BALL POINT**



| Code | Size (mm) | (₹) |
|------------|-----------|------|
| DN-TKB 1.5 | 1.5 | 110 |
| DN-TKB 2 | 2 | 110 |
| DN-TKB 2.5 | 2.5 | 110 |
| DN-TKB 3 | 3 | 130 |
| DN-TKB 4 | 4 | 170 |
| DN-TKB 5 | 5 | 175 |
| DN-TKB 5.5 | 5.5 | 330 |
| DN-TKB 6 | 6 | 190 |
| DN-TKB 7 | 7 | 370 |
| DN-TKB 8 | 8 | 300 |
| DN-TKB 9 | 9 | 470 |
| DN-TKB 10 | 10 | 360 |
| DN-TKB 12 | 12 | 1200 |
| DN-TKB 14 | 14 | 1400 |

ALLEN KEYS

T-TYPE TORX KEYS TWO WAY

**TWO WAY
TORX**



with Hole

| Code | Size (mm) | (₹) |
|-----------|-----------|-----|
| DN-TAKT5 | 5 | 75 |
| DN-TAKT6 | 6 | 80 |
| DN-TAKT8 | 8 | 85 |
| DN-TAKT9 | 9 | 120 |
| DN-TAKT10 | 10 | 120 |
| DN-TAKT15 | 15 | 125 |
| DN-TAKT20 | 20 | 130 |
| DN-TAKT25 | 25 | 155 |
| DN-TAKT27 | 27 | 160 |
| DN-TAKT30 | 30 | 170 |
| DN-TAKT40 | 40 | 210 |
| DN-TAKT45 | 45 | 350 |
| DN-TAKT50 | 50 | 390 |
| DN-TAKT55 | 55 | 550 |

**TWO-WAY HEX KEY WITH HANDLE
BROWN- S2 MATERIAL**

HSN : 82041120




| Code | Size (mm) | (₹) |
|----------|-----------|-----|
| TAKB 1.5 | 1.5 | 75 |
| TAKB 2 | 2 | 75 |
| TAKB 2.5 | 2.5 | 80 |
| TAKB 3 | 3 | 88 |
| TAKB 4 | 4 | 120 |
| TAKB 5 | 5 | 131 |
| TAKB 5.5 | 5.5 | 162 |
| TAKB 6 | 6 | 160 |
| TAKB 7 | 7 | 290 |
| TAKB 8 | 8 | 410 |
| TAKB 9 | 9 | 430 |
| TAKB 10 | 10 | 450 |

**TWO-WAY HEX KEYS SET WITH HANDLE
BROWN- S2 MATERIAL**

| SETS | | |
|----------------|---|------|
| Set No. | Description | (₹) |
| Brown DN-TAKM8 | T Handle Allen Keys 8 Pcs. Set (Brown) (2-10mm) | 1500 |
| Brown DN-TAKM9 | T Handle Allen Keys 9 Pcs. Set (Brown) (1.5-10mm) | 1600 |

FLAG ALLEN KEY

| Code | Size (mm) | (₹) |
|-----------|-----------|-----|
| Flag T-6 | 6 | 17 |
| Flag T-7 | 7 | 17 |
| Flag T-8 | 8 | 19 |
| Flag T-9 | 9 | 20 |
| Flag T-10 | 10 | 20 |
| Flag T-15 | 15 | 21 |



TAPS & ROUND DIE SETS

HSN : 82074090



MISCELLANEOUS

Complete Tap & Die Set 1/4 to 1/2 BSW

| SETS | | (₹) |
|---------|---|------|
| Code | Contents | |
| DN-9001 | Round Die Handle : 1', 1.1/2' O/D Tap Handle : 1/2 Capacity Tap & Dies : 1/4, 5/16, 3/8, 7/16, 1/2BSW Screw Driver : One Pc. | 4200 |

Complete Tap & Die Set 6mm to 12mm

| SETS | | (₹) |
|---------|---|------|
| Code | Contents | |
| DN-9002 | Round Die Handle : 1', 1.1/2' O/D Tap Handle : 1/2 Capacity Tap & Dies : 6, 7, 8, 10, 12 MM Screw Driver : One Pc. | 4200 |

Complete Tap & Die Set 6mm to 18mm

| SETS | | (₹) |
|---------|--|------|
| Code | Contents | |
| DN-9003 | Round Die Handle : 1', 1.1/2' O/D Tap Handle : 3/4 Capacity Tap & Dies : 6, 8, 10, 12, 14, 16, 18 MM Screw Driver : One Pc. | 6000 |

Complete Tap & Die Set 0 BA To 6 BA

| SETS | | (₹) |
|---------|--|------|
| Code | Contents | |
| DN-9004 | Round Die Handle : 13/16 O/D Tap Handle : 1/4 Capacity Tap & Dies : 0, 1, 2, 3, 4, 5, 6 BA Screw Driver : One Pc. | 3800 |

Complete Tap & Die Set 0 BA To 8 BA

| SETS | | (₹) |
|---------|--|------|
| Code | Contents | |
| DN-9005 | Round Die Handle : 13/16 O/D Tap Handle : 1/4 Capacity Tap & Dies : 0, 1, 2, 3, 4, 5, 6, 7, 8 BA Screw Driver : One Pc. | 4200 |

THREAD TAP (WITH HANDLE)
UNICEF APPROVED DESIGN

HSN : 82055190



ROUND DIE & HANDLE -
UNICEF APPROVED DESIGN

HSN : 82055190



| Code | Size | (₹) |
|---------|--|-----|
| DN-9026 | 12 x 1.75(Set of 3 Pcs with Handle) | 850 |
| DN-9027 | 12 x 1.75(Only One Tap) (First, Second Or Final) | 600 |
| DN-9028 | Tap Handle | 300 |

| Code | Size | (₹) |
|---------|---------------------------------|-----|
| DN-9048 | 12 x 1.75 Round Die with Handle | 500 |
| DN-9049 | Round Die Handle only | 300 |

RATCHET DIE SET

HSN : 82051000

| Code | Size | (₹) |
|---------|-----------------|-------|
| DN-9071 | 1/2, 3/4, 1 | 3900 |
| DN-9072 | 1-1/4, 1-1/2, 2 | 8000 |
| DN-9073 | 2-1/2 - 3 | 11000 |
| DN-9074 | 4 | 10800 |
| DN-9075 | 6 | 23000 |



RATCHET DIE SET SPARE CHASER

| Code | Size | (₹) |
|---------|-----------------|-------|
| DN-9076 | 1/2, 3/4, 1 | 1200 |
| DN-9077 | 1-1/4, 1-1/2, 2 | 2500 |
| DN-9078 | 2-1/2 - 3 | 4000 |
| DN-9079 | 4 | 8400 |
| DN-9080 | 6 | 16000 |

PIPE DIE SET

HSN : 82051000



| Code | Size | (₹) |
|---------|-----------------|-------|
| DN-9091 | 1/2, 3/4, 1 | 2300 |
| DN-9092 | 1-1/4, 1-1/2, 2 | 4400 |
| DN-9093 | 1-1/4 / 32MM | 3000 |
| DN-9094 | 2-1/2, 3 | 8500 |
| DN-9095 | 4 | 13000 |

C-CLAMP HSN : 82057000


Drop Forged Frame
High Quality Steel Screw With Drop Handle
Generally Conforming IS-9181-1988



| Code | Size | (₹) |
|-------------|----------|-------|
| CCLP1259-2 | 55mm-2 | 380 |
| CCLP1260-3 | 80mm-3 | 500 |
| CCLP1261-4 | 105mm-4 | 700 |
| CCLP1262-5 | 130mm-5 | 800 |
| CCLP1263-6 | 155mm-6 | 1020 |
| CCLP1264-8 | 205mm-8 | 1520 |
| CCLP1265-10 | 255mm-10 | 3000 |
| CCLP1266-12 | 305mm-12 | 3920 |
| CCLP1267-14 | 355mm-14 | 6800 |
| CCLP1268-18 | 450mm-18 | 11000 |

PIPE VICE- PILLAR TYPE HEAVY DUTY

HSN : 82057000



Generally Conforming to IS 6007-1971

| Code | Size | Weight in Gms | (₹) |
|------|-----------------|---------------|------|
| PVP2 | 1/2 to 2 - 50mm | 3450 | 1600 |
| PVP3 | 3 - 75mm | 7300 | 2750 |
| PVP4 | 4 - 100mm | 8600 | 3000 |

PIPE VICE- SELF LOCKING HEAVY DUTY (S.G.IRON)

HSN : 82057000



Generally Conforming to IS 6007-1971

| Code | Size | Opening (mm) | Weight Kg | (₹) |
|-------|------|--------------|-----------|------|
| PVSL1 | 1# | 25mm | | 1650 |
| PVSL2 | 2# | 60mm | 3.0 | 2200 |
| PVSL3 | 3# | 80mm | 5.0 | 3100 |
| PVSL4 | 4# | 110mm | 7.0 | 4000 |
| PVSL5 | 5# | 15-130mm | 9.0 | 5000 |
| PVSL6 | 6# | 15-165mm | 11.0 | 6500 |
| PVSL8 | 8# | 15-220mm | 17.0 | 9500 |

ALL STEEL BENCH VICE FIXED BASE

HSN : 82057000



Body Made from Selected Steel
Hardened & Knurled Replaceable High Carbon Steel Jaws
Generally Conforming IS-2586-1986

| Code | Item No. Size | Width of Jaws (mm) | Opening of Jaws (mm) | Depth of Jaws (mm) | Weight Kg | (₹) |
|-------|---------------|--------------------|----------------------|--------------------|-----------|------|
| BV4ST | 100mm-4 | 102 | 110 | 75 | 8.0 | 3650 |
| BV5ST | 125mm-5 | 130 | 135 | 78 | 9.8 | 5300 |
| BV6ST | 150mm-6 | 152 | 155 | 88 | 13.0 | 6200 |
| BV8ST | 200mm-8 | 202 | 210 | 95 | 21.0 | 8900 |

SPECIAL GRADED SG IRON BENCH VICE HEAVY DUTY PROFESSIONAL

HSN : 82057000



Body Made from Selected Steel
Hardened & Knurled Replaceable High Carbon Steel Jaws
Generally Conforming IS-2586-1986

| Code | Size | Width of Jaws (mm) | Opening of Jaws (mm) | Depth of Jaws (mm) | Weight Kg | (₹) |
|--------|----------|--------------------|----------------------|--------------------|-----------|-------|
| BV3SG | 75mm-3 | 75 | 90 | 50 | 6.0 | 2500 |
| BV4SG | 100mm-4 | 102 | 112 | 68 | 10.0 | 4500 |
| BV5SG | 125mm-5 | 130 | 145 | 76 | 15.0 | 6600 |
| BV6SG | 150mm-6 | 155 | 202 | 78 | 20.0 | 8200 |
| BV8SG | 200mm-8 | 202 | 230 | 98 | 33.0 | 13800 |
| BV12SG | 300mm-12 | 302 | 310 | 135 | 55.0 | 26000 |
| BV16SG | 400mm-16 | 405 | 415 | 145 | 75.0 | 41000 |
| BV18SG | 450mm-18 | 445 | 455 | 145 | 80.0 | 46000 |

BEARING PULLER - 2 JAWS

HSN : 82055990



Hardened and Tempered
Jaws from Chrome Vanadium Steel
Generally Conforming to IS 9193-1988

| Code | Size | Capacity (mm) | Load Capacity (Tonne) | (₹) |
|--------|-------------|---------------|-----------------------|------|
| BP2L4 | 2L-4-100mm | 20-110 | 2.60 | 1400 |
| BP2L6 | 2L-6-150mm | 25-160 | 4.40 | 2400 |
| BP2L8 | 2L-8-200mm | 30-210 | 8.0 | 4000 |
| BP2L10 | 2L-10-250mm | 30-260 | 8.80 | 7000 |
| BP2L12 | 2L-12-300mm | 50-310 | 14.70 | 9500 |

BEARING PULLER - 3 JAWS

HSN : 82055990



Jaws from Chrome Vanadium Steel
Hardened and Tempered

Generally Conforming to IS 9193-1988

| Code | Size | Capacity (mm) | Load Capacity (Tonne) | (₹) |
|--------|-------------|---------------|-----------------------|-------|
| BP3L3 | 3L-3-75mm | 15-75 | - | 1300 |
| BP3L4 | 3L-4-100mm | 20-110 | 2.60 | 1650 |
| BP3L6 | 3L-6-150mm | 25-160 | 4.50 | 3400 |
| BP3L8 | 3L-8-200mm | 30-210 | 8.20 | 6600 |
| BP3L10 | 3L-10-250mm | 40-260 | 9.0 | 8000 |
| BP3L12 | 3L-12-300mm | 50-320 | 12.50 | 11000 |
| BP3L16 | 3L-16-400mm | 80-420 | - | 20000 |
| BP3L20 | 3L-20-500mm | 80-520 | - | 29000 |
| BP3L24 | 3L-24-600mm | 90-600 | - | 32000 |
| BP3L28 | 3L-28-700mm | 100-720 | - | 36000 |

AIR IMPACT WRENCH

HSN : 82041220

| Code | Size | Max. Torque | Hammer Type | Anvil Length | (₹) |
|------------|--------------|-------------|-----------------|--------------|-------|
| AIW1/2 720 | (12.7mm) 1/2 | 720 NM | Twin Hammer | 25mm (1) | 8500 |
| AIW1/2 850 | (12.7mm) 1/2 | 850 NM | Twin Hammer | 25mm (1) | 9500 |
| AIW1/2 980 | (12.7mm) 1/2 | 980 NM | Twin Hammer | 25mm (1) | 11500 |
| AIW3/4 | (19mm) 3/4 | 1400 NM | Twin Hammer | 38mm (1.5) | 18600 |
| AIW1 | (25mm) 1 | 3200 NM | Pin Less Clutch | 225mm (9) | 26500 |



FILES (BASTARD)



HSN : 82031000

| Code | Size (mm) | (₹) |
|-------|--|-----|
| FF8 | FLAT FILE 200 without Handle | 200 |
| FF10 | FLAT FILE 250 without Handle | 210 |
| FF12 | FLAT FILE 300 without Handle | 340 |
| HRF8 | HALF ROUND FILE 200 with Handle | 410 |
| HRF10 | HALF ROUND FILE 250 with Handle | 450 |
| FHP | Plastic File Handle Suitable for 200mm, 250mm, 300mm | 62 |

NEEDLE FILE SET



**PVC
 POUCH PACKING**

HSN : 82031000

| Code | Description | (₹) |
|-------|--------------------|-----|
| NFS10 | NFS 4160 (10 Pcs.) | 750 |

OCTAGONAL CHISELS

HSN : 82053000

Fully Forged, Induction Hardened
 Generally Conforming to IS 5663-1970

| Code | Length mm | Cutting Edge mm | (₹) |
|-------|-----------|-----------------|-----|
| OC101 | 125 | 9 | 115 |
| OC102 | 150 | 16 | 150 |
| OC104 | 200 | 22 | 220 |
| OC105 | 200 | 25 | 211 |
| OC106 | 250 | 30 | 360 |
| OC107 | 300 | 32 | 450 |
| OC108 | 350 | 32 | 650 |



FLAT CHISELS

HSN : 82053000

| Code | Length mm | Cutting Edge mm | (₹) |
|--------|-----------|-----------------|-----|
| FC1046 | 150 | 20 | 142 |
| FC1048 | 200 | 25 | 187 |
| FC1059 | 235 | 25 | 220 |



BEVELED EDGE CHISELS

| Code | Size | (₹) |
|--------|------------|-----|
| WCB 06 | 6 (1/4) | 215 |
| WCB 08 | 8 (5/16) | 215 |
| WCB 10 | 10 (3/8) | 215 |
| WCB 12 | 12 (1/2) | 215 |
| WCB 16 | | 250 |
| WCB 19 | 19 (3/4) | 255 |
| WCB 22 | | 270 |
| WCB 25 | 25 (1) | 280 |
| WCB 32 | 32 (1.1/4) | 320 |
| WCB 38 | 38 (1.1/2) | 330 |
| WCB 51 | 51 (2) | 400 |



WOOD WORKING CHISELS SET

| Code | Contents | (₹) |
|---------|----------------|------|
| DN-9106 | (Set of 5 Pcs) | 1460 |

CENTRE PUNCHES (ROUND) & DRIFT PUNCH

HSN : 82034010

Generally Conforming to IS 7177-1999

| Code | Length (mm) | Shelf Carton (Packing) | (₹) |
|---------|-------------|------------------------|-----|
| CPR1884 | 100 | 10 | 48 |
| CPR1984 | 100 | 10 | 54 |
| CPR1985 | 125 | 10 | 66 |
| CPR1986 | 150 | 10 | 84 |
| CPR1988 | 200 | 10 | 140 |
| DP1004 | 100 | 10 | 60 |



CENTRE PUNCHES (HEXAGONAL)

| Code | Length (mm) | (₹) |
|---------|-------------|-----|
| DN-9117 | 150 | 84 |
| DN-9118 | 200 | 132 |
| DN-9119 | 250 | 200 |
| DN-9120 | 300 | 250 |



DOT PUNCHES (HEXAGONAL)

| Code | Length (mm) | (₹) |
|---------|-------------|-----|
| DN-9131 | 150 | 75 |
| DN-9132 | 200 | 100 |
| DN-9133 | 250 | 200 |
| DN-9134 | 300 | 250 |



LEATHER PUNCHES

| Code | Length (mm) | Hole Size (mm) | (₹) |
|-------|-------------|----------------|-----|
| LP 3 | 80 | 3 | 50 |
| LP 5 | 80 | 5 | 52 |
| 1786 | 100 | 6 | 66 |
| 1787 | 100 | 8 | 67 |
| 1788 | 100 | 10 | 70 |
| LP 12 | 110 | 12 | 132 |
| LP 13 | 110 | 13 | 145 |
| LP 14 | 120 | 14 | 152 |
| LP 16 | 120 | 16 | 168 |
| LP 19 | 120 | 19 | 240 |
| LP 20 | 120 | 20 | 300 |
| LP 22 | 140 | 22 | 370 |
| LP 25 | 140 | 25 | 450 |



DRIFT, CENTER & LEATHER PUNCH SET

| Code | Contents | (₹) |
|--------|---|------|
| DCLP 7 | 1004, 1884, 1984, 1985, 1786, 1787, 1788 | 520 |
| LPS 12 | LP 3, LP 5, 1786, 1787, 1788, LP 12, LP 13, LP 14, LP 16, LP 19, LP 22 & LP 25. | 1700 |



LETTER PUNCH (A to Z)

HSN : 82034010

| Code | Size Inch / MM | Regular | Dot Punches |
|--------|-------------------|---------|-------------|
| | | (₹) | (₹) |
| LTP1 | 1/32 / 1mm | 460 | |
| LTP1.5 | 1/16 / 1.5mm | 460 | |
| LTP2 | 5/64 / 2mm | 460 | |
| LTP2.5 | 3/32 / 2.5mm | 460 | 2400 |
| LTP3 | 1/8 / 3mm | 575 | 3250 |
| LTP4 | 5/32 / 4mm | 575 | 3900 |
| LTP5 | 3/16 / 5mm | 795 | 4200 |
| LTP6 | 1/4 / 6mm | 1050 | 5100 |
| LTP7 | 9/32 / 7mm | 1500 | |
| LTP8 | 5/16 / 8mm | 1500 | 7600 |
| LTP10 | 3/8 / 10mm | 2520 | 11900 |
| LTP12 | 1/2 / 12mm | 3450 | 16500 |
| LTP15 | 5/8 / 15mm | 8000 | |
| LTP19 | 3/4 / 19mm | 8300 | |
| LTP25 | 1 / 25mm | 19000 | |



FIGURE PUNCH (1-9)

HSN : 82034010

| Code | Size Inch / MM | Regular | Dot Punches |
|-------|-------------------|---------|-------------|
| | | (₹) | (₹) |
| FP1 | 1/32 / 1mm | 155 | |
| FP1.5 | 1/16 / 1.5mm | 155 | |
| FP2 | 5/64 / 2mm | 155 | |
| FP2.5 | 3/32 / 2.5mm | 155 | 800 |
| FP3 | 1/8 / 3mm | 192 | 1100 |
| FP4 | 5/32 / 4mm | 192 | 1300 |
| FP5 | 3/16 / 5mm | 265 | 1400 |
| FP6 | 1/4 / 6mm | 350 | 1700 |
| FP7 | 9/32 / 7mm | 500 | |
| FP8 | 5/16 / 8mm | 500 | 2500 |
| FP10 | 3/8 / 10mm | 850 | 4000 |
| FP12 | 1/2 / 12mm | 1150 | 5600 |
| FP15 | 5/8 / 15mm | 2220 | |
| FP19 | 3/4 / 19mm | 2565 | |
| FP25 | 1 / 25mm | 6400 | |



PIN PUNCHES (HEXAGONAL)

HSN : 82034010

| Code | Length (mm) | (₹) |
|---------|-------------|-----|
| DN-9155 | 200 | 100 |
| DN-9156 | 250 | 200 |
| DN-9157 | 300 | 300 |



PIN PUNCHES LONG (HEXAGONAL)

| Code | Length (mm) | Sizes (mm) | (₹) |
|---------|---------------------------------------|---------------------|-----|
| DN-9161 | 150 | 2 | 80 |
| DN-9162 | 150 | 3 | 80 |
| DN-9163 | 150 | 4 | 80 |
| DN-9164 | 150 | 5 | 85 |
| DN-9165 | 150 | 6 | 90 |
| DN-9166 | 150 | 8 | 100 |
| DN-9167 | 150 (6 Pcs Set) (POUCH PACKING) | (2,3,4,5, 6,8mm) | 600 |



PIN PUNCHES (ROUND KNURLED BODY)

| Code | Length (mm) | Sizes (mm) | (₹) |
|---------|---------------------------------------|-------------------------------|-----|
| DN-9172 | 100 | 1.5 | 45 |
| DN-9173 | 100 | 2.5 | 45 |
| DN-9174 | 100 | 3 | 45 |
| DN-9175 | 100 | 4 | 45 |
| DN-9176 | 100 | 5 | 50 |
| DN-9177 | 100 | 5.5 | 50 |
| DN-9178 | 100 | 6 | 55 |
| DN-9179 | 100 | 8 | 70 |
| DN-9180 | 100 (8 Pcs Set) (POUCH PACKING) | (1.5,2.5,3,4, 5.5,5.6,8mm) | 500 |



PIN PUNCHES (ROUND KNURLED BODY)

| Code | Length (mm) | Sizes (mm) | (₹) |
|---------|---------------------------------------|----------------------|-----|
| DN-9186 | 150 | 3 | 80 |
| DN-9187 | 150 | 4 | 80 |
| DN-9188 | 150 | 5 | 85 |
| DN-9189 | 150 | 6 | 90 |
| DN-9190 | 150 | 8 | 96 |
| DN-9191 | 150 | 10 | 200 |
| DN-9192 | 150 (6 Pcs Set) (POUCH PACKING) | (3,4,5,6, 8,10mm) | 550 |



PIN PUNCHES (ROUND KNURLED BODY)

HSN : 82034010

| Code | Length (mm) | Sizes (mm) | (₹) |
|---------|---------------------------------------|----------------------------------|-----|
| DN-9201 | 200 | 1.5 | 95 |
| DN-9202 | 200 | 2.5 | 95 |
| DN-9203 | 200 | 3 | 95 |
| DN-9204 | 200 | 4 | 95 |
| DN-9205 | 200 | 5 | 95 |
| DN-9206 | 200 | 5.5 | 110 |
| DN-9207 | 200 | 6 | 110 |
| DN-9208 | 200 | 8 | 110 |
| DN-9209 | 200 (8 Pcs Set) (POUCH PACKING) | (2.5,3,4,5, 5.5,6,8, 10mm) | 900 |



CALIPERS AND SPRING DIVIDERS

HSN : 90173010

| Code | Description | Size (mm) | (₹) |
|-------|-----------------|-----------|-----|
| CI 6 | Inside Caliper | 150 | 264 |
| CI 8 | Inside Caliper | 200 | 303 |
| CI 10 | Inside Caliper | 250 | 385 |
| CI 12 | Inside Caliper | 300 | 462 |
| CO 6 | Outside Caliper | 150 | 264 |
| CO 8 | Outside Caliper | 200 | 303 |
| CO 10 | Outside Caliper | 250 | 385 |
| CO 12 | Outside Caliper | 300 | 462 |
| SD 6 | Spring Divider | 150 | 264 |
| SD 8 | Spring Divider | 200 | 303 |
| SD 10 | Spring Divider | 250 | 385 |
| SD 12 | Spring Divider | 300 | 462 |



PLUMB BOB

HSN : 82079090

| Code | (₹) |
|----------|-----|
| PB No. 2 | 125 |
| PB No. 5 | 175 |



16 Pcs. CHISEL AND PUNCH SET



| Code | Contents | (₹) |
|---------|---|------|
| DN-9220 | <p>BPC COLD CHISEL :</p> <p>3/8X5/16 X5-1/2 (9.5X8X140MM), 1/2"X7/16"X6"(12.7X11X152MM) 5/8"X15/32"X6-1/2(15.8X12X165- M2PC CENTER PUNCH 1/8"X5/16X5"(3.2X8X127MM), 3/16X7/16X6"(4.8X11X152MM), PIN PUNCH:3/32"X1/4X4- 1/4"(2.4X6.3X108MM), 1/8"X5/16"X4-3/4 5PC(3.2X8X120MM),5/32"X3/8"X 5"(4X9.5X127MM),3/16X3/8"X5- 1/4"(4.8X9.5X133MM),1/4X7/16 85-3/4"(6.3X11X146MM)3/32"X 5/16"X5-1/4"(2.4X8X133MM), 1/8-X3/8"X5-3/4"5PC TAPER PUNCH:(3.2X9.5X146MM), 5/32-X3/8-X6"(4X9.5X152MM) 3/16"X7/16"C6- 1/4"(4.8X11X159MM),1/4"X7/16" X6-3/4"(6.3X11X171MM) 1PC CHISEL PUNCH GAUGE</p> | 3000 |

HACKSAW FRAME

HSN : 82029910

| Code | Size | Handle | (₹) |
|---------|------------|-----------------------------------|-----|
| DN-9229 | 6 - 150mm | Wooden | 48 |
| DN-9230 | 6 - 150mm | Junior | 60 |
| DN-9231 | 12 - 300mm | Wooden | 200 |
| DN-9232 | 12 - 300mm | Plastic | 235 |
| DN-9233 | 12 - 300mm | Plastic - Adjustable | 250 |
| DN-9234 | 12 - 300mm | 6mm Steel Strip in Plastic Handle | 210 |



HACKSAW BLADE

Full Hard
Blue Painted

Generally Conforming to IS 2594-2003

HSN : 82029120

| Code | Size | Shelf Carton (Packing) | Weight (Gms) Per Pkt | (₹) |
|---------|---------------------------------|------------------------|----------------------|-----|
| DN-9241 | 1/2x12x24TPI, 18 TPI | 100 | 1850 | 9 |
| DN-9242 | Double Side 1x12x24TPI | 50 | 1850 | 18 |
| DN-9243 | 1/2X12X24TPI (HIGH SPEED STEEL) | 50 | | 95 |



MISCELLANEOUS

JACK PLANE - SMOOTH BASE

HSN : 82053000

Generally Conforming to IS 15385

| Code | Master Carton (Packing) | Weight in Gms | (₹) |
|---------|-------------------------|---------------|------|
| DN-9254 | 12 | 1700 | 1100 |
| DN-9255 | 10 | 2450 | 1500 |
| DN-9256 | 8 | 2950 | 1760 |

JACK PLANE BLADE

| Code | Size (mm) | Shelf Carton (Packing) | (₹) |
|---------|-----------|------------------------|-----|
| DN-9261 | 45 | 10 | 100 |
| DN-9262 | 50 | 10 | 110 |
| DN-9263 | 60 | 10 | 125 |



BLOCK PLANE

HSN : 82053000

Generally Conforming to IS 15385

| Code | Master Carton (Packing) | Weight in Gms | (₹) |
|-------|-------------------------|---------------|-----|
| BP102 | 10 | 480 | 425 |
| BP110 | 10 | 600 | 480 |



GREASE GUNS-WITH FIXED SPOUT



HSN : 82055910

| Code | Piston Size | Grease Holding Capacity In Gms. | (₹) |
|------|-------------|---------------------------------|-----|
| 507 | 5/8 | 500 CC | 770 |
| 510 | 1/2 | 500 CC | 680 |
| 508 | 1/4 | 200 CC | 460 |
| 513 | 5/16 | 200 CC | 500 |
| 509 | 5/16 | 300 CC | 510 |

OIL CAN

GST@5%



HSN : 84131910

| Code | Capacity | (₹) |
|--------------|----------|-----|
| OC1/4 Pint | 120 | 124 |
| OC1/2 Pint | 230 | 137 |
| OC3/4 Pint | 350 | 165 |
| OC1 Pint | 500 | 170 |
| OC1.1/2 Pint | 700 | 315 |
| OC2 Pint | 1000 | 440 |

ROTARY BARREL PUMP

GST@5%

HSN : 84131110

| Code | Tube Size | Suction Tube | Product Description | (₹) |
|--------------|-----------|--------------|---|------|
| DN 201-100MM | 1 | Rigid | ERW Pipe on Suction & Chrome Plated on Delivery Side. | 2300 |



BUCKET GREASE PUMP
Heavy Duty **GST@5%**

Free Kit Inside

Free Kit Contents

Washer, PU Ring, Piston Ring, O Ring,
Brass Bush 2, Plunger Rod, Plunger,
Steel Ball, Spring, Nozzle Ring

Useful for cleaning greasing of trucks & machinery Pump has steel construction with cast head and solid steel pump chamber. High Pressure hand operated portable pump. Comes complete with 2.2 meter of high pressure hose fitted with accessories.



MISCELLANEOUS

HSN : 84131110

| Code | Capacity | (₹) |
|----------|------------------------|------|
| BGP500 | 3 Kg. without Trolley | 4300 |
| BGP501 | 6 Kg. without Trolley | 4750 |
| BGP502 | 10 Kg. without Trolley | 5400 |
| BGP601-T | 6 Kg. with Trolley | 5200 |
| BGP602-T | 10 Kg. with Trolley | 5700 |
| BGP603-T | 15 Kg. with Trolley | 7000 |
| BGP604-T | 20 Kg. with Trolley | 7500 |

SPARES FOR BUCKET GREASE PUMP



| Code | Product Name | Size | Packing in Box | (₹) | Code | Product Name | Size | Packing in Box | (₹) |
|---------|----------------------------------|----------|----------------|------|---------|---------------|------------------------|----------------|-----|
| DN-9284 | Coupler 4 Jaw | | BLISTER | 52 | DN-9297 | Grease Nipple | M6 X 1 St | 100 | 5 |
| DN-9285 | Coupler 3 Jaw | | BLISTER | 52 | DN-9298 | Grease Nipple | M6 X 1.45* or 90* | 100 | 11 |
| DN-9286 | Fixed Spout | 7/175mm | 10 | 39 | DN-9299 | Grease Nipple | M8 X 1 St | 100 | 8 |
| DN-9287 | Flexible Spout (Rubber) | 8/200mm | 10 | 96 | DN-9300 | Grease Nipple | M8 X 1.45* or 90* | 100 | 14 |
| DN-9288 | Flexible Spout | 12/300mm | 10 | 105 | DN-9301 | Grease Nipple | M10 X 1 St | 50 | 12 |
| DN-9289 | Flexible Spout | 15/375mm | 10 | 115 | DN-9302 | Grease Nipple | M10 X 1.45* or 90* | 50 | 13 |
| DN-9290 | Flexible Spout | 18/450mm | 10 | 130 | DN-9303 | Grease Nipple | M10 X 1.5 St | 50 | 8 |
| DN-9291 | Flexible Spout | 24/600mm | 10 | 174 | DN-9304 | Grease Nipple | M10 X 1.5; 45* or 90* | 50 | 18 |
| DN-9292 | Bucket Repair Kit | | SINGLE BOX | 95 | DN-9305 | Grease Nipple | M12 X 1.75 St | 25 | 19 |
| DN-9293 | Bucket Repair Kit with brass nut | | SINGLE BOX | 135 | DN-9306 | Grease Nipple | M12 X 1.75; 45* or 90* | 25 | 24 |
| DN-9294 | Bucket Hose Pipe | 2.2 Mtr | | 1200 | DN-9307 | Grease Nipple | 1/8 BSP St | 50 | 10 |
| DN-9295 | Pointed Nipple | | 12 | 35 | DN-9308 | Grease Nipple | 1/8 BSP 45* or 90* | 50 | 16 |
| DN-9296 | Bent Nipple | | 12 | 37 | DN-9309 | Grease Nipple | 1/8 NPT St | 50 | 8 |
| | | | | | DN-9310 | Grease Nipple | 1/8 NPT 45* or 90* | 50 | 14 |

HYDRAULIC BOTTLE JACK



A device used for lifting, pushing, spreading, bending, pressing or straightening requirements, widely used in machinery, construction, automobile industry, vehicle repair etc.

HSN : 84254200

- » Compact structure, sturdiness.
- » Wide base design for stability & strength.
- » Polished Ram provides durable performance.
- » Hydraulic oil by-pass system prevents Ram from being over extended.
- » Low maintenance cost.
- » Ideal for Passenger cars, pick-up Vans, Trucks, Heavy Duty Trucks, Agriculture, Mining & Marine applications.
- » HBJ-50T Packed in Wooden Case.

| Model No. | Capacity | Min. Height | Lifting Height | Adjust Height | (₹) |
|-----------|----------|-------------|----------------|---------------|-------|
| HBJ 2T | 2 Ton | 158 | 90 | 60 | 1750 |
| HBJ 4T | 4 Ton | 180 | 110 | 50 | 2150 |
| HBJ 6T | 6 Ton | 185 | 110 | 60 | 2650 |
| HBJ 8T | 8 Ton | 200 | 125 | 60 | 3200 |
| HBJ 10T | 10 Ton | 200 | 125 | 60 | 3400 |
| HBJ 12T | 12 Ton | 210 | 125 | 60 | 3600 |
| HBJ 16T | 16 Ton | 225 | 130 | 60 | 3950 |
| HBJ 20T | 20 Ton | 235 | 145 | 60 | 6000 |
| HBJ 35T | 35 Ton | 255 | 150 | | 7500 |
| HBJ 50T | 50 Ton | 285 | 180 | | 10300 |
| HBJ 75T | 75 Ton | | | | 11600 |
| HBJ 100T | 100 Ton | | | | 13300 |

👉 FOR BEST RESULTS USE ENKLO-68 OIL ONLY.

MONOBLOCK VERNIER CALIPER WITH FINE ADJUSTMENT

Monoblock Type

Single piece construction gives accuracy for longer period of time

Hardened steel construction

Extra smooth slides

4 Way Measurement Inside, Outside, Depth, Step

With Fine adjustment and Locking Screw

HSN : 90173010

| Code | Size | (₹) |
|---------|-------|------|
| DN-9331 | 150mm | 2650 |
| DN-9332 | 200mm | 3600 |
| DN-9333 | 300mm | 7500 |

DIGIMATIC VERNIER WITH METAL DISPLAY UNIT

Least Count : 0.01mm

Most Stable Microprocessor

Stainless Steel smooth slides

4 Way Measurement Inside, outside, depth, step

With Thumb lock and Bezel.

HSN : 90173010

| Code | Size | (₹) |
|---------|---------|------|
| DN-9337 | 0-150mm | 3600 |
| DN-9338 | 0-200mm | 5100 |
| DN-9339 | 0-300mm | 8700 |

OUTSIDE MICROMETER

Printed Marking on the Vernier Scale

Carbide Tipped Measuring Faces

With Locking Clamp and ratchet stop

Least Count : 0.01mm

Packed in ABS Box packing

HSN : 90173010

| Code | Size | (₹) |
|---------|----------|------|
| DN-9343 | 0-25mm | 2400 |
| DN-9344 | 25-50mm | 2600 |
| DN-9345 | 50-75mm | 2950 |
| DN-9346 | 75-100mm | 3300 |

DIGIMATIC MICROMETER

Display data is origin data of absolute

measurement after charging battery


Carbide Tipped Measuring Faces

With Locking Clamp

Least Count : 0.001mm

HSN : 90173010

| Code | Size | (₹) |
|---------|----------|------|
| DN-9350 | 0-25mm | 5800 |
| DN-9351 | 25-50mm | 7000 |
| DN-9352 | 50-75mm | 8000 |
| DN-9353 | 75-100mm | 9000 |



MEASURING TAPE (STEEL)

HSN : 90178010

Precise measurement.
Tough ABS Case Body

| Code | Length | (₹) |
|---------|---------|------|
| SMT-313 | 3 Mtr. | 60 |
| SMT-316 | 3 Mtr. | 70 |
| SMT-519 | 5 Mtr. | 115 |
| DN-9374 | 50 Mtr. | 1350 |



FIBRE MEASURING TAPE

HSN : 90178010

Precise measurement.
Tough ABS Case Body

| Code | Length | (₹) |
|---------|----------|------|
| DN-9375 | 7.5 Mtr. | 140 |
| DN-9376 | 10 Mtr. | 150 |
| DN-9377 | 15 Mtr. | 200 |
| DN-9378 | 30 Mtr. | 350 |
| DN-9379 | 50 Mtr. | 800 |
| DN-9380 | 100 Mtr. | 1400 |




DRAWING INSTRUMENT (CONVERSION TABLE) (FOOT RULE)

**Pure
Stainless Steel
Only**

HSN : 90178090

| Code | Size | Thickness | (₹) |
|---------|---------------------|-----------|------|
| DN-9401 | 150mm | 0.80mm | 55 |
| DN-9402 | 300mm | 0.80mm | 110 |
| DN-9403 | 600mm | 1.2mm | 320 |
| DN-9404 | 1000mm (1 Meter) | 1.2mm | 700 |
| DN-9405 | 1200mm | 1.2mm | 1000 |



FEELER GAUGE

**Stainless
Steel 304
Cover**

HSN : 90173029

| Code | Size | No. of Blades in mm | Length (mm) | (₹) |
|---------|---------------------|---------------------------|----------------|------|
| FG26-4 | 0.03mm to 1.00mm | 26 | 100 | 450 |
| FG26-6 | 0.03mm to 1.00mm | 26 | 150 | 600 |
| FG26-9 | 0.03mm to 1.00mm | 26 | 225 | 900 |
| FG26-12 | 0.03mm to 1.00mm | 26 | 300 | 1040 |



HAMMER DRILL BIT CROSS TIP (+)



CROSS TIP



DOUBLE FLUTE



SDS PLUS

DIN 8035

ISO 9001:2015, 14001:2015, 45001:2018

| Code | Size (mm) | (₹) |
|-----------|-----------|------|
| CT5X110 | 5X110 | 74 |
| CT5.5X110 | 5.5X110 | 74 |
| CT6X110 | 6X110 | 74 |
| CT6X160 | 6X160 | 84 |
| CT6.5X110 | 6.5X110 | 84 |
| CT6.5X160 | 6.5X160 | 94 |
| CT8X110 | 8X110 | 94 |
| CT8X160 | 8X160 | 104 |
| CT8X210 | 8X210 | 125 |
| CT10X160 | 10X160 | 110 |
| CT10X210 | 10X210 | 136 |
| CT10X310 | 10X310 | 188 |
| CT12X160 | 12X160 | 136 |
| CT12X210 | 12X210 | 162 |
| CT12X310 | 12X310 | 220 |
| CT12X450 | 12X450 | 322 |
| CT14X160 | 14X160 | 190 |
| CT14X210 | 14X210 | 235 |
| CT14X310 | 14X310 | 305 |
| CT14X450 | 14X450 | 500 |
| CT16X160 | 16X160 | 250 |
| CT16X210 | 16X210 | 300 |
| CT16X310 | 16X310 | 375 |
| CT16X450 | 16X450 | 600 |
| CT18X160 | 18X160 | 350 |
| CT18X210 | 18X210 | 400 |
| CT18X310 | 18X310 | 500 |
| CT18X450 | 18X450 | 700 |
| CT20X160 | 20X160 | 450 |
| CT20X210 | 20X210 | 475 |
| CT20X310 | 20X310 | 560 |
| CT20X450 | 20X450 | 800 |
| CT25X210 | 25X210 | 700 |
| CT25X310 | 25X310 | 800 |
| CT25X450 | 25X450 | 1000 |

HAMMER DRILL BIT FLAT TIP (-)



FLAT TIP



DOUBLE FLUTE



SDS PLUS

| DIN 8035 | | ISO 9001:2015, 14001:2015, 45001:2018 | |
|-----------|-----------|---------------------------------------|-----|
| Code | Size (mm) | | (₹) |
| FT5X110 | 5X110 | | 58 |
| FT5.5X110 | 5.5X110 | | 62 |
| FT6X110 | 6X110 | | 58 |
| FT6X160 | 6X160 | | 68 |
| FT6.5X110 | 6.5X110 | | 70 |
| FT6.5X160 | 6.5X160 | | 76 |
| FT8X110 | 8X110 | | 70 |
| FT8X160 | 8X160 | | 82 |
| FT10X160 | 10X160 | | 94 |
| FT10X210 | 10X210 | | 122 |
| FT10X310 | 10X310 | | 166 |
| FT12X160 | 12X160 | | 106 |
| FT12X210 | 12X210 | | 144 |
| FT12X310 | 12X310 | | 184 |
| FT12X450 | 12X450 | | 266 |
| FT14X160 | 14X160 | | 160 |
| FT14X210 | 14X210 | | 176 |
| FT14X310 | 14X310 | | 258 |
| FT14X450 | 14X450 | | 334 |
| FT16X160 | 16X160 | | 182 |
| FT16X210 | 16X210 | | 216 |
| FT16X310 | 16X310 | | 286 |
| FT16X450 | 16X450 | | 456 |
| FT18X160 | 18X160 | | 262 |
| FT18X210 | 18X210 | | 266 |
| FT18X310 | 18X310 | | 402 |
| FT18X450 | 18X450 | | 532 |
| FT20X160 | 20X160 | | 328 |
| FT20X210 | 20X210 | | 366 |
| FT20X310 | 20X310 | | 498 |
| FT20X450 | 20X450 | | 598 |
| FT25X210 | 25X210 | | 634 |
| FT25X310 | 25X310 | | 718 |
| FT25X450 | 25X450 | | 894 |

LEATHER - TOOL APRON/BELT



HSN : 42029100

| Code | Contents | (₹) |
|---------|------------|-----|
| DN-9426 | 11 Pockets | 730 |

LEATHER - TOOL ROUSTER



HSN : 42029100

| Code | Contents | (₹) |
|---------|-----------|-----|
| DN-9427 | 4 Pockets | 900 |

**T
O
O
L
B
A
G
S**

ELECTRICIAN TOOL KIT (IN TETRON POUCH PACKING)

HSN : 82060090

| Code | Contents | (₹) |
|---------|--|-----|
| DN-9438 | Combination Plier 200mm Tester 813 Two in One Screw Driver DN-904 Wire Stripper | 500 |




TOOL BAGS



| Code | Description | (₹) |
|---------|---------------------------------|------|
| DN-9446 | Tool Bag Pack with 50 Pockets | 6000 |
| DN-9447 | 16" Tool Bag with flap Pockets | 2300 |
| DN-9448 | 18" Tool Bag with shoulder belt | 2600 |
| DN-9449 | 13" Tool Bag with flap Pockets | 1250 |
| DN-9450 | 16" Tool Bag with 32 Pockets | 5500 |



PLASTIC TOOL BOX WITH ORGANIZER



HSN : 39231090

| CODE | H (mm) | W (mm) | L (mm) | (₹) |
|--------|--------|--------|--------|------|
| PTBO14 | 175 | 175 | 350 | 950 |
| PTBO17 | 200 | 200 | 425 | 1300 |
| PTBO19 | 225 | 213 | 475 | 2000 |
| PTBO22 | 275 | 250 | 550 | 3000 |

PLASTIC TOOL BOX (PROFESSIONAL)



WATER RESISTANT WITH RUBBER PIPING/LINING TO SEAL

HSN : 39231090

| CODE | H (mm) | W (mm) | L (mm) | (₹) |
|----------|--------|--------|--------|------|
| PTB-F270 | 270 | 250 | 145 | 2600 |
| PTB-F340 | 340 | 295 | 155 | 3300 |
| PTB-F460 | 460 | 350 | 175 | 4400 |
| PTB-F560 | 560 | 430 | 220 | 7700 |

TOOLS TROLLEY 5 DRAWER & 7 DRAWER



DIMENSION WITH WHEELS **HSN : 94038900**

| CODE | H (mm) | W (mm) | L (mm) | (₹) |
|----------|--------|--------|--------|-------|
| 5 DRAWER | 950 | 500 | 675 | 37000 |
| 7 DRAWER | 1070 | 500 | 675 | 43000 |

TOOL BOX WITH COMPARTMENTS **HSN : 73102910**



METAL TOOL BOX (SINDOOK TYPE)

Easy to Handle **COMPARE WEIGHTS** Convenient to Move

| CODE | Set No. | Weight in Gms | (₹) |
|---------|-----------------|---------------|------|
| DN-9471 | 350mm = 1 Trays | 1340 | 650 |
| DN-9472 | 350mm = 3 Trays | 2800 | 1320 |
| DN-9473 | 450mm = 3 Trays | 5000 | 1950 |
| DN-9474 | 450mm = 5 Trays | 6200 | 2400 |
| DN-9475 | 550mm = 3 Trays | 6200 | 2400 |
| DN-9476 | 550mm = 5 Trays | 7000 | 2850 |

**EXTRA
HEAVY
DUTY**

HSN : 73102910

| CODE | H (mm) | W (mm) | L (mm) | (₹) |
|---------|--------|--------|--------|------|
| DN-9481 | 225 | 375 | 450 | 2800 |
| DN-9482 | 225 | 350 | 525 | 3700 |

DE NEERS[®] TOOL KIT NO.DN 0109
TWO WHEELER TOOL KIT



| Code | Description | List Price (₹) |
|---------|--------------------------|----------------|
| DN 0109 | Tool Kit for Two Wheeler | 10500 |

HSN : 82060090

| List of Contents | Pcs. |
|---|------|
| 'DE NEERS' Bi Hexagon Ring Spanner 6x7-30x32 mm | 12 |
| 'DE NEERS' Double Open End Spanner 6x7-30x32 mm | 12 |
| 'DE NEERS' Circlip Plier Internal Straight | 1 |
| 'DE NEERS' Circlip Plier External Straight | 1 |
| 'DE NEERS' Grip Locking Plier / Pincer 200mm | 1 |
| 'DE NEERS' Side Cutting Plier | 1 |
| 'DE NEERS' Combination Plier | 1 |
| 'DE NEERS' Long Nose Plier | 1 |
| 'DE NEERS' Water Pump Plier | 1 |
| 'DE NEERS' Flat Nose Plier | 1 |
| 'DE NEERS' Ball Pein Hammer | 1 |
| 'DE NEERS' Soft Faced Plastic Hammer | 1 |

| List of Contents | Pcs. |
|--|------|
| 'DE NEERS' Two in One Screw Drivers Big | 1 |
| 'DE NEERS' Two in One Screw Drivers Small | 1 |
| 'DE NEERS' Screw Drivers Flat | 1 |
| 'DE NEERS' Adjustable Wrench | 1 |
| 'DE NEERS' Centre Punches | 1 |
| 'DE NEERS' Octagonal Chisel | 1 |
| 'DE NEERS' Flat File Bastard with Handle | 1 |
| 'DE NEERS' Half Round File with Handle | 1 |
| 'DE NEERS' Allen Key (Short Pattern) Set | 9 |
| 'DE NEERS' Spark Plug Socket 16mm | 1 |
| 'DE NEERS' Spark Plug Socket 21mm | 1 |
| 'DE NEERS' Plastic Tool Box with Organizer | 1 |

Total Number of Contents including Box : 54 Nos.

DE NEERS® TOOL KIT NO. DN 0202
FOR 2-WHEELER TOOL KIT



| Code | Description | List Price (₹) |
|---------|--------------------------|----------------|
| DN 0202 | Tool Kit for Two Wheeler | 13500 |

HSN : 82060090

| List of Contents | Pcs. |
|--|------|
| 'DE NEERS' Bi Hexagon Ring Spanner 6x7-30x32mm | 12 |
| 'DE NEERS' Double Open End Spanner 6x7-20x22mm | 8 |
| 'DE NEERS' Double Open End Spanner 24x27mm | 1 |
| 'DE NEERS' Double Open End Spanner 30x32mm | 1 |
| 'DE NEERS' Combination Spanner (5 Sizes) | 5 |
| 'DE NEERS' Combination Plier | 1 |
| 'DE NEERS' Side Cutting Plier | 1 |
| 'DE NEERS' Long Needle Nose Plier | 1 |
| 'DE NEERS' Long Nose Plier | 1 |
| 'DE NEERS' Circulp Plier External Bent | 1 |
| 'DE NEERS' Flat Screw Drivers (4 Sizes) | 4 |

| List of Contents | Pcs. |
|---|------|
| 'DE NEERS' Philips Screw Drivers (4 Sizes) | 4 |
| 'DE NEERS' Allen Key Set (mm) Set | 9 |
| 'DE NEERS' Allen Key T Handle (4 Sizes) | 4 |
| 'DE NEERS' T-socket (6 Sizes) | 6 |
| 'DE NEERS' Ball Pein Hammer | 1 |
| 'DE NEERS' Adjustable Wrench | 1 |
| 'DE NEERS' Sockets 1/4 Drive (4 - 14mm) | 10 |
| 'DE NEERS' T-Handle 1/4 Drive | 1 |
| 'DE NEERS' L-Handle 1/4 Drive | 1 |
| 'DE NEERS' Extension Bar 1/4 Drive (Small or Big) | 2 |
| 'DE NEERS' Plastic Tool Box with Organizer | 1 |

★ Total Number of Contents including Box : 76 Nos.

DE NEERS[®] TOOL KIT NO. DN 0106
FOR LINEMAN TOOL KIT



| Product Code | Description | List Price (₹) |
|--------------|----------------------|----------------|
| DN 0106 | Tool Kit for Lineman | 14000 |

HSN : 82060090

| List of Contents | Pcs. |
|---|------|
| 'DE NEERS' Bi Hexagon Ring Spanner 6x7-20x22 mm | 8 |
| 'DE NEERS' Double Open End Spanner 6x7-20x22 mm | 8 |
| 'DE NEERS' Combination Plier | 1 |
| 'DE NEERS' Side Cutting Plier | 1 |
| 'DE NEERS' Long Nose Plier | 1 |
| 'DE NEERS' Water Pump Plier | 1 |
| 'DE NEERS' Adjustable Wrench | 1 |
| 'DE NEERS' Flat Screw Drivers 300 mm | 1 |
| 'DE NEERS' Two in One Screw Drivers (2 Sizes) | 2 |
| 'DE NEERS' Ball Pein Hammer 500 gms | 1 |

| List of Contents | Pcs. |
|---|------|
| 'DE NEERS' Bolt Cutter | 1 |
| 'DE NEERS' Measuring Tape Steel | 1 |
| 'DE NEERS' Torch | 1 |
| Insulation Tape PVC | 6 |
| Drill Machine 10mm (DE NEERS/Bosch Brand) | 1 |
| Pocket Knife | 1 |
| Pair of Hand Gloves | 1 |
| Testing Holder | 1 |
| 'DE NEERS' Tool Box | 1 |

★Total Number of Contents including Tool Box : 38 Nos.

DE NEERS[®] TOOL KIT NO. DN 0101
FOR VEHICLE MECHANICS



HSN : 82060090

| Product Code | Description | |
|--------------|--------------------------------|---------|
| DN 0101 | Tool Kit for Vehicle Mechanics | 21800/- |

List of Contents

Pcs.

| | |
|--|----|
| 'DE NEERS' Bi Hexagon Ring Spanner 6x7-30x32 mm | 12 |
| 'DE NEERS' Double Open End Spanner 6x7-30x32 mm | 12 |
| 'DE NEERS' Circlip Plier Internal Straight | 1 |
| 'DE NEERS' Circlip Plier External Straight | 1 |
| 'DE NEERS' Grip Locking Plier / Pincer 200mm | 1 |
| 'DE NEERS' Side Cutting Plier | 1 |
| 'DE NEERS' Combination Plier | 1 |
| 'DE NEERS' Long Nose Plier | 1 |
| 'DE NEERS' Water Pump Plier | 1 |
| 'DE NEERS' Ball Poin Hammer | 1 |
| 'DE NEERS' Plastic Hammer | 1 |
| 'DE NEERS' Flat Screw Drivers 150, 250 & 300 mm | 3 |
| 'DE NEERS' Screw Driver Two in One | 1 |
| 'DE NEERS' T-Sockets (3 Sizes) | 3 |
| 'DE NEERS' Sockets 17 to 21mm (any 2 sizes) | 2 |
| 'DE NEERS' Extension Bar | 1 |
| 'DE NEERS' Sliding T-Handle / L-Handle | 1 |
| 'DE NEERS' Allen Key Set | 9 |
| 'DE NEERS' Adjustable Wrench | 1 |
| 'DE NEERS' Half Round File with handle | 1 |
| 'DE NEERS' Flat File Bastard with handle | 1 |
| 'DE NEERS' Oil Can | 1 |
| 'DE NEERS' Octagonal Chisel | 1 |
| 'DE NEERS' Measuring Tape | 1 |
| 'DE NEERS' Wire Brush | 1 |
| 'DE NEERS' Torch | 1 |
| Scissor | 1 |
| Pad Lock | 1 |
| Tool Chest | 1 |
| * Total Number of Contents including Locks & Metal Box : 64 Nos. | |

DE NEERS[®] TOOL KIT NO. DN 0102 FOR MECHANICS



| Product Code | Description | List Price |
|--------------|------------------------|------------|
| DN 0102 | Tool Kit for Mechanics | 48200/- |

HSN : 82060090

| List of Contents | Pcs. |
|---|------|
| 'DE NEERS' Bi Hexagon Ring Spanner 6x7-30x32 mm | 12 |
| 'DE NEERS' Double Open End Spanner 6x7-30x32 mm | 12 |
| 'DE NEERS' Pipe Wrench | 2 |
| 'DE NEERS' Grip Locking Plier / Pincer 200mm | 1 |
| 'DE NEERS' Circlip Plier Internal Straight | 1 |
| 'DE NEERS' Circlip Plier External Straight | 1 |
| 'DE NEERS' Side Cutting Plier | 1 |
| 'DE NEERS' Combination Plier | 1 |
| 'DE NEERS' Long Nose Plier | 1 |
| 'DE NEERS' Water Pump Plier | 1 |
| 'DE NEERS' Plastic Hammer | 1 |
| 'DE NEERS' Ball Pein Hammer | 2 |
| 'DE NEERS' Screw Driver Phillips Pattern 100 & 150mm | 2 |
| 'DE NEERS' Flat Screw Drivers 250 & 300mm | 2 |
| 'DE NEERS' Two-in-One Screw Drivers | 2 |
| 'DE NEERS' Adjustable Wrench | 1 |
| 'DE NEERS' 12.5 Square Drive Sockets 8-32 mm (22 Sockets) | 22 |
| 'DE NEERS' Reversible Ratchet | 1 |
| 'DE NEERS' Extension Bar | 2 |

| List of Contents | Pcs. |
|---|------|
| 'DE NEERS' Sliding T-Handle / L-Handle | 1 |
| 'DE NEERS' Socket Set 1/4 Drive (4-14mm) | 10 |
| 'DE NEERS' T-Handle 1/4 Drive | 1 |
| 'DE NEERS' L-Handle 1/4 Drive | 1 |
| 'DE NEERS' Extension Bar 1/4 Drive (Small or Big) | 2 |
| 'DE NEERS' T-Socket (3 Sizes) | 3 |
| 'DE NEERS' Allen Key Set | 9 |
| 'DE NEERS' C-Clamp | 1 |
| 'DE NEERS' Centre Punches | 1 |
| 'DE NEERS' Octagonal Chisel | 1 |
| 'DE NEERS' Flat File Bastard with Handle | 1 |
| 'DE NEERS' Oil Can | 1 |
| 'DE NEERS' Half Round File with handle | 1 |
| 'DE NEERS' Measuring Tape Steel 5 Mtrs. | 1 |
| 'DE NEERS' Wire Brush | 1 |
| 'DE NEERS' Torch | 1 |
| Insulation Tape | 1 |
| Scissor | 1 |
| 'DE NEERS' Tool Box | 1 |

DE NEERS® TOOL KIT NO. DN 0103 FOR GARAGE MAINTENANCE



HSN : 82060090

| Product Code | Description | List Price |
|--------------|---------------------------------|------------|
| DN 0103 | Tool Kit for Garage Maintenance | 43000/- |

List of Contents

Pcs.

| List of Contents | Pcs. |
|--|------|
| 'DE NEERS' Bi Hexagon Ring Spanner 6x7-30x32 mm | 12 |
| 'DE NEERS' Double Open End Spanner 6x7-30x32 mm | 12 |
| 'DE NEERS' Circlip Plier Internal Straight | 1 |
| 'DE NEERS' Circlip Plier External Straight | 1 |
| 'DE NEERS' Grip Locking Plier / Pincer 200mm | 1 |
| 'DE NEERS' Side Cutting Plier | 1 |
| 'DE NEERS' Combination Plier | 1 |
| 'DE NEERS' Long Nose Plier | 1 |
| 'DE NEERS' Water Pump Plier | 1 |
| 'DE NEERS' Adjustable Wrench | 1 |
| 'DE NEERS' Ball Poin Hammer | 1 |
| 'DE NEERS' Flat Screw Drivers 200 & 300 mm | 2 |
| 'DE NEERS' Two in One Screw Drivers | 2 |
| 'DE NEERS' 12.5 Square Drive- Sockets 8-32 mm (22 Sockets) | 22 |
| 'DE NEERS' Reversible Ratchet | 1 |
| 'DE NEERS' Extension Bar | 2 |
| 'DE NEERS' Sliding T-Handle / L-Handle | 1 |
| 'DE NEERS' Socket Set 1/4 Drive (46 Pcs) | 46 |
| 'DE NEERS' Centro Punches | 1 |
| 'DE NEERS' Flat Chisel | 1 |
| 'DE NEERS' Soft Faced Plastic Hammer | 2 |
| 'DE NEERS' Sledge Hammer Fibreglass Handle | 1 |
| 'DE NEERS' Flat File Bastard with Handle | 1 |
| 'DE NEERS' Half Round File with Handle | 1 |
| 'DE NEERS' Allen Key (Short Pattern) Set | 9 |
| 'DE NEERS' Oil Can | 1 |
| 'DE NEERS' Torch | 1 |
| 'DE NEERS' Wire Brush | 1 |
| 'DE NEERS' Tool Box | 1 |

DE NEERS[®] TOOL KIT NO. DN 0104 FOR ELECTRICIAN



HSN : 82060090

| Product Code | Description | List Price |
|--------------|--------------------------|------------|
| DN 0104 | Tool Kit for Electrician | 49500/- |

List of Contents

Pcs.

| | |
|---|----|
| 'DE NEERS' Bi Hexagon Ring Spanner 6x7-30x32 mm | 12 |
| 'DE NEERS' Double Open End Spanner 6x7-30x32 mm | 12 |
| 'DE NEERS' Pipe Wrench | 1 |
| 'DE NEERS' Side Cutting Plier | 1 |
| 'DE NEERS' Combination Plier | 1 |
| 'DE NEERS' Adjustable Wrench | 1 |
| 'DE NEERS' Ball Pein Hammer | 1 |
| 'DE NEERS' Flat Screw Drivers 150, 250 & 300 mm | 3 |
| 'DE NEERS' Two in One Screw Drivers (2 Sizes) | 2 |
| 'DE NEERS' Screw Driver Philips Pattern 100 & 150 mm | 2 |
| 'DE NEERS' 12.5 Square Drive Sockets 8-32 mm (22 Sockets) | 22 |
| 'DE NEERS' Reversible Ratchet | 1 |
| 'DE NEERS' Extension Bar | 1 |
| 'DE NEERS' Sliding T-Handle / L-Handle | 1 |
| 'DE NEERS' Socket Set 1/4 Drive(46 Pcs.) | 46 |
| 'DE NEERS' Water Pump Plier | 1 |
| 'DE NEERS' Allen Key Set | 9 |

List of Contents

Pcs.

| | |
|--|---|
| 'DE NEERS' C-Clamp | 1 |
| 'DE NEERS' Centre Punches | 1 |
| 'DE NEERS' Chisel | 1 |
| 'DE NEERS' Hacksaw Frame | 1 |
| 'DE NEERS' Half Round File with handle | 1 |
| 'DE NEERS' Flat File Bastard with handle | 1 |
| 'DE NEERS' Pincer | 1 |
| 'DE NEERS' Wire Stripper | 1 |
| 'DE NEERS' Oil Can | 1 |
| 'DE NEERS' Measuring Tape Steel | 1 |
| 'DE NEERS' Torch | 1 |
| 'DE NEERS' Wire Brush | 1 |
| Scissor | 1 |
| Drill Machine 10mm (DE NEERS/Bosch Brand) | 1 |
| Insulation Tape | 2 |
| 'DE NEERS' Tool Box | 1 |

★ Total Number of Contents including Metal Box : 134 Nos.

DE NEERS® TOOL KIT NO. DN 0105 FOR SUBMERSIBLE PUMPS



HSN : 82060090

| Product Code | Description | List Price |
|--------------|--------------------------------|------------|
| DN 0105 | Tool Kit for Submersible Pumps | 21500/- |

| List of Contents | Pcs. |
|--|------|
| 'DE NEERS' Bi Hexagon Ring Spanner 6x7-20x22 mm | 8 |
| 'DE NEERS' Double Open End Spanner 6x7-20x22 mm | 8 |
| 'DE NEERS' Pipe Wrench | 2 |
| 'DE NEERS' Combination Plier | 1 |
| 'DE NEERS' Long Nose Plier | 1 |
| 'DE NEERS' Water Pump Plier | 1 |
| 'DE NEERS' Adjustable Wrench | 1 |
| 'DE NEERS' Flat Screw Drivers 200, 250 & 300mm | 3 |
| 'DE NEERS' Ball Pein Hammer | 1 |
| 'DE NEERS' Plastic Hammer | 1 |
| 'DE NEERS' Sledge Hammer with Fibro glass Handle | 1 |
| 'DE NEERS' Octagonal Chisel (2 Sizes) | 2 |
| 'DE NEERS' Flat File Bastard with Handle | 1 |
| 'DE NEERS' Half Round File with Handle | 1 |
| 'DE NEERS' Grease Gun | 1 |
| 'DE NEERS' Hacksaw Frame | 1 |
| 'DE NEERS' Oil Can | 1 |
| 'DE NEERS' Measuring Tape Steel | 1 |
| 'DE NEERS' Torch | 1 |
| Wire Brush | 1 |
| Teflon Tape | 5 |
| Locks | 1 |
| Tool Box | 1 |

★ Total Number of Contents including Metal Box : 45 Nos.

DOUBLE OPEN END SPANNERS



| Code | Size (mm) | AL-BR |
|----------------|-----------|-------|
| | | (₹) |
| NS-A-D/E 6x7 | 6x7 | 900 |
| NS-A-D/E 8x9 | 8x9 | 1000 |
| NS-A-D/E 8x10 | 8x10 | 1400 |
| NS-A-D/E 10x11 | 10x11 | 1100 |
| NS-A-D/E 10x12 | 10x12 | 1800 |
| NS-A-D/E 11x13 | 11x13 | 2000 |
| NS-A-D/E 12x13 | 12x13 | 1500 |
| NS-A-D/E 12x14 | 12x14 | 2400 |
| NS-A-D/E 13x17 | 13x17 | 3000 |
| NS-A-D/E 14x15 | 14x15 | 1900 |
| NS-A-D/E 14x17 | 14x17 | 2240 |
| NS-A-D/E 16x17 | 16x17 | 2000 |
| NS-A-D/E 17x19 | 17x19 | 3000 |
| NS-A-D/E 18x19 | 18x19 | 3000 |
| NS-A-D/E 18x20 | 18x20 | 4000 |
| NS-A-D/E 19x22 | 19x22 | 4000 |
| NS-A-D/E 20x22 | 20x22 | 3300 |
| NS-A-D/E 21x23 | 21x23 | 3400 |
| NS-A-D/E 21x26 | 21x26 | 6000 |
| NS-A-D/E 22x24 | 22x24 | 5000 |
| NS-A-D/E 24x26 | 24x26 | 5300 |
| NS-A-D/E 24x27 | 24x27 | 5300 |
| NS-A-D/E 25x28 | 25x28 | 6000 |
| NS-A-D/E 27x30 | 27x30 | 10500 |
| NS-A-D/E 27x32 | 27x32 | 8800 |
| NS-A-D/E 30x32 | 30x32 | 8200 |
| NS-A-D/E 30x36 | 30x36 | 12000 |
| NS-A-D/E 32x34 | 32x34 | 12700 |
| NS-A-D/E 32x36 | 32x36 | 9800 |
| NS-A-D/E 34x36 | 34x36 | 11000 |
| NS-A-D/E 36x41 | 36x41 | 11500 |
| NS-A-D/E 41x46 | 41x46 | 14000 |
| NS-A-D/E 46x50 | 46x50 | 15000 |
| NS-A-D/E 50x55 | 50x55 | 17000 |
| NS-A-D/E 55x60 | 55x60 | 24000 |
| NS-A-D/E 60x65 | 60x65 | 30000 |
| NS-A-D/E 65x70 | 65x70 | 38000 |
| NS-A-D/E 70x75 | 70x75 | 45000 |
| NS-A-D/E 75x80 | 75x80 | 55000 |
| NS-A-D/E 75x85 | 75x85 | 60000 |

| Code | Size (mm) | BE-CU |
|----------------|-----------|--------|
| | | (₹) |
| NS-B-D/E 6x7 | 6x7 | 1725 |
| NS-B-D/E 8x9 | 8x9 | 2030 |
| NS-B-D/E 8x10 | 8x10 | 2600 |
| NS-B-D/E 10x11 | 10x11 | 2400 |
| NS-B-D/E 10x12 | 10x12 | 3750 |
| NS-B-D/E 11x13 | 11x13 | 4000 |
| NS-B-D/E 12x13 | 12x13 | 3250 |
| NS-B-D/E 12x14 | 12x14 | 4800 |
| NS-B-D/E 13x17 | 13x17 | 4800 |
| NS-B-D/E 14x15 | 14x15 | 4000 |
| NS-B-D/E 14x17 | 14x17 | 5900 |
| NS-B-D/E 16x17 | 16x17 | 3900 |
| NS-B-D/E 17x19 | 17x19 | 6000 |
| NS-B-D/E 18x19 | 18x19 | 5500 |
| NS-B-D/E 18x20 | 18x20 | 8500 |
| NS-B-D/E 19x22 | 19x22 | 8000 |
| NS-B-D/E 20x22 | 20x22 | 5500 |
| NS-B-D/E 21x23 | 21x23 | 7000 |
| NS-B-D/E 21x26 | 21x26 | 10300 |
| NS-B-D/E 22x24 | 22x24 | 11000 |
| NS-B-D/E 24x26 | 24x26 | 10000 |
| NS-B-D/E 24x27 | 24x27 | 10500 |
| NS-B-D/E 25x28 | 25x28 | 11200 |
| NS-B-D/E 27x30 | 27x30 | 18000 |
| NS-B-D/E 27x32 | 27x32 | 20000 |
| NS-B-D/E 30x32 | 30x32 | 15300 |
| NS-B-D/E 30x36 | 30x36 | 25000 |
| NS-B-D/E 32x34 | 32x34 | 26000 |
| NS-B-D/E 32x36 | 32x36 | 21000 |
| NS-B-D/E 34x36 | 34x36 | 25000 |
| NS-B-D/E 36x41 | 36x41 | 25000 |
| NS-B-D/E 41x46 | 41x46 | 33000 |
| NS-B-D/E 46x50 | 46x50 | 36000 |
| NS-B-D/E 50x55 | 50x55 | 50000 |
| NS-B-D/E 55x60 | 55x60 | 64000 |
| NS-B-D/E 60x65 | 60x65 | 70000 |
| NS-B-D/E 65x70 | 65x70 | 77000 |
| NS-B-D/E 70x75 | 70x75 | 90000 |
| NS-B-D/E 75x80 | 75x80 | 112000 |
| NS-B-D/E 75x85 | 75x85 | 122000 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

DOUBLE OPEN END SPANNERS



| Code | Size (WW) | AL-BR |
|-------------------------|---------------|-------|
| | | (₹) |
| NS-A-D/E1/4 x 5/16 W | 1/4 x 5/16 | 2500 |
| NS-A-D/E5/16 x 7/16 W | 5/16 x 7/16 | 7000 |
| NS-A-D/E7/16 x 9/16 W | 7/16 x 9/16 | 8000 |
| NS-A-D/E9/16 x 11/16 W | 9/16 x 11/16 | 11000 |
| Code | Size (SAE) | AL-BR |
| | | (₹) |
| NS-A-D/E5/8 x 3/4 A | 5/8 x 3/4 | 6000 |
| NS-A-D/E1.1/8 x 1.1/4 A | 1.1/8 x 1.1/4 | 14000 |

| Code | Size (WW) | BE-CU |
|-------------------------|---------------|-------|
| | | (₹) |
| NS-B-D/E1/4 x 5/16 W | 1/4 x 5/16 | 5000 |
| NS-B-D/E5/16 x 7/16 W | 5/16 x 7/16 | 12000 |
| NS-B-D/E7/16 x 9/16 W | 7/16 x 9/16 | 15000 |
| NS-B-D/E9/16 x 11/16 W | 9/16 x 11/16 | 22000 |
| Code | Size (SAE) | BE-CU |
| | | (₹) |
| NS-B-D/E5/8 x 3/4 A | 5/8 x 3/4 | 10000 |
| NS-B-D/E1.1/8 x 1.1/4 A | 1.1/8 x 1.1/4 | 20000 |

DOUBLE OPEN END SPANNERS SETS



| SETS | | | |
|-----------------|--------------|---|-----------|
| Code | Pcs. Per Set | Sizes | AL-BR (₹) |
| NS-A-D/E12/8M | 8 | 6x7 to 20x22mm | 15300 |
| NS-A-D/E12/9M | 9 | 8x10, 10x12, 12x14, 14x17, 17x19, 19x22, 22x24, 24x27 & 30x32mm | 33500 |
| NS-A-D/E12/10M | 10 | 6x7 to 24x27mm | 24400 |
| NS-A-D/E12/100M | 10 | 6x7 to 30x32mm | 26300 |
| NS-A-D/E12/12M | 12 | 6x7 to 30x32mm (Pouch Packing) | 40500 |

| SETS | | | |
|-----------------|--------------|--------------------------------|-----------|
| Code | Pcs. Per Set | Sizes | BE-CU (₹) |
| NS-B-D/E12/8M | 8 | 6x7 to 20x22mm | 28900 |
| NS-B-D/E12/10M | 10 | 6x7 to 24x27mm | 46500 |
| NS-B-D/E12/100M | 10 | 6x7 to 30x32mm | 55400 |
| NS-B-D/E12/12M | 12 | 6x7 to 30x32mm (Pouch Packing) | 72900 |

Test Certificate is provided for each piece

www.deneerstools.com

RING SPANNERS



NON SPARKING

| Code | Size (mm) | AL-BR |
|----------------|-----------|-------|
| | | (₹) |
| NS-A-R/S 6x7 | 6x7 | 1000 |
| NS-A-R/S 7x9 | 7x9 | 1500 |
| NS-A-R/S 8x9 | 8x9 | 1200 |
| NS-A-R/S 8x10 | 8x10 | 1400 |
| NS-A-R/S 10x11 | 10x11 | 1350 |
| NS-A-R/S 10x12 | 10x12 | 1500 |
| NS-A-R/S 12x13 | 12x13 | 1800 |
| NS-A-R/S 12x14 | 12x14 | 2450 |
| NS-A-R/S 14x15 | 14x15 | 2100 |
| NS-A-R/S 14x17 | 14x17 | 2250 |
| NS-A-R/S 16x17 | 16x17 | 2400 |
| NS-A-R/S 17x19 | 17x19 | 2800 |
| NS-A-R/S 18x19 | 18x19 | 3000 |
| NS-A-R/S 18x20 | 18x20 | 5000 |
| NS-A-R/S 19x22 | 19x22 | 3600 |
| NS-A-R/S 20x22 | 20x22 | 3600 |
| NS-A-R/S 21x23 | 21x23 | 3900 |
| NS-A-R/S 21x26 | 21x26 | 6500 |
| NS-A-R/S 22x24 | 22x24 | 5000 |
| NS-A-R/S 24x26 | 24x26 | 6000 |
| NS-A-R/S 24x27 | 24x27 | 6000 |
| NS-A-R/S 25x28 | 25x28 | 6500 |
| NS-A-R/S 27x30 | 27x30 | 10000 |
| NS-A-R/S 27x32 | 27x32 | 9000 |
| NS-A-R/S 30x32 | 30x32 | 9200 |
| NS-A-R/S 32x34 | 32x34 | 14000 |
| NS-A-R/S 32x36 | 32x36 | 10800 |
| NS-A-R/S 34x36 | 34x36 | 13000 |
| NS-A-R/S 36x41 | 36x41 | 14800 |
| NS-A-R/S 41x46 | 41x46 | 18400 |
| NS-A-R/S 46x50 | 46x50 | 20800 |
| NS-A-R/S 50x55 | 50x55 | 23000 |
| NS-A-R/S 55x60 | 55x60 | 41600 |
| NS-A-R/S 60x65 | 60x65 | 43000 |
| NS-A-R/S 65x70 | 65x70 | 45000 |
| NS-A-R/S 70x75 | 70x75 | 50000 |
| NS-A-R/S 75x80 | 75x80 | 60000 |

| Code | Size (mm) | BE-CU |
|----------------|-----------|--------|
| | | (₹) |
| NS-B-R/S 6x7 | 6x7 | 1750 |
| NS-B-R/S 7x9 | 7x9 | 3000 |
| NS-B-R/S 8x9 | 8x9 | 2000 |
| NS-B-R/S 8x10 | 8x10 | 3000 |
| NS-B-R/S 10x11 | 10x11 | 2500 |
| NS-B-R/S 10x12 | 10x12 | 3400 |
| NS-B-R/S 12x13 | 12x13 | 3250 |
| NS-B-R/S 12x14 | 12x14 | 4400 |
| NS-B-R/S 14x15 | 14x15 | 3600 |
| NS-B-R/S 14x17 | 14x17 | 4700 |
| NS-B-R/S 16x17 | 16x17 | 4100 |
| NS-B-R/S 17x19 | 17x19 | 6500 |
| NS-B-R/S 18x19 | 18x19 | 5300 |
| NS-B-R/S 18x20 | 18x20 | 10000 |
| NS-B-R/S 19x22 | 19x22 | 7800 |
| NS-B-R/S 20x22 | 20x22 | 6300 |
| NS-B-R/S 21x23 | 21x23 | 6800 |
| NS-B-R/S 21x26 | 21x26 | 10000 |
| NS-B-R/S 22x24 | 22x24 | 11000 |
| NS-B-R/S 24x26 | 24x26 | 10000 |
| NS-B-R/S 24x27 | 24x27 | 10500 |
| NS-B-R/S 25x28 | 25x28 | 11600 |
| NS-B-R/S 27x30 | 27x30 | 20000 |
| NS-B-R/S 27x32 | 27x32 | 20000 |
| NS-B-R/S 30x32 | 30x32 | 16000 |
| NS-B-R/S 32x34 | 32x34 | 28000 |
| NS-B-R/S 32x36 | 32x36 | 25000 |
| NS-B-R/S 34x36 | 34x36 | 30000 |
| NS-B-R/S 36x41 | 36x41 | 35000 |
| NS-B-R/S 41x46 | 41x46 | 50000 |
| NS-B-R/S 46x50 | 46x50 | 50000 |
| NS-B-R/S 50x55 | 50x55 | 60000 |
| NS-B-R/S 55x60 | 55x60 | 70000 |
| NS-B-R/S 60x65 | 60x65 | 90000 |
| NS-B-R/S 65x70 | 65x70 | 95000 |
| NS-B-R/S 70x75 | 70x75 | 120000 |
| NS-B-R/S 75x80 | 75x80 | 130000 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

RING SPANNERS



| Code | Size (WW) | AL-BR |
|-----------------------|---------------|-------|
| | | (₹) |
| NS-A-R/S1/4 x 5/16 | 1/4 x 5/16 | 3000 |
| NS-A-R/S5/16 x 7/16W | 5/16 x 7/16 | 7500 |
| NS-A-R/S7/16 x 9/16W | 7/16 x 9/16 | 10000 |
| NS-A-R/S9/16 x 11/16W | 9/16 x 11/16 | 11000 |
| Code | Size (SAE) | AL-BR |
| | | (₹) |
| NS-A-R/S11/16 x 3/4A | 11/16 x 3/4 A | 13000 |

| Code | Size (WW) | BE-CU |
|------------------------|---------------|-------|
| | | (₹) |
| NS-B-R/S1/4 x 5/16 W | 1/4 x 5/16 | 5500 |
| NS-B-R/S5/16 x 7/16 W | 5/16 x 7/16 | 7500 |
| NS-B-R/S7/16 x 9/16 W | 7/16 x 9/16 | 10000 |
| NS-B-R/S9/16 x 11/16 W | 9/16 x 11/16 | 20000 |
| Code | Size (SAE) | BE-CU |
| | | (₹) |
| NS-B-R/S11/16 x 3/4 A | 11/16 x 3/4 A | 12000 |

NON SPARKING

RING SPANNERS SETS



| SETS | | | |
|------------------|--------------|---|-----------|
| Code | Pcs. Per Set | Sizes | AL-BR (₹) |
| NS-A-R/S13/8M | 8 | 6x7 to 20x22mm | 16800 |
| NS-A-R/S13/10M | 10 | 6x7 to 24x27mm | 27000 |
| NS-A-R/S13/100M | 10 | 6x7 to 30x32mm | 32900 |
| NS-A-R/S13/1000M | 10 | 8x10, 10x12, 12x14, 14x17, 17x19, 19x22, 22x24, 24x27, 27x30 to 30x32mm | 45000 |
| NS-A-R/S13/12M | 12 | 6x7 to 30x32mm (Pouch Packing) | 42900 |

| SETS | | | |
|-----------------|--------------|--------------------------------|-----------|
| Code | Pcs. Per Set | Sizes | BE-CU (₹) |
| NS-B-R/S13/8M | 8 | 6x7 to 20x22mm | 30000 |
| NS-B-R/S13/10M | 10 | 6x7 to 24x27mm | 47500 |
| NS-B-R/S13/100M | 10 | 6x7 to 30x32mm | 57900 |
| NS-B-R/S13/12M | 12 | 6x7 to 30x32mm (Pouch Packing) | 75000 |

Test Certificate is provided for each piece

www.deneerstools.com

COMBINATION SPANNERS



NON SPARKING

| Code | Size (mm) | AL-BR |
|-----------|-----------|-------|
| | | (₹) |
| NS-A-CS6 | 6 | 1350 |
| NS-A-CS7 | 7 | 1500 |
| NS-A-CS8 | 8 | 1700 |
| NS-A-CS9 | 9 | 2000 |
| NS-A-CS10 | 10 | 2150 |
| NS-A-CS11 | 11 | 2250 |
| NS-A-CS12 | 12 | 2500 |
| NS-A-CS13 | 13 | 2550 |
| NS-A-CS14 | 14 | 2650 |
| NS-A-CS15 | 15 | 2800 |
| NS-A-CS16 | 16 | 2900 |
| NS-A-CS17 | 17 | 3050 |
| NS-A-CS18 | 18 | 3200 |
| NS-A-CS19 | 19 | 3300 |
| NS-A-CS20 | 20 | 3500 |
| NS-A-CS21 | 21 | 3850 |
| NS-A-CS22 | 22 | 4000 |
| NS-A-CS23 | 23 | 4300 |
| NS-A-CS24 | 24 | 4700 |
| NS-A-CS25 | 25 | 5300 |
| NS-A-CS26 | 26 | 5800 |
| NS-A-CS27 | 27 | 6700 |
| NS-A-CS28 | 28 | 7000 |
| NS-A-CS29 | 29 | 7600 |
| NS-A-CS30 | 30 | 8500 |
| NS-A-CS31 | 31 | 9000 |
| NS-A-CS32 | 32 | 9300 |
| NS-A-CS34 | 34 | 16000 |
| NS-A-CS36 | 36 | 14000 |
| NS-A-CS38 | 38 | 15000 |
| NS-A-CS41 | 41 | 23000 |
| NS-A-CS46 | 46 | 27000 |
| NS-A-CS50 | 50 | 29000 |
| NS-A-CS55 | 55 | 32000 |
| NS-A-CS60 | 60 | 34000 |
| NS-A-CS65 | 65 | 38000 |

| Code | Size (mm) | BE-CU |
|-----------|-----------|-------|
| | | (₹) |
| NS-B-CS6 | 6 | 3000 |
| NS-B-CS7 | 7 | 3800 |
| NS-B-CS8 | 8 | 4000 |
| NS-B-CS9 | 9 | 5000 |
| NS-B-CS10 | 10 | 5000 |
| NS-B-CS11 | 11 | 5000 |
| NS-B-CS12 | 12 | 5500 |
| NS-B-CS13 | 13 | 5800 |
| NS-B-CS14 | 14 | 6000 |
| NS-B-CS15 | 15 | 6200 |
| NS-B-CS16 | 16 | 6500 |
| NS-B-CS17 | 17 | 6800 |
| NS-B-CS18 | 18 | 7000 |
| NS-B-CS19 | 19 | 7200 |
| NS-B-CS20 | 20 | 8500 |
| NS-B-CS21 | 21 | 8500 |
| NS-B-CS22 | 22 | 8500 |
| NS-B-CS23 | 23 | 12000 |
| NS-B-CS24 | 24 | 12000 |
| NS-B-CS25 | 25 | 14000 |
| NS-B-CS26 | 26 | 14000 |
| NS-B-CS27 | 27 | 14000 |
| NS-B-CS28 | 28 | 15000 |
| NS-B-CS29 | 29 | 16000 |
| NS-B-CS30 | 30 | 17000 |
| NS-B-CS31 | 31 | 18500 |
| NS-B-CS32 | 32 | 20000 |
| NS-B-CS34 | 34 | 30000 |
| NS-B-CS36 | 36 | 32000 |
| NS-B-CS38 | 38 | 34000 |
| NS-B-CS41 | 41 | 40000 |
| NS-B-CS46 | 46 | 45000 |
| NS-B-CS50 | 50 | 48000 |
| NS-B-CS55 | 55 | 55000 |
| NS-B-CS60 | 60 | 75000 |
| NS-B-CS65 | 65 | 85000 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

COMBINATION SPANNERS



NON SPARKING

| Code | Size (SAE) | AL-BR |
|-----------------|------------|-------|
| | | (₹) |
| NS-A-CS1/4 A | 1/4 | 2200 |
| NS-A-CS5/16 A | 5/16 | 2400 |
| NS-A-CS3/8 A | 3/8 | 3100 |
| NS-A-CS7/16 A | 7/16 | 3600 |
| NS-A-CS1/2 A | 1/2 | 4100 |
| NS-A-CS9/16 A | 9/16 | 4400 |
| NS-A-CS19/32 A | 19/32 | 4600 |
| NS-A-CS5/8 A | 5/8 | 5000 |
| NS-A-CS11/16 A | 11/16 | 5500 |
| NS-A-CS3/4 A | 3/4 | 5800 |
| NS-A-CS7/8 A | 7/8 | 6500 |
| NS-A-CS15/16A | 15/16 | 7500 |
| NS-A-CS1 A | 1 | 8000 |
| NS-A-CS1.1/8 A | 1.1/8 | 11000 |
| NS-A-CS1.5/16 A | 1.5/16 | 16000 |

| Code | Size (SAE) | BE-CU |
|-----------------|------------|-------|
| | | (₹) |
| NS-B-CS1/4 A | 1/4 | 4500 |
| NS-B-CS5/16 A | 5/16 | 4800 |
| NS-B-CS3/8 A | 3/8 | 6000 |
| NS-B-CS7/16 A | 7/16 | 7000 |
| NS-B-CS1/2 A | 1/2 | 8000 |
| NS-B-CS9/16 A | 9/16 | 8500 |
| NS-B-CS19/32 A | 19/32 | 9000 |
| NS-B-CS5/8 A | 5/8 | 10000 |
| NS-B-CS11/16 A | 11/16 | 11000 |
| NS-B-CS3/4 A | 3/4 | 11500 |
| NS-B-CS7/8 A | 7/8 | 12500 |
| NS-B-CS15/16A | 15/16 | 14000 |
| NS-B-CS1 A | 1 | 15000 |
| NS-B-CS1.1/8 A | 1.1/8 | 23000 |
| NS-B-CS1.5/16 A | 1.5/16 | 30000 |

COMBINATION SPANNER SET



| SETS | | | |
|------------|-------------|--------------------------------------|-------|
| Code | Pcs.Per Set | Sizes | AL-BR |
| | | | (₹) |
| NS-A-14/11 | 11 | 8,10,12,14,17,19, 22,24,27,30 & 32mm | 49100 |
| NS-A-14/12 | 12 | 6-14, 17, 19, 22mm | 29800 |

| SETS | | | |
|------------|-------------|--------------------------------------|--------|
| Code | Pcs.Per Set | Sizes | BE-CU |
| | | | (₹) |
| NS-B-14/11 | 11 | 8,10,12,14,17,19, 22,24,27,30 & 32mm | 106000 |
| NS-B-14/12 | 12 | 6-14, 17, 19, 22mm | 71100 |

Test Certificate is provided for each piece

www.deneerstools.com

SINGLE OPEN END SPANNERS



NON SPARKING

| Code | Size (mm) | AL-BR |
|-------------|-----------|-------|
| | | (₹) |
| NS-A-S/E 8 | 8 | 1720 |
| NS-A-S/E 10 | 10 | 1920 |
| NS-A-S/E 12 | 12 | 2450 |
| NS-A-S/E 14 | 14 | 3000 |
| NS-A-S/E 17 | 17 | 3650 |
| NS-A-S/E 19 | 19 | 4490 |
| NS-A-S/E 22 | 22 | 5270 |
| NS-A-S/E 24 | 24 | 3990 |
| NS-A-S/E 27 | 27 | 4480 |
| NS-A-S/E 30 | 30 | 5000 |
| NS-A-S/E 32 | 32 | 6000 |
| NS-A-S/E 34 | 34 | 8500 |
| NS-A-S/E 36 | 36 | 6600 |
| NS-A-S/E 38 | 38 | 6800 |
| NS-A-S/E 41 | 41 | 7000 |
| NS-A-S/E 46 | 46 | 9000 |
| NS-A-S/E 50 | 50 | 10000 |
| NS-A-S/E 55 | 55 | 11500 |
| NS-A-S/E 60 | 60 | 13700 |
| NS-A-S/E 65 | 65 | 17000 |
| NS-A-S/E 70 | 70 | 20400 |
| NS-A-S/E 75 | 75 | 23000 |

| Code | Size (mm) | BE-CU |
|-------------|-----------|-------|
| | | (₹) |
| NS-B-S/E 8 | 8 | 3500 |
| NS-B-S/E 10 | 10 | 3800 |
| NS-B-S/E 12 | 12 | 4700 |
| NS-B-S/E 14 | 14 | 6000 |
| NS-B-S/E 17 | 17 | 7500 |
| NS-B-S/E 19 | 19 | 9000 |
| NS-B-S/E 22 | 22 | 10500 |
| NS-B-S/E 24 | 24 | 10500 |
| NS-B-S/E 27 | 27 | 10500 |
| NS-B-S/E 30 | 30 | 11000 |
| NS-B-S/E 32 | 32 | 12000 |
| NS-B-S/E 34 | 34 | 16000 |
| NS-B-S/E 36 | 36 | 14000 |
| NS-B-S/E 38 | 38 | 15000 |
| NS-B-S/E 41 | 41 | 15500 |
| NS-B-S/E 46 | 46 | 18000 |
| NS-B-S/E 50 | 50 | 20000 |
| NS-B-S/E 55 | 55 | 22000 |
| NS-B-S/E 60 | 60 | 26000 |
| NS-B-S/E 65 | 65 | 38000 |
| NS-B-S/E 70 | 70 | 45000 |
| NS-B-S/E 75 | 75 | 50000 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

SINGLE RING SPANNER



| Code | Size (mm) | AL-BR |
|--------|-----------|-------|
| | | (₹) |
| NS-001 | 32 | 13000 |
| NS-002 | 36 | 16000 |

| Code | Size (mm) | BE-CU |
|--------|-----------|-------|
| | | (₹) |
| NS-011 | 32 | 27000 |
| NS-012 | 36 | 33000 |

SINGLE BENT RING SPANNER



| Code | Size (mm) | AL-BR |
|--------|-----------|-------|
| | | (₹) |
| NS-023 | 30 | 700 |
| NS-024 | 32 | 14000 |
| NS-025 | 36 | 16000 |
| NS-026 | 41 | 20000 |
| NS-027 | 46 | 22000 |

| Code | Size (mm) | BE-CU |
|--------|-----------|-------|
| | | (₹) |
| NS-036 | 30 | 22500 |
| NS-037 | 32 | 29000 |
| NS-038 | 36 | 34000 |
| NS-039 | 41 | 40000 |
| NS-040 | 46 | 45000 |

CONSTRUCTION RING SPANNER



| Code | Size (mm) | AL-BR |
|--------|-----------|-------|
| | | (₹) |
| NS-061 | 30 | 12000 |
| NS-062 | 32 | 13000 |
| NS-063 | 36 | 17600 |
| NS-064 | 41 | 21600 |

| Code | Size (mm) | BE-CU |
|--------|-----------|-------|
| | | (₹) |
| NS-075 | 30 | 25000 |
| NS-076 | 32 | 27000 |
| NS-077 | 36 | 36000 |
| NS-078 | 41 | 44000 |

Test Certificate is provided for each piece

www.deneerstools.com

SLOGGING / HAMMERING RING SPANNER



NON SPARKING

| Code | Size (mm) | AL-BR |
|------------|-----------|--------|
| | | (₹) |
| NS-A-SR17 | 17 | 3600 |
| NS-A-SR18 | 18 | 3700 |
| NS-A-SR19 | 19 | 3900 |
| NS-A-SR22 | 22 | 3300 |
| NS-A-SR24 | 24 | 3300 |
| NS-A-SR26 | 26 | 3800 |
| NS-A-SR27 | 27 | 4100 |
| NS-A-SR28 | 28 | 4500 |
| NS-A-SR30 | 30 | 4800 |
| NS-A-SR32 | 32 | 5200 |
| NS-A-SR34 | 34 | 5800 |
| NS-A-SR36 | 36 | 6200 |
| NS-A-SR38 | 38 | 7400 |
| NS-A-SR40 | 40 | 8300 |
| NS-A-SR41 | 41 | 9100 |
| NS-A-SR42 | 42 | 9500 |
| NS-A-SR45 | 45 | 9900 |
| NS-A-SR46 | 46 | 10300 |
| NS-A-SR50 | 50 | 12000 |
| NS-A-SR52 | 52 | 13000 |
| NS-A-SR55 | 55 | 13400 |
| NS-A-SR60 | 60 | 15400 |
| NS-A-SR65 | 65 | 16000 |
| NS-A-SR70 | 70 | 18000 |
| NS-A-SR75 | 75 | 20600 |
| NS-A-SR80 | 80 | 22400 |
| NS-A-SR85 | 85 | 27000 |
| NS-A-SR90 | 90 | 29000 |
| NS-A-SR95 | 95 | 37000 |
| NS-A-SR100 | 100 | 40500 |
| NS-A-SR105 | 105 | 50000 |
| NS-A-SR110 | 110 | 55000 |
| NS-A-SR115 | 115 | 80000 |
| NS-A-SR120 | 120 | 95000 |
| NS-A-SR125 | 125 | 105000 |
| NS-A-SR130 | 130 | 110000 |
| NS-A-SR135 | 135 | 120000 |
| NS-A-SR140 | 140 | 130000 |
| NS-A-SR145 | 145 | 140000 |

| Code | Size (mm) | BE-CU |
|------------|-----------|--------|
| | | (₹) |
| NS-B-SR17 | 17 | 6000 |
| NS-B-SR18 | 18 | 6500 |
| NS-B-SR19 | 19 | 7500 |
| NS-B-SR22 | 22 | 7500 |
| NS-B-SR24 | 24 | 7500 |
| NS-B-SR26 | 26 | 8000 |
| NS-B-SR27 | 27 | 9000 |
| NS-B-SR28 | 28 | 9000 |
| NS-B-SR30 | 30 | 10000 |
| NS-B-SR32 | 32 | 10000 |
| NS-B-SR34 | 34 | 12500 |
| NS-B-SR36 | 36 | 13000 |
| NS-B-SR38 | 38 | 14000 |
| NS-B-SR40 | 40 | 16000 |
| NS-B-SR41 | 41 | 20000 |
| NS-B-SR42 | 42 | 22000 |
| NS-B-SR45 | 45 | 22000 |
| NS-B-SR46 | 46 | 23000 |
| NS-B-SR50 | 50 | 26000 |
| NS-B-SR52 | 52 | 26000 |
| NS-B-SR55 | 55 | 27000 |
| NS-B-SR60 | 60 | 30000 |
| NS-B-SR65 | 65 | 31000 |
| NS-B-SR70 | 70 | 36000 |
| NS-B-SR75 | 75 | 41000 |
| NS-B-SR80 | 80 | 43000 |
| NS-B-SR85 | 85 | 50000 |
| NS-B-SR90 | 90 | 60000 |
| NS-B-SR95 | 95 | 75000 |
| NS-B-SR100 | 100 | 90000 |
| NS-B-SR105 | 105 | 100000 |
| NS-B-SR110 | 110 | 115000 |
| NS-B-SR115 | 115 | 150000 |
| NS-B-SR120 | 120 | 175000 |
| NS-B-SR125 | 125 | 200000 |
| NS-B-SR130 | 130 | 220000 |
| NS-B-SR135 | 135 | 240000 |
| NS-B-SR140 | 140 | 260000 |
| NS-B-SR145 | 145 | 300000 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

SLOGGING / HAMMERING OPEN ENDED SPANNERS



NON SPARKING

| Code | Size (mm) | AL-BR |
|---------------|-----------|--------|
| | | (R) |
| NS-A-SO17 | 17 | 3000 |
| NS-A-SO18 | 18 | 3000 |
| NS-A-SO19 | 19 | 3000 |
| NS-A-SO22 | 22 | 3000 |
| NS-A-SO24 | 24 | 3000 |
| NS-A-SO26 | 26 | 3500 |
| NS-A-SO27 | 27 | 3700 |
| NS-A-SO28 | 28 | 4000 |
| NS-A-SO29 | 29 | 4300 |
| NS-A-SO30 | 30 | 4650 |
| NS-A-SO32 | 32 | 5400 |
| NS-A-SO34 | 34 | 6000 |
| NS-A-SO36 | 36 | 6900 |
| NS-A-SO38 | 38 | 7400 |
| NS-A-SO40 | 40 | 9000 |
| NS-A-SO41 | 41 | 8500 |
| NS-A-SO42 | 42 | 9200 |
| NS-A-SO45 | 45 | 9600 |
| NS-A-SO46 | 46 | 10300 |
| NS-A-SO50 | 50 | 11700 |
| NS-A-SO52 | 52 | 12700 |
| NS-A-SO55 | 55 | 14000 |
| NS-A-SO56 | 56 | 15000 |
| NS-A-SO60 | 60 | 17500 |
| NS-A-SO63 | 63 | 18000 |
| NS-A-SO65 | 65 | 19500 |
| NS-A-SO 70 | 70 | 22500 |
| NS-A-SO 75 | 75 | 25000 |
| NS-A-SO 76 | 76 | 26600 |
| NS-A-SO 80 | 80 | 31000 |
| NS-A-SO 85 | 85 | 35000 |
| NS-A-SO 90 | 90 | 41500 |
| NS-A-SO 95 | 95 | 48000 |
| NS-A-SO100 | 100 | 55000 |
| NS-A-SO105 | 105 | 75000 |
| NS-A-SO110 | 110 | 105000 |
| NS-A-SO115 | 115 | 110000 |
| NS-A-SO120 | 120 | 115000 |
| NS-A-SO125 | 125 | 125000 |
| NS-A-SO130 | 130 | 130000 |
| NS-A-SO135 | 135 | 140000 |
| NS-A-SO140 | 140 | 145000 |
| NS-A-SO145 | 145 | 150000 |
| NS-A-SO2.3/4A | 2.3/4A | 25000 |

| Code | Size (mm) | BE-CU |
|------------|-----------|--------|
| | | (R) |
| NS-B-SO17 | 17 | 6500 |
| NS-B-SO18 | 18 | 6500 |
| NS-B-SO19 | 19 | 7000 |
| NS-B-SO22 | 22 | 7000 |
| NS-B-SO24 | 24 | 7000 |
| NS-B-SO26 | 26 | 7000 |
| NS-B-SO27 | 27 | 7000 |
| NS-B-SO28 | 28 | 7500 |
| NS-B-SO29 | 29 | 8000 |
| NS-B-SO30 | 30 | 8500 |
| NS-B-SO32 | 32 | 10000 |
| NS-B-SO34 | 34 | 12000 |
| NS-B-SO36 | 36 | 12500 |
| NS-B-SO38 | 38 | 13500 |
| NS-B-SO40 | 40 | 17000 |
| NS-B-SO41 | 41 | 15500 |
| NS-B-SO42 | 42 | 20000 |
| NS-B-SO45 | 45 | 21000 |
| NS-B-SO46 | 46 | 18500 |
| NS-B-SO50 | 50 | 21000 |
| NS-B-SO52 | 52 | 23000 |
| NS-B-SO55 | 55 | 25000 |
| NS-B-SO56 | 56 | 30000 |
| NS-B-SO60 | 60 | 30000 |
| NS-B-SO63 | 63 | 36000 |
| NS-B-SO65 | 65 | 37500 |
| NS-B-SO70 | 70 | 42500 |
| NS-B-SO75 | 75 | 46500 |
| NS-B-SO76 | 76 | 50000 |
| NS-B-SO80 | 80 | 60000 |
| NS-B-SO85 | 85 | 70000 |
| NS-B-SO90 | 90 | 75000 |
| NS-B-SO95 | 95 | 90000 |
| NS-B-SO100 | 100 | 110000 |
| NS-B-SO105 | 105 | 118000 |
| NS-B-SO110 | 110 | 118000 |
| NS-B-SO115 | 115 | 124000 |
| NS-B-SO120 | 120 | 135900 |
| NS-B-SO125 | 125 | 142000 |
| NS-B-SO130 | 130 | 173000 |
| NS-B-SO135 | 135 | 173000 |
| NS-B-SO140 | 140 | 191600 |
| NS-B-SO145 | 145 | 216300 |

Test Certificate is provided for each piece

www.deneerstools.com

SLOGGING BOX BENT WRENCH



| Code | Size (mm) | AL-BR |
|--------|-----------|-------|
| | | (₹) |
| NS-094 | 30 | 9900 |
| NS-095 | 32 | 11300 |
| NS-096 | 36 | 13000 |
| NS-097 | 41 | 18800 |
| NS-098 | 46 | 20750 |

| Code | Size (mm) | BE-CU |
|--------|-----------|-------|
| | | (₹) |
| NS-109 | 30 | 15950 |
| NS-110 | 32 | 18650 |
| NS-111 | 36 | 21900 |
| NS-112 | 41 | 30900 |
| NS-113 | 46 | 34250 |

VALVE SQUARE SPANNER



| Code | Size (LxDxK) | AL-BR |
|--------|--------------|-------|
| | | (₹) |
| NS-134 | 200x18x12 | 12000 |

| Code | Size (LxDxK) | BE-CU |
|--------|--------------|-------|
| | | (₹) |
| NS-139 | 200x18x12 | 20000 |

TUBULAR BOX SPANNERS



| Code | Size (mm) | AL-BR |
|--------------|-----------|-------|
| | | (₹) |
| NS-A-TB6x7 | 6x7 | 4100 |
| NS-A-TB8x9 | 8x9 | 5000 |
| NS-A-TB10x11 | 10x11 | 5800 |
| NS-A-TB12x13 | 12x13 | 7400 |
| NS-A-TB14x15 | 14x15 | 9400 |
| NS-A-TB16x17 | 16x17 | 13200 |
| NS-A-TB18x19 | 18x19 | 16900 |
| NS-A-TB20x22 | 20x22 | 21000 |
| NS-A-TB21x23 | 21x23 | 25000 |
| NS-A-TB24x27 | 24x27 | 30500 |
| NS-A-TB25x28 | 25x28 | 35500 |
| NS-A-TB30x32 | 30x32 | 45000 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

NON SPARKING

CHAIN PIPE WRENCH



| Code | Size (mm) | AL-BR |
|--------------|-----------|---------------|
| | | (₹) |
| NS-A-CPW 100 | 100 | 52000 |
| NS-A-CPW 150 | 150 | 57000 |
| NS-A-CPW 200 | 200 | 98000 |
| NS-A-CPW 300 | 300 | 103000 |

HOOK WRENCH



| Code | Size (mm) | Length (mm) | AL-BR |
|----------------|-----------|-------------|--------------|
| | | | (₹) |
| NS-A-HW19-50 | 19-50 | 162 | 6500 |
| NS-A-HW32-75 | 32-75 | 205 | 7000 |
| NS-A-HW50-120 | 50-120 | 288 | 10500 |
| NS-A-HW115-170 | 115-170 | 310 | 23000 |

| Code | Size (mm) | Length (mm) | BE-CU |
|----------------|-----------|-------------|--------------|
| | | | (₹) |
| NS-B-HW19-50 | 19-50 | 162 | 14500 |
| NS-B-HW32-75 | 32-75 | 205 | 15500 |
| NS-B-HW50-120 | 50-120 | 288 | 24400 |
| NS-B-HW115-170 | 115-170 | 310 | 46000 |

TORQUE WRENCH



| Code | Drive | Size (mm) | Torque (N.m) | AL-BR |
|-------------|-------|-----------|--------------|---------------|
| | | | | (₹) |
| NS-A-TR290 | 1/4 | 290 | 5-25 | 146000 |
| NS-B-TR360 | 3/8 | 360 | 5-50 | 156000 |
| NS-N-TR405 | 1/2 | 405 | 10-100 | 156000 |
| NS-N-TR500 | 1/2 | 500 | 20-200 | 165000 |
| NS-N-TR595 | 1/2 | 595 | 60-260 | 175000 |
| NS-C-TR1040 | 3/4 | 1040 | 150-670 | 495000 |
| NS-D-TR1253 | 1 | 1253 | 200-900 | 590000 |

Test Certificate is provided for each piece
www.deneerstools.com

ADJUSTABLE WRENCH



| Code | Size (mm) | Opening Capacity (mm) | AL-BR |
|-----------|-----------|-----------------------|-------|
| | | | (₹) |
| NS-A-AW4 | 100 | 13 | 3600 |
| NS-A-AW6 | 150 | 18 | 4650 |
| NS-A-AW8 | 200 | 24 | 6200 |
| NS-A-AW10 | 250 | 30 | 7900 |
| NS-A-AW12 | 300 | 36 | 10000 |
| NS-A-AW15 | 375 | 46 | 15400 |
| NS-A-AW18 | 450 | 55 | 21000 |
| NS-A-AW24 | 600 | 65 | 39000 |

| Code | Size (mm) | Opening Capacity (mm) | BE-CU |
|-----------|-----------|-----------------------|-------|
| | | | (₹) |
| NS-B-AW4 | 100 | 13 | 9000 |
| NS-B-AW6 | 150 | 18 | 9500 |
| NS-B-AW8 | 200 | 24 | 10200 |
| NS-B-AW10 | 250 | 30 | 12200 |
| NS-B-AW12 | 300 | 36 | 17200 |
| NS-B-AW15 | 375 | 46 | 24300 |
| NS-B-AW18 | 450 | 55 | 40000 |
| NS-B-AW24 | 600 | 65 | 75000 |

PIPE WRENCH



| Code | Size (mm) | Opening Capacity (mm) | AL-BR |
|-----------|-----------|-----------------------|-------|
| | | | (₹) |
| NS-A-PW8 | 200 | 25 | 7200 |
| NS-A-PW10 | 250 | 30 | 7200 |
| NS-A-PW12 | 300 | 40 | 9100 |
| NS-A-PW14 | 350 | 50 | 10100 |
| NS-A-PW18 | 450 | 60 | 16800 |
| NS-A-PW24 | 600 | 75 | 24000 |
| NS-A-PW36 | 900 | 125 | 48000 |
| NS-A-PW48 | 1200 | 150 | 85000 |

| Code | Size (mm) | Opening Capacity (mm) | BE-CU |
|-----------|-----------|-----------------------|--------|
| | | | (₹) |
| NS-B-PW8 | 200 | 25 | 13000 |
| NS-B-PW10 | 250 | 30 | 12000 |
| NS-B-PW12 | 300 | 40 | 14400 |
| NS-B-PW14 | 350 | 50 | 18000 |
| NS-B-PW18 | 450 | 60 | 28800 |
| NS-B-PW24 | 600 | 75 | 43500 |
| NS-B-PW36 | 900 | 125 | 95000 |
| NS-B-PW48 | 1200 | 150 | 180000 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

SCREW DRIVER SLOTTED ⊕



| Code | Size (mm) | AL-BR |
|---------------|-----------|-------|
| | | (₹) |
| NS-A-SD-50 | 3 x 50 | 1100 |
| NS-A-SD-75 | 3 x 75 | 1100 |
| NS-A-SD-3x100 | 3 x 100 | 1350 |
| NS-A-SD-4x100 | 4 x 100 | 1350 |
| NS-A-SD-5x100 | 5 x 100 | 1350 |
| NS-A-SD-3x125 | 3 x 125 | 1600 |
| NS-A-SD-6x125 | 6 x 125 | 1600 |
| NS-A-SD-150 | 6 x 150 | 1700 |
| NS-A-SD-200 | 8 x 200 | 2000 |
| NS-A-SD-250 | 9 x 250 | 2600 |
| NS-A-SD-300 | 10 x 300 | 3400 |
| NS-A-SD-350 | 11 x 350 | 6000 |
| NS-A-SD-400 | 12 x 400 | 7000 |
| NS-A-SD-450 | 13 x 450 | 7500 |

| Code | Size (mm) | BE-CU |
|---------------|-----------|-------|
| | | (₹) |
| NS-B-SD-50 | 3 x 50 | 2200 |
| NS-B-SD-75 | 3 x 75 | 2300 |
| NS-B-SD-3x100 | 3 x 100 | 2800 |
| NS-B-SD-4x100 | 4 x 100 | 2800 |
| NS-B-SD-5x100 | 5 x 100 | 2800 |
| NS-B-SD-3x125 | 3 x 125 | 3500 |
| NS-B-SD-6x125 | 6 x 125 | 3500 |
| NS-B-SD-150 | 6 x 150 | 3500 |
| NS-B-SD-200 | 8 x 200 | 3600 |
| NS-B-SD-250 | 9 x 250 | 5700 |
| NS-B-SD-300 | 10 x 300 | 5900 |
| NS-B-SD-350 | 11 x 350 | 11500 |
| NS-B-SD-400 | 12 x 400 | 12000 |
| NS-B-SD-450 | 13 x 450 | 13000 |

NON SPARKING

SCREW DRIVER PHILIPS ⊕



| Code | Size (mm) | AL-BR |
|--------------|-----------|-------|
| | | (₹) |
| NS-A-SD 50P | 50 | 1200 |
| NS-A-SD 75P | 75 | 1200 |
| NS-A-SD 100P | 100 | 1400 |
| NS-A-SD 125P | 125 | 1400 |
| NS-A-SD 150P | 150 | 1700 |
| NS-A-SD 200P | 200 | 2200 |
| NS-A-SD 250P | 250 | 3300 |
| NS-A-SD 300P | 300 | 4000 |
| NS-A-SD 350P | 350 | 5000 |
| NS-A-SD 400P | 400 | 5800 |
| NS-A-SD 450P | 450 | 6200 |

| Code | Size (mm) | BE-CU |
|--------------|-----------|-------|
| | | (₹) |
| NS-B-SD 50P | 50 | 2100 |
| NS-B-SD 75P | 75 | 2200 |
| NS-B-SD 100P | 100 | 2300 |
| NS-B-SD 125P | 125 | 3000 |
| NS-B-SD 150P | 150 | 3100 |
| NS-B-SD 200P | 200 | 3700 |
| NS-B-SD 250P | 250 | 6000 |
| NS-B-SD 300P | 300 | 7500 |
| NS-B-SD 350P | 350 | 9000 |
| NS-B-SD 400P | 400 | 11000 |
| NS-B-SD 450P | 450 | 11500 |

Test Certificate is provided for each piece

www.deneerstools.com

POZI DRIVE SCREW DRIVER ⊕



| Code | Size | AL-BR |
|---------------|---------|-------|
| | | (₹) |
| NS-A-SD 50PZ | 0x50mm | 1030 |
| NS-A-SD 75PZ | 1x75mm | 1130 |
| NS-A-SD 100PZ | 2x100mm | 1940 |
| NS-A-SD 150PZ | 3x150mm | 2060 |
| NS-A-SD 200PZ | 4x200mm | 2510 |

| Code | Size | BE-CU |
|---------------|---------|-------|
| | | (₹) |
| NS-B-SD 50PZ | 0x50mm | 2230 |
| NS-B-SD 75PZ | 1x75mm | 2670 |
| NS-B-SD 100PZ | 2x100mm | 3410 |
| NS-B-SD 150PZ | 3x150mm | 4600 |
| NS-B-SD 200PZ | 4x200mm | 5420 |

STUBBY SLOTTED SCREWDRIVER



| Code | Size | AL-BR |
|--------|--------|-------|
| | | (₹) |
| NS-160 | 3x36mm | 1700 |
| NS-161 | 4x36mm | 1920 |
| NS-162 | 5x36mm | 2300 |
| NS-163 | 6x36mm | 2650 |

| Code | Size | BE-CU |
|--------|--------|-------|
| | | (₹) |
| NS-174 | 3x36mm | 3200 |
| NS-175 | 4x36mm | 3900 |
| NS-176 | 5x36mm | 4500 |
| NS-177 | 6x36mm | 5100 |

NUT DRIVER



| Code | Size | AL-BR |
|--------------|-------|-------|
| | | (₹) |
| NS-A-ND7 | 7mm | 4870 |
| NS-A-ND10 | 10mm | 5510 |
| NS-A-ND13 | 13mm | 6250 |
| NS-A-ND5/32A | 5/32A | 7000 |

| Code | Size | BE-CU |
|--------------|-------|-------|
| | | (₹) |
| NS-B-ND7 | 7mm | 9900 |
| NS-B-ND10 | 10mm | 9950 |
| NS-B-ND13 | 13mm | 12300 |
| NS-B-ND5/32A | 5/32A | 13300 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

CENTRE PUNCH



| Code | Size (mm) | AL-BR |
|--------|-----------|-------|
| | | (₹) |
| NS-198 | 16x100 | 1800 |
| NS-199 | 10x130 | 1950 |
| NS-200 | 6x12x150 | 1950 |
| NS-201 | 13x150 | 1950 |
| NS-202 | 14x150 | 2500 |
| NS-203 | 16x150 | 2450 |
| NS-204 | 17x150 | 3250 |
| NS-205 | 18x160 | 3200 |
| NS-206 | 10x16x175 | 3000 |
| NS-207 | 14x180 | 3000 |
| NS-208 | 18x200 | 3600 |
| NS-209 | 18x250 | 3600 |
| NS-210 | 18x300 | 6000 |
| NS-211 | 18x400 | 5600 |
| NS-212 | 20x250 | 5300 |
| NS-213 | 20x300 | 6100 |
| NS-214 | 20x500 | 8000 |
| NS-215 | 21x250 | 9500 |
| NS-216 | 21x300 | 11500 |
| NS-217 | 25x300 | 12000 |

| Code | Size (mm) | BE-CU |
|--------|-----------|-------|
| | | (₹) |
| NS-228 | 16x100 | 4000 |
| NS-229 | 10x130 | 4500 |
| NS-230 | 6x12x150 | 3100 |
| NS-231 | 13x150 | 3100 |
| NS-232 | 14x150 | 5500 |
| NS-233 | 16x150 | 6000 |
| NS-234 | 17x150 | 7000 |
| NS-235 | 18x160 | 8000 |
| NS-236 | 10x16x175 | 6400 |
| NS-237 | 14x180 | 7000 |
| NS-238 | 18x200 | 8500 |
| NS-239 | 18x250 | 9000 |
| NS-240 | 18x300 | 22000 |
| NS-241 | 18x400 | 24000 |
| NS-242 | 20x250 | 13000 |
| NS-243 | 20x300 | 15000 |
| NS-244 | 20x500 | 22000 |
| NS-245 | 21x250 | 16000 |
| NS-246 | 21x300 | 20000 |
| NS-247 | 25x300 | 24000 |

CHISEL



| Code | Size (mm) | AL-BR |
|--------|-----------|-------|
| | | (₹) |
| NS-268 | 150x12 | 1700 |
| NS-269 | 150x14 | 1950 |
| NS-270 | 160x14 | 1950 |
| NS-271 | 160x16 | 1950 |
| NS-272 | 160x18 | 2300 |
| NS-273 | 200x16 | 2500 |
| NS-274 | 250x16 | 3000 |
| NS-275 | 200x18 | 2850 |
| NS-276 | 200x19 | 3200 |
| NS-277 | 200x20 | 3500 |
| NS-278 | 300x19 | 6500 |
| NS-279 | 100x22 | 3000 |
| NS-280 | 150x22 | 4000 |
| NS-281 | 200x22 | 5000 |
| NS-282 | 250x24 | 6000 |
| NS-283 | 300x24 | 7500 |
| NS-284 | 300x25 | 9400 |
| NS-285 | 500x25 | 19000 |
| NS-286 | 400x27 | 19000 |

| Code | Size (mm) | BE-CU |
|--------|-----------|-------|
| | | (₹) |
| NS-296 | 150x12 | 3800 |
| NS-297 | 150x14 | 4000 |
| NS-298 | 160x14 | 4000 |
| NS-299 | 160x16 | 3600 |
| NS-300 | 160x18 | 4600 |
| NS-301 | 200x16 | 4800 |
| NS-302 | 250x16 | 4800 |
| NS-303 | 200x18 | 5200 |
| NS-304 | 200x19 | 6400 |
| NS-305 | 200x20 | 6400 |
| NS-306 | 300x19 | 10000 |
| NS-307 | 100x22 | 7500 |
| NS-308 | 150x22 | 7700 |
| NS-309 | 200x22 | 8500 |
| NS-310 | 250x24 | 13000 |
| NS-311 | 300x24 | 15000 |
| NS-312 | 300x25 | 20000 |
| NS-313 | 500x25 | 23000 |
| NS-314 | 400x27 | 27000 |

Note : Chisels available in Flat, Round & Hex.

Note : Chisels available in Flat, Round & Hex.

Test Certificate is provided for each piece

www.deneerstools.com

HAMMER BALL PEIN WITH FIBREGLASS HANDLE



| Code | Weight (gms) | AL-BR |
|--------|--------------|-------|
| | | (₹) |
| NS-335 | 230 | 1760 |
| NS-336 | 340 | 2500 |
| NS-337 | 450 | 3300 |
| NS-338 | 680 | 5000 |
| NS-339 | 910 | 6700 |
| NS-340 | 1130 | 8400 |

| Code | Weight (gms) | BE-CU |
|--------|--------------|-------|
| | | (₹) |
| NS-351 | 230 | 4000 |
| NS-352 | 340 | 4400 |
| NS-353 | 450 | 6000 |
| NS-354 | 680 | 9500 |
| NS-355 | 910 | 11000 |
| NS-356 | 1130 | 14000 |

CROSS PEIN HAMMER WITH FIBREGLASS HANDLE



| Code | Weight (gms) | AL-BR |
|--------|--------------|-------|
| | | (₹) |
| NS-367 | 500 | 6100 |
| NS-368 | 900 | 9500 |

| Code | Weight (gms) | BE-CU |
|--------|--------------|-------|
| | | (₹) |
| NS-374 | 500 | 12300 |
| NS-375 | 900 | 20000 |

SLEDGE HAMMER WITH FIBREGLASS HANDLE



| Code | Weight (gms) | AL-BR |
|--------|--------------|-------|
| | | (₹) |
| NS-381 | 450 | 3000 |
| NS-382 | 1000 | 6600 |
| NS-383 | 1400 | 9000 |
| NS-384 | 1500 | 9700 |
| NS-385 | 1800 | 11500 |
| NS-386 | 2000 | 12900 |
| NS-387 | 2500 | 15900 |
| NS-388 | 2700 | 17000 |
| NS-389 | 3000 | 18900 |
| NS-390 | 4000 | 25300 |
| NS-391 | 5000 | 31500 |
| NS-392 | 6000 | 40000 |
| NS-393 | 7200 | 49000 |
| NS-394 | 8000 | 54000 |
| NS-395 | 9100 | 62000 |
| NS-396 | 10000 | 67000 |

| Code | Weight (gms) | BE-CU |
|--------|--------------|--------|
| | | (₹) |
| NS-407 | 450 | 5700 |
| NS-408 | 1000 | 12000 |
| NS-409 | 1400 | 18000 |
| NS-410 | 1500 | 18000 |
| NS-411 | 1800 | 22000 |
| NS-412 | 2000 | 23000 |
| NS-413 | 2500 | 26500 |
| NS-414 | 2700 | 28000 |
| NS-415 | 3000 | 34000 |
| NS-416 | 4000 | 46000 |
| NS-417 | 5000 | 60000 |
| NS-418 | 6000 | 75000 |
| NS-419 | 7200 | 98000 |
| NS-420 | 8000 | 112000 |
| NS-421 | 9100 | 125000 |
| NS-422 | 10000 | 130000 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

CLAW HAMMER



| Code | Weight (gms) | AL-BR |
|--------|--------------|-------|
| | | (₹) |
| NS-433 | 230 | 2700 |
| NS-434 | 450 | 4500 |
| NS-435 | 680 | 6500 |
| NS-436 | 910 | 9300 |

| Code | Weight (gms) | BE-CU |
|--------|--------------|-------|
| | | (₹) |
| NS-447 | 230 | 4500 |
| NS-448 | 450 | 7600 |
| NS-449 | 680 | 10600 |
| NS-450 | 910 | 12800 |

NYLON HAMMER



| Code | Weight (gms) | AL-BR |
|--------|--------------|-------|
| | | (₹) |
| NS-461 | 1000 | 8500 |

FEELER GAUGE



| Code | Size (mm) | AL-BR |
|--------|------------|-------|
| | | (₹) |
| NS-472 | 0.05 - 1.0 | 8900 |

| Code | Size (mm) | BE-CU |
|--------|------------|-------|
| | | (₹) |
| NS-482 | 0.05 - 1.0 | 14000 |

Test Certificate is provided for each piece
www.deneerstools.com

NON SPARKING

S TYPE NEEDLE

| Code | Size (mm) | AL-BR |
|--------|-----------|-------|
| | | (₹) |
| NS-502 | 6X130 | 3200 |



L TYPE NEEDLE

| Code | Size (mm) | AL-BR |
|--------|-----------|-------|
| | | (₹) |
| NS-505 | 6X275 | 2400 |



V SHAPE WRECKING BAR

| Code | Size (mm) | AL-BR |
|--------|-----------|-------|
| | | (₹) |
| NS-525 | 13x250 | 6600 |



CHAIN HOIST

| Code | Capacity Lifting (Ton) | AL-BR |
|--------|------------------------|---------|
| | | (₹) |
| NS-546 | 0.5 | 210000 |
| NS-547 | 1 | 240000 |
| NS-548 | 1.5 | 289000 |
| NS-549 | 2 | 335000 |
| NS-550 | 3 | 435000 |
| NS-551 | 5 | 535000 |
| NS-552 | 10 | 1350000 |
| NS-553 | 16 | 2610000 |



TROLLEY FOR CHAIN HOIST (PULL TYPE)

| Code | Capacity Lifting (ton) | AL-BR |
|--------|------------------------|---------|
| | | (₹) |
| NS-574 | 0.5 | 270000 |
| NS-575 | 1 | 285000 |
| NS-576 | 2 | 400000 |
| NS-577 | 3 | 470000 |
| NS-578 | 5 | 800000 |
| NS-579 | 10 | 1200000 |
| NS-580 | 16 | 1700000 |



Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

HACKSAW FRAME



| Code | Size | AL-BR |
|--------|----------|-------|
| | | (₹) |
| NS-601 | 16-500mm | 11000 |

| Code | Size | BE-CU |
|--------|----------|-------|
| | | (₹) |
| NS-602 | 16-500mm | 21000 |

HACKSAW BLADE



| Code | Size | BE-CU |
|--------|--------|-------|
| | | (₹) |
| NS-606 | 12x1/2 | 4500 |

HACKSAW FRAME (BRASS)



| Code | Size | BRASS |
|--------|----------|-------|
| | | (₹) |
| NS-627 | 12-300mm | 8000 |

HAND SAW



| Code | Size (mm) | AL-BR |
|--------|-----------|-------|
| | | (₹) |
| NS-638 | 35x700mm | 19000 |

NON SPARKING

Test Certificate is provided for each piece
www.deneerstools.com

WEDGE FLANGE



| Code | Size (mm) | AL-BR |
|--------|-----------|-------|
| | | (₹) |
| NS-659 | 10x50x100 | 1900 |
| NS-660 | 13x25x150 | 2200 |
| NS-661 | 12x50x200 | 3300 |
| NS-662 | 30x40x250 | 8000 |
| NS-663 | 40x40x200 | 10000 |
| NS-664 | 40x50x300 | 20000 |
| NS-665 | 8x2x3/4 | 16000 |
| NS-666 | 235x300 | 25000 |

| Code | Size (mm) | BE-CU |
|--------|-----------|-------|
| | | (₹) |
| NS-677 | 10x50x100 | 4400 |
| NS-678 | 13x25x150 | 5500 |
| NS-679 | 12x50x200 | 7700 |
| NS-680 | 30x40x250 | 18500 |
| NS-681 | 40x40x200 | 22500 |
| NS-682 | 40x50x300 | 42000 |
| NS-683 | 8x2x3/4 | 30000 |
| NS-684 | 235x300 | 40000 |

AXE



| Code | Size (mm) | AL-BR |
|--------|-----------------|-------|
| | | (₹) |
| NS-705 | 82 x145 x 340mm | 9000 |

| Code | Size (mm) | BE-CU |
|--------|-----------------|-------|
| | | (₹) |
| NS-716 | 82 x145 x 340mm | 16600 |

FIREMAN AXE



| Code | Size (mm) | AL-BR |
|--------|-----------|-------|
| | | (₹) |
| NS-737 | 1000 Gms | 10000 |

| Code | Size (mm) | BE-CU |
|--------|-----------|-------|
| | | (₹) |
| NS-748 | 1000 Gms | 23000 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

PUTTY SCRAPER



| Code | Size (mm) | AL-BR |
|--------|-----------|-------|
| | | (₹) |
| NS-770 | 25x200 | 6000 |
| NS-771 | 50x200 | 6700 |
| NS-772 | 75x200 | 7050 |
| NS-773 | 100x200 | 7450 |
| NS-774 | 150x250 | 13000 |

| Code | Size (mm) | BE-CU |
|--------|-----------|-------|
| | | (₹) |
| NS-785 | 25x200 | 10000 |
| NS-786 | 50x200 | 11000 |
| NS-787 | 75x200 | 11750 |
| NS-788 | 100x200 | 12100 |
| NS-789 | 150x250 | 21800 |

DECK SCRAPER



| Code | Size (mm) | Breadth (mm) | AL-BR |
|--------|-----------|--------------|-------|
| | | | (₹) |
| NS-810 | 380 | 38 | 12000 |

| Code | Size (mm) | Breadth (mm) | BE-CU |
|--------|-----------|--------------|-------|
| | | | (₹) |
| NS-820 | 380 | 38 | 20400 |

SPRAY BOOTH SCRAPER



| Code | Size (mm) | AL-BR |
|--------|-----------|-------|
| | | (₹) |
| NS-840 | 76X235 | 10000 |

| Code | Size (mm) | BE-CU |
|--------|-----------|-------|
| | | (₹) |
| NS-850 | 76X235 | 24000 |

FLAT SCRAPER



| Code | Size (mm) | AL-BR |
|--------|-----------|-------|
| | | (₹) |
| NS-856 | 30 x 200 | 5100 |
| NS-857 | 30 x 300 | 6500 |
| NS-858 | 60 x 400 | 14000 |

| Code | Size (mm) | BE-CU |
|--------|-----------|-------|
| | | (₹) |
| NS-867 | 30 x 200 | 9900 |
| NS-868 | 30 x 300 | 12500 |
| NS-869 | 60 x 400 | 25000 |

Test Certificate is provided for each piece

www.deneerstools.com

PINCH BAR



| Code | Size (mm) | AL-BR |
|--------|-----------|-------|
| | | (₹) |
| NS-889 | ∅25X500 | 14000 |

| Code | Size (mm) | BE-CU |
|--------|-----------|-------|
| | | (₹) |
| NS-900 | ∅25X500 | 28000 |

CROW BAR



| Code | Length (mm) | B (mm) | H (mm) | AL-BR |
|--------|-------------|--------|--------|-------|
| | | | | (₹) |
| NS-920 | 650 | 23 | 20 | 16000 |

| Code | Length (mm) | B (mm) | H (mm) | BE-CU |
|--------|-------------|--------|--------|-------|
| | | | | (₹) |
| NS-930 | 650 | 23 | 20 | 32000 |

HEARING NEEDLE



| Code | Length (mm) | ∅ | AL-BR |
|--------|-------------|----|-------|
| | | | (₹) |
| NS-941 | 250 | 6 | 5600 |
| NS-942 | 300 | 8 | 7000 |
| NS-943 | 400 | 7 | 8000 |
| NS-944 | 500 | 10 | 9500 |

| Code | Length (mm) | ∅ | BE-CU |
|--------|-------------|----|-------|
| | | | (₹) |
| NS-955 | 250 | 6 | 12500 |
| NS-956 | 300 | 8 | 15100 |
| NS-957 | 400 | 7 | 17700 |
| NS-958 | 500 | 10 | 19900 |

SHOVEL



| Code | Size | AL-BR |
|--------|---------------------------|-------|
| | | (₹) |
| NS-978 | (Square) 340x175x940mm | 24500 |
| NS-979 | (Round) 420x240x990mm | 27500 |
| NS-980 | (Square) 418x240x990mm | 27500 |

| Code | Size | BE-CU |
|--------|---------------------------|-------|
| | | (₹) |
| NS-990 | (Square) 340x175x940mm | 41000 |
| NS-991 | (Round) 420x240x990mm | 48200 |
| NS-992 | (Square) 418x240x990mm | 48200 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

COMBINATION PLIER / LINEMAN PLIER



| Code | Size (mm) | AL-BR |
|-----------|-----------|--------------|
| | | (₹) |
| NS-A-CP6 | 150 | 5300 |
| NS-A-CP7 | 175 | 6500 |
| NS-A-CP8 | 200 | 7500 |
| NS-A-CP10 | 250 | 10000 |

| Code | Size (mm) | BE-CU |
|-----------|-----------|--------------|
| | | (₹) |
| NS-B-CP6 | 150 | 9700 |
| NS-B-CP7 | 175 | 11900 |
| NS-B-CP8 | 200 | 13200 |
| NS-B-CP10 | 250 | 20000 |

LONG NOSE PLIER



| Code | Size (mm) | AL-BR |
|-----------|-----------|-------------|
| | | (₹) |
| NS-A-LNP6 | 150 | 5900 |
| NS-A-LNP7 | 175 | 6500 |
| NS-A-LNP8 | 200 | 6800 |

| Code | Size (mm) | BE-CU |
|-----------|-----------|--------------|
| | | (₹) |
| NS-B-LNP6 | 150 | 10000 |
| NS-B-LNP7 | 175 | 11500 |
| NS-B-LNP8 | 200 | 11000 |

DIAGONAL SIDE CUTTING PLIER



| Code | Size (mm) | AL-BR |
|-----------|-----------|-------------|
| | | (₹) |
| NS-A-SCP6 | 150 | 6000 |
| NS-A-SCP8 | 200 | 6500 |

| Code | Size (mm) | BE-CU |
|-----------|-----------|--------------|
| | | (₹) |
| NS-B-SCP6 | 150 | 10800 |
| NS-B-SCP8 | 200 | 14500 |

Test Certificate is provided for each piece

www.deneerstools.com

WATER PUMP PLIER



| Code | Size (mm) | AL-BR |
|-----------|--------------------|-------|
| | | (₹) |
| NS-A-WP10 | 250 (Box Joint) | 8000 |
| NS-A-WP12 | 300 (Groove Joint) | 12000 |

| Code | Size (mm) | BE-CU |
|-----------|--------------------|-------|
| | | (₹) |
| NS-B-WP10 | 250 (Box Joint) | 16000 |
| NS-B-WP12 | 300 (Groove Joint) | 24000 |

SLIP JOINT PLIER



| Code | Size (mm) | AL-BR |
|-----------|-----------|-------|
| | | (₹) |
| NS-A-SJP6 | 150 | 5700 |
| NS-A-SJP8 | 200 | 6800 |

| Code | Size (mm) | BE-CU |
|-----------|-----------|-------|
| | | (₹) |
| NS-B-SJP6 | 150 | 11500 |
| NS-B-SJP8 | 200 | 12500 |

CIRCLIP PLIERS INTERNAL



| Code | Size (mm) | AL-BR |
|--------------|-----------|-------|
| | | (₹) |
| NS-A-CRPIN8 | 200 | 6500 |
| NS-A-CRPIN10 | 250 | 10000 |

| Code | Size (mm) | BE-CU |
|--------------|-----------|-------|
| | | (₹) |
| NS-B-CRPIN8 | 200 | 11000 |
| NS-B-CRPIN10 | 250 | 20000 |

CIRCLIP PLIERS EXTERNAL



| Code | Size (mm) | AL-BR |
|--------------|-----------|-------|
| | | (₹) |
| NS-A-CRPEX8 | 200 | 6500 |
| NS-A-CRPEX10 | 250 | 10000 |

| Code | Size (mm) | BE-CU |
|--------------|-----------|-------|
| | | (₹) |
| NS-B-CRPEX8 | 200 | 11000 |
| NS-B-CRPEX10 | 250 | 20000 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

NON SPARKING

WIRE STRIPPER



| Code | Size (mm) | AL-BR |
|------------|-----------|-------|
| | | (₹) |
| NS-A-WS170 | 170 | 9000 |

| Code | Size (mm) | BE-CU |
|------------|-----------|-------|
| | | (₹) |
| NS-B-WS170 | 170 | 15000 |

PINCERS



| Code | Size (mm) | AL-BR |
|----------|-----------|-------|
| | | (₹) |
| NS-A-PN8 | 200 | 8500 |

| Code | Size (mm) | BE-CU |
|----------|-----------|-------|
| | | (₹) |
| NS-B-PN8 | 200 | 17500 |

CRIMPING PLIER



| Code | Size (mm) | AL-BR |
|---------|-----------|-------|
| | | (₹) |
| NS-1013 | 160 | 10000 |

| Code | Size (mm) | BE-CU |
|---------|-----------|-------|
| | | (₹) |
| NS-1024 | 160 | 20000 |

VICE GRIP LOCKING PLIER



| Code | Size (mm) | AL-BR |
|----------|-----------|-------|
| | | (₹) |
| NS-A-VG9 | 225 | 10000 |

| Code | Size (mm) | BE-CU |
|----------|-----------|-------|
| | | (₹) |
| NS-B-VG9 | 225 | 20000 |

Test Certificate is provided for each piece

www.deneerstools.com

1/2 DRIVE SOCKETS

NON SPARKING



MM

MM

| Code | Size (mm) | AL-BR |
|----------------|----------------|-------|
| | | (₹) |
| NS-N-A-S 6 | 6 | 2200 |
| NS-N-A-S 7 | 7 | 2200 |
| NS-N-A-S 8 | 8 | 2200 |
| NS-N-A-S 9 | 9 | 2300 |
| NS-N-A-S 10 | 10 | 2400 |
| NS-N-A-S 11 | 11 | 2400 |
| NS-N-A-S 12 | 12 | 2400 |
| NS-N-A-S 13 | 13 | 2700 |
| NS-N-A-S 14 | 14 | 2700 |
| NS-N-A-S 15 | 15 | 2700 |
| NS-N-A-S 16 | 16 | 2700 |
| NS-N-A-S 17 | 17 | 3100 |
| NS-N-A-S 18 | 18 | 3100 |
| NS-N-A-S 19 | 19 | 3100 |
| NS-N-A-S 20 | 20 | 3600 |
| NS-N-A-S 21 | 21 | 3600 |
| NS-N-A-S 22 | 22 | 3600 |
| NS-N-A-S 23 | 23 | 4000 |
| NS-N-A-S 24 | 24 | 4400 |
| NS-N-A-S 25 | 25 | 4700 |
| NS-N-A-S 26 | 26 | 5000 |
| NS-N-A-S 27 | 27 | 5500 |
| NS-N-A-S 28 | 28 | 5500 |
| NS-N-A-S 29 | 29 | 6500 |
| NS-N-A-S 30 | 30 | 6500 |
| NS-N-A-S 32 | 32 | 6500 |
| NS-N-A-S 1/2W | 1/2 VW | 7500 |
| NS-N-A-S 9/16W | 9/16 WW | 8800 |

| Code | Size (mm) | BE-CU |
|----------------|----------------|-------|
| | | (₹) |
| NS-N-B-S 6 | 6 | 4000 |
| NS-N-B-S 7 | 7 | 4000 |
| NS-N-B-S 8 | 8 | 4000 |
| NS-N-B-S 9 | 9 | 4200 |
| NS-N-B-S 10 | 10 | 4200 |
| NS-N-B-S 11 | 11 | 4500 |
| NS-N-B-S 12 | 12 | 4600 |
| NS-N-B-S 13 | 13 | 4800 |
| NS-N-B-S 14 | 14 | 5100 |
| NS-N-B-S 15 | 15 | 5100 |
| NS-N-B-S 16 | 16 | 5200 |
| NS-N-B-S 17 | 17 | 5800 |
| NS-N-B-S 18 | 18 | 5800 |
| NS-N-B-S 19 | 19 | 6000 |
| NS-N-B-S 20 | 20 | 7000 |
| NS-N-B-S 21 | 21 | 8000 |
| NS-N-B-S 22 | 22 | 8200 |
| NS-N-B-S 23 | 23 | 8500 |
| NS-N-B-S 24 | 24 | 9000 |
| NS-N-B-S 25 | 25 | 9500 |
| NS-N-B-S 26 | 26 | 9500 |
| NS-N-B-S 27 | 27 | 10000 |
| NS-N-B-S 28 | 28 | 11500 |
| NS-N-B-S 29 | 29 | 14000 |
| NS-N-B-S 30 | 30 | 14000 |
| NS-N-B-S 32 | 32 | 14000 |
| NS-N-B-S 1/2W | 1/2 VW | 14000 |
| NS-N-B-S 9/16W | 9/16 WW | 14000 |

SAE

| Code | Size (SAE) | AL-BR |
|-----------------|------------|-------|
| | | (₹) |
| NS-N-A-S 5/16A | 5/16 | 3050 |
| NS-N-A-S 3/8A | 3/8 | 3100 |
| NS-N-A-S 7/16A | 7/16 | 3750 |
| NS-N-A-S 1/2A | 1/2 | 3850 |
| NS-N-A-S 9/16A | 9/16 | 4150 |
| NS-N-A-S 5/8A | 5/8 | 5200 |
| NS-N-A-S 3/4A | 3/4 | 5300 |
| NS-N-A-S 13/16A | 13/16 | 5400 |
| NS-N-A-S 7/8A | 7/8 | 5700 |
| NS-N-A-S 1A | 1 | 6300 |
| NS-N-A-S 1.1/8A | 1.1/8 | 7150 |
| NS-N-A-S 15/16A | 15/16 | 7250 |
| NS-N-A-S 1.1/4A | 1.1/4 | 10500 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

1/2 DRIVE IMPACT SOCKETS (DEEP)



MM

| Code | Length (mm) | Size (mm) | AL-BR |
|-------------------|-------------|-----------|-------|
| | | | (₹) |
| NS-A-N-IMP-S 8 D | 80 | 8 | 3500 |
| NS-A-N-IMP-S 10 D | 80 | 10 | 4000 |
| NS-A-N-IMP-S 12 D | 80 | 12 | 4500 |
| NS-A-N-IMP-S 14 D | 80 | 14 | 5200 |
| NS-A-N-IMP-S 17 D | 80 | 17 | 6000 |
| NS-A-N-IMP-S 19 D | 80 | 19 | 6500 |
| NS-A-N-IMP-S 22 D | 80 | 22 | 7000 |
| NS-A-N-IMP-S 24 D | 80 | 24 | 8000 |
| NS-A-N-IMP-S 27 D | 80 | 27 | 10000 |
| NS-A-N-IMP-S 30 D | 80 | 30 | 12000 |
| NS-A-N-IMP-S 32 D | 80 | 32 | 12500 |

3/4 DRIVE IMPACT SOCKETS (DEEP)



MM

| Code | Length (mm) | Size (mm) | AL-BR |
|-----------------|-------------|-----------|-------|
| | | | (₹) |
| NS-A-C-IMP-S24D | 90 | 24 | 8000 |
| NS-A-C-IMP-S27D | 90 | 27 | 10000 |
| NS-A-C-IMP-S30D | 90 | 30 | 12000 |
| NS-A-C-IMP-S32D | 90 | 32 | 13000 |
| NS-A-C-IMP-S36D | 90 | 36 | 14500 |
| NS-A-C-IMP-S41D | 90 | 41 | 20000 |
| NS-A-C-IMP-S46D | 100 | 46 | 22000 |
| NS-A-C-IMP-S50D | 100 | 50 | 24000 |

Test Certificate is provided for each piece

www.deneerstools.com

3/4 DRIVE SOCKETS



MM

| Code | Size (mm) | AL-BR |
|-------------|-----------|-------|
| | | (₹) |
| NS-A-C-S 17 | 17 | 4000 |
| NS-A-C-S 19 | 19 | 4000 |
| NS-A-C-S 21 | 21 | 4200 |
| NS-A-C-S 22 | 22 | 4200 |
| NS-A-C-S 23 | 23 | 6000 |
| NS-A-C-S 24 | 24 | 4200 |
| NS-A-C-S 26 | 26 | 6000 |
| NS-A-C-S 27 | 27 | 6000 |
| NS-A-C-S 28 | 28 | 6300 |
| NS-A-C-S 29 | 29 | 7000 |
| NS-A-C-S 30 | 30 | 7000 |
| NS-A-C-S 31 | 31 | 8000 |
| NS-A-C-S 32 | 32 | 8000 |
| NS-A-C-S 34 | 34 | 8500 |
| NS-A-C-S 36 | 36 | 9000 |
| NS-A-C-S 38 | 38 | 9500 |
| NS-A-C-S 41 | 41 | 10000 |
| NS-A-C-S 46 | 46 | 13000 |
| NS-A-C-S 50 | 50 | 13500 |

MM

| Code | Size (mm) | BE-CU |
|-------------|-----------|-------|
| | | (₹) |
| NS-B-C-S 17 | 17 | 8000 |
| NS-B-C-S 19 | 19 | 8000 |
| NS-B-C-S 21 | 21 | 8500 |
| NS-B-C-S 22 | 22 | 8500 |
| NS-B-C-S 23 | 23 | 10000 |
| NS-B-C-S 24 | 24 | 9200 |
| NS-B-C-S 26 | 26 | 13000 |
| NS-B-C-S 27 | 27 | 11250 |
| NS-B-C-S 28 | 28 | 12000 |
| NS-B-C-S 29 | 29 | 14000 |
| NS-B-C-S 30 | 30 | 15000 |
| NS-B-C-S 31 | 31 | 18000 |
| NS-B-C-S 32 | 32 | 15000 |
| NS-B-C-S 34 | 34 | 17500 |
| NS-B-C-S 36 | 36 | 17500 |
| NS-B-C-S 38 | 38 | 17500 |
| NS-B-C-S 41 | 41 | 20000 |
| NS-B-C-S 46 | 46 | 24000 |
| NS-B-C-S 50 | 50 | 24000 |

1 DRIVE SOCKETS

MM

| Code | Size (mm) | AL-BR |
|------------|-----------|-------|
| | | (₹) |
| NS-D-A-S41 | 41 | 15000 |
| NS-D-A-S46 | 46 | 17000 |
| NS-D-A-S50 | 50 | 18000 |
| NS-D-A-S55 | 55 | 20000 |
| NS-D-A-S60 | 60 | 23000 |
| NS-D-A-S65 | 65 | 24000 |
| NS-D-A-S70 | 70 | 27000 |
| NS-D-A-S75 | 75 | 30000 |
| NS-D-A-S80 | 80 | 32000 |



Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

REVERSIBLE RATCHET



| Code | Drive | Size (mm) | AL-BR |
|-----------|-------|-----------|-------|
| | | | (₹) |
| NS-A-B-RR | 3/8 | 200 | 8000 |
| NS-A-N-RR | 1/2 | 245 | 8800 |
| NS-A-C-RR | 3/4 | 320 | 17500 |
| NS-A-D-RR | 1 | 500 | 35000 |

| Code | Drive | Size (mm) | BE-CU |
|-----------|-------|-----------|-------|
| | | | (₹) |
| NS-B-B-RR | 3/8 | 200 | 14500 |
| NS-B-N-RR | 1/2 | 245 | 18000 |
| NS-B-C-RR | 3/4 | 320 | 36000 |
| NS-B-D-RR | 1 | 500 | 85000 |

EXTENSION BAR



| Code | Drive | Size (mm) | AL-BR |
|-------------|-------|-----------|-------|
| | | | (₹) |
| NS-A-N-EB5 | 1/2 | 125 | 4000 |
| NS-A-N-EB10 | 1/2 | 250 | 6500 |
| NS-A-C-EB8 | 3/4 | 200 | 8000 |

| Code | Drive | Size (mm) | BE-CU |
|-------------|-------|-----------|-------|
| | | | (₹) |
| NS-B-N-EB5 | 1/2 | 125 | 6500 |
| NS-B-N-EB10 | 1/2 | 250 | 9250 |
| NS-B-C-EB8 | 3/4 | 200 | 15000 |

SLIDING T-HANDLE



| Code | Drive | Size (mm) | AL-BR |
|-------------|-------|-----------|-------|
| | | | (₹) |
| NS-A-N-TH10 | 1/2 | 250 | 6500 |
| NS-A-C-TH14 | 3/4 | 350 | 10000 |
| NS-A-C-TH16 | 3/4 | 400 | 12000 |
| NS-A-D-TH16 | 1 | 400 | 15500 |

| Code | Drive | Size (mm) | BE-CU |
|-------------|-------|-----------|-------|
| | | | (₹) |
| NS-B-N-TH10 | 1/2 | 250 | 12000 |
| NS-B-C-TH14 | 3/4 | 350 | 18000 |
| NS-B-C-TH16 | 3/4 | 400 | 22500 |
| NS-B-D-TH16 | 1 | 400 | 32000 |

T-TYPE WRENCH

| Code | Drive | Size (mm) | AL-BR |
|-----------|-------|-----------|-------|
| | | | (₹) |
| NS-A-C-TW | 3/4 | 110 | 11000 |
| NS-A-D-TW | 1 | 132 | 18000 |

| Code | Drive | Size (mm) | BE-CU |
|-----------|-------|-----------|-------|
| | | | (₹) |
| NS-B-C-TW | 3/4 | 110 | 22000 |
| NS-B-D-TW | 1 | 132 | 36000 |

Test Certificate is provided for each piece

www.deneerstools.com

SPEED BRACE



| Code | Drive | Size (mm) | AL-BR |
|--------------|-------|-----------|-------|
| | | | (₹) |
| NS-A-N-SB390 | 1/2 | 390 | 7000 |

| Code | Drive | Size (mm) | BE-CU |
|--------------|-------|-----------|-------|
| | | | (₹) |
| NS-B-N-SB390 | 1/2 | 390 | 14000 |

UNIVERSAL JOINT



| Code | Drive | Size (mm) | AL-BR |
|-----------|-------|-----------|-------|
| | | | (₹) |
| NS-A-N-UJ | 1/2 | 80 | 3850 |
| NS-A-C-UJ | 3/4 | 110 | 10000 |
| NS-A-D-UJ | 1 | 132 | 26000 |

| Code | Drive | Size (mm) | BE-CU |
|-----------|-------|-----------|-------|
| | | | (₹) |
| NS-B-N-UJ | 1/2 | 80 | 8000 |
| NS-B-C-UJ | 3/4 | 110 | 21600 |
| NS-B-D-UJ | 1 | 132 | 45000 |

SPARK PLUG SOCKET



| Code | Drive | Size (SAE) | AL-BR |
|------------|-------|------------|-------|
| | | | (₹) |
| NS-A-B-SPS | 3/8 | 13/16 | 5600 |
| NS-A-N-SPS | 1/2 | 13/16 | 8000 |

| Code | Drive | Size (SAE) | BE-CU |
|------------|-------|------------|-------|
| | | | (₹) |
| NS-B-B-SPS | 3/8 | 13/16 | 12000 |
| NS-B-N-SPS | 1/2 | 13/16 | 14500 |

L- HANDLE / OFFSET HANDLE



| Code | Drive | Size (mm) | AL-BR |
|-----------|-------|-----------|-------|
| | | | (₹) |
| NS-A-N-LH | 1/2 | 230 | 5500 |
| NS-A-C-LH | 3/4 | 280 | 12000 |

| Code | Drive | Size (mm) | BE-CU |
|-----------|-------|-----------|-------|
| | | | (₹) |
| NS-B-N-LH | 1/2 | 230 | 11000 |
| NS-B-C-LH | 3/4 | 280 | 22000 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

SCREW DRIVER BIT SOCKET



| Code | Drive | Size (mm) | AL-BR |
|------------|-------|-----------|-------------|
| | | | (₹) |
| NS-A-N-SDS | 1/2 | 52 | 2500 |

| Code | Drive | Size (mm) | BE-CU |
|------------|-------|-----------|-------------|
| | | | (₹) |
| NS-B-N-SDS | 1/2 | 52 | 4500 |

SWIVEL HANDLE



| Code | Drive | Size (mm) | AL-BR |
|-------------|-------|-----------|--------------|
| | | | (₹) |
| NS-A-SWH250 | 1/2 | 250 | 6600 |
| NS-A-SWH400 | 1/2 | 400 | 11000 |
| NS-A-SWH286 | 3/4 | 286 | 12000 |

| Code | Drive | Size (mm) | BE-CU |
|-------------|-------|-----------|--------------|
| | | | (₹) |
| NS-B-SWH250 | 1/2 | 250 | 13200 |
| NS-B-SWH400 | 1/2 | 400 | 23000 |
| NS-B-SWH286 | 3/4 | 286 | 24000 |

ADAPTOR



| Code | Drive | AL-BR |
|---------------------|-------------|--------------|
| | | (₹) |
| NS-A-SA 1/2F x 3/4M | 1/2F x 3/4M | 5100 |
| NS-A-SA 3/4F x 1/2M | 3/4F x 1/2M | 5900 |
| NS-A-SA 1F x 3/4M | 1F x 3/4M | 9900 |
| NS-A-SA 1M x 3/4F | 1M x 3/4F | 10900 |

| Code | Drive | BE-CU |
|---------------------|-------------|--------------|
| | | (₹) |
| NS-B-SA 1/2F x 3/4M | 1/2F x 3/4M | 16000 |
| NS-B-SA 3/4F x 1/2M | 3/4F x 1/2M | 18000 |
| NS-B-SA 1F x 3/4M | 1F x 3/4M | 36000 |
| NS-B-SA 1M x 3/4F | 1M x 3/4F | 38000 |

Test Certificate is provided for each piece

www.deneerstools.com

1/2 DRIVE SOCKET SETS



1/2 DRIVE SOCKET SET- 17 Pcs.

| Code | Contents | AL-BR (₹) |
|---------|--|---------------|
| NS-1051 | <ul style="list-style-type: none"> *Sockets : 11 Numbers: 10, 11, 12, 14, 17, 19, 22, 24, 27, 30, 32mm *Ratchet Wrench 245 mm *Sliding T-Handle 250 mm *Speed Brace 400 mm *Driver Extension 125mm & 250mm *Socket Box | 110000 |

| Code | Contents | BE-CU (₹) |
|---------|--|---------------|
| NS-1061 | <ul style="list-style-type: none"> *Sockets : 11 Numbers: 10, 11, 12, 14, 17, 19, 22, 24, 27, 30, 32mm *Ratchet Wrench 245 mm *Sliding T-Handle 250 mm *Speed Brace 400 mm *Driver Extension 125mm & 250mm *Socket Box | 210000 |

1/2 DRIVE SOCKET SET- 25 Pcs.

| Code | Contents | AL-BR (₹) |
|---------|--|---------------|
| NS-1071 | <ul style="list-style-type: none"> *Sockets : 18 Numbers: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm *Ratchet Wrench 245 mm *Sliding T-Handle 250 mm *Speed Brace 400 mm *Driver Extension 125 mm & 250mm *Universal Joint 80 mm *Socket Box | 120000 |

| Code | Contents | BE-CU (₹) |
|---------|--|---------------|
| NS-1081 | <ul style="list-style-type: none"> *Sockets : 18 Numbers: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm *Ratchet Wrench 245 mm *Sliding T-Handle 250 mm *Speed Brace 400 mm *Driver Extension 125 mm & 250mm *Universal Joint 80 mm *Socket Box | 236000 |

1/2 DRIVE SOCKET SET- 32 Pcs.

| Code | Contents | AL-BR (₹) |
|---------|--|---------------|
| NS-1091 | <ul style="list-style-type: none"> *Sockets : 22 Numbers: 8-24, 26-28, 30, 32 mm *13/16 Spark Plug *Ratchet Wrench 245 mm *Sliding T-Handle 250 mm *Speed Brace 400 mm *Driver Extension 125 & 250mm *Universal Joint 80 mm *Screw Driver Socket 52 mm *Offset Handle 230 mm *Socket Box | 140000 |

| Code | Contents | BE-CU (₹) |
|---------|--|---------------|
| NS-1101 | <ul style="list-style-type: none"> *Sockets : 22 Numbers: 8-24, 26-28, 30, 32 mm *13/16 Spark Plug *Ratchet Wrench 245 mm *Sliding T-Handle 250 mm *Speed Brace 400 mm *Driver Extension 125 & 250mm *Universal Joint 80 mm *Screw Driver Socket 52 mm *Offset Handle 230 mm *Socket Box | 270000 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

3/4 DRIVE SOCKET SETS



NON SPARKING

3/4 DRIVE SOCKET SET- 15 Pcs.

| Code | Contents | AL-BR (₹) |
|---------|--|---------------|
| NS-1121 | <ul style="list-style-type: none"> • Socket 11 Numbers : Sockets : 21, 24, 27, 30, 32, 34, 36, 38, 41, 46, 50 mm • Ratchet Wrench 320 mm • Sliding T-Handle 3/4 400 mm • Driver Extension 200 mm • Socket Box | 145000 |

| Code | Contents | BE-CU (₹) |
|---------|--|---------------|
| NS-1131 | <ul style="list-style-type: none"> • Socket 11 Numbers : Sockets : 21, 24, 27, 30, 32, 34, 36, 38, 41, 46, 50 mm • Ratchet Wrench 320 mm • Sliding T-Handle 3/4 400 mm • Driver Extension 200 mm • Socket Box | 300000 |

3/4 DRIVE SOCKET SET- 21 Pcs.

| Code | Contents | AL-BR (₹) |
|---------|---|---------------|
| NS-1141 | <ul style="list-style-type: none"> • Socket 17 Numbers : 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 34, 36, 38, 41, 46, 50mm • Ratchet Wrench 320 mm • Sliding T-Handle 3/4 400 mm • Driver Extension 200 mm • Socket Box | 165000 |

| Code | Contents | BE-CU (₹) |
|---------|---|---------------|
| NS-1151 | <ul style="list-style-type: none"> • Socket 17 Numbers : 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 34, 36, 38, 41, 46, 50mm • Ratchet Wrench 320 mm • Sliding T-Handle 3/4 400 mm • Driver Extension 200 mm • Socket Box | 400000 |

Test Certificate is provided for each piece

www.deneerstools.com

ROUND FILE

| Code | Size (mm) | BE-CU |
|-----------|-----------|-------|
| | | (₹) |
| NS-B-RF6 | 150mm-6 | 8000 |
| NS-B-RF8 | 200mm-8 | 8800 |
| NS-B-RF10 | 250mm-10 | 10000 |
| NS-B-RF12 | 300mm-12 | 14900 |
| NS-B-RF14 | 350mm-14 | 22500 |



FLAT FILE

| Code | Size (mm) | BE-CU |
|-----------|-----------|-------|
| | | (₹) |
| NS-B-FF6 | 150mm-6 | 7500 |
| NS-B-FF8 | 200mm-8 | 8400 |
| NS-B-FF10 | 250mm-10 | 9500 |
| NS-B-FF12 | 300mm-12 | 15500 |
| NS-B-FF14 | 350mm-14 | 25000 |
| NS-B-FF16 | 400mm-16 | 31500 |



HALF ROUND FILE

| Code | Size (mm) | BE-CU |
|------------|-----------|-------|
| | | (₹) |
| NS-B-HRF6 | 150mm-6 | 8500 |
| NS-B-HRF8 | 200mm-8 | 8500 |
| NS-B-HRF10 | 250mm-10 | 9900 |
| NS-B-HRF12 | 300mm-12 | 15000 |
| NS-B-HRF14 | 350mm-14 | 25000 |



TRIANGLE FILE

| Code | Size (mm) | BE-CU |
|-----------|-----------|-------|
| | | (₹) |
| NS-B-TF8 | 200mm-8 | 8500 |
| NS-B-TF10 | 250mm-10 | 10000 |
| NS-B-TF12 | 300mm-12 | 13800 |
| NS-B-TF14 | 350mm-14 | 22500 |



SQUARE FILE

| Code | Size (mm) | BE-CU |
|-----------|-----------|-------|
| | | (₹) |
| NS-B-SF8 | 200mm-8 | 9800 |
| NS-B-SF10 | 250mm-10 | 11000 |
| NS-B-SF12 | 300mm-12 | 15500 |
| NS-B-SF14 | 350mm-14 | 23000 |



Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

BOTTOM VALVE WRENCH



| Code | Size (mm) | AL-BR |
|---------|-----------|-------|
| | | (₹) |
| NS-1161 | 650 | 38000 |
| NS-1162 | 800 | 45000 |

VALVE HANDLE



| Code | Size (mm) | AL-BR |
|---------|-----------|-------|
| | | (₹) |
| NS-1183 | 30x200 | 7620 |
| NS-1184 | 35x250 | 8500 |
| NS-1185 | 32x300 | 8660 |
| NS-1186 | 40x300 | 9000 |
| NS-1187 | 45x350 | 9900 |
| NS-1188 | 48x375 | 11100 |
| NS-1189 | 50x400 | 12200 |
| NS-1190 | 55x450 | 14550 |
| NS-1191 | 60x500 | 15600 |
| NS-1192 | 70x600 | 19900 |
| NS-1193 | 103x1200 | 33500 |

| Code | Size (mm) | BE-CU |
|---------|-----------|-------|
| | | (₹) |
| NS-1204 | 30x200 | 12200 |
| NS-1205 | 35x250 | 17000 |
| NS-1206 | 32x300 | 18000 |
| NS-1207 | 40x300 | 18000 |
| NS-1208 | 45x350 | 20000 |
| NS-1209 | 48x375 | 21000 |
| NS-1210 | 50x400 | 21200 |
| NS-1211 | 55x450 | 25500 |
| NS-1212 | 60x500 | 29900 |
| NS-1213 | 70x600 | 38000 |
| NS-1214 | 103x1200 | 85000 |

CRATE OPENER



| Code | Size (mm) | AL-BR |
|---------|-----------|-------|
| | | (₹) |
| NS-1235 | 230 | 5100 |

| Code | Size (mm) | BE-CU |
|---------|-----------|-------|
| | | (₹) |
| NS-1241 | 230 | 9900 |

WRECKING BAR



| Code | Size (mm) | AL-BR |
|---------|-----------|-------|
| | | (₹) |
| NS-1261 | 16X400 | 25000 |

| Code | Size (mm) | BE-CU |
|---------|-----------|-------|
| | | (₹) |
| NS-1268 | 16X400 | 50000 |

Test Certificate is provided for each piece

www.deneerstools.com

DRUM OPENER WITH BUNG WRENCH



| Code | Size (mm) | AL-BR |
|---------|-----------|-------|
| | | (₹) |
| NS-1288 | 300 | 14400 |

| Code | Size (mm) | BE-CU |
|---------|-----------|-------|
| | | (₹) |
| NS-1293 | 300 | 28000 |

DRUM OPENER WITH ANGULAR BUNG WRENCH



| Code | Size (mm) | AL-BR |
|---------|-----------|-------|
| | | (₹) |
| NS-1303 | 385 | 14400 |

| Code | Size (mm) | BE-CU |
|---------|-----------|-------|
| | | (₹) |
| NS-1308 | 385 | 28000 |

DRUM OPENER WITH CUTTER



| Code | Size (mm) | AL-BR |
|---------|-----------|-------|
| | | (₹) |
| NS-1319 | 520 | 68000 |

| Code | Size (mm) | BE-CU |
|---------|-----------|--------|
| | | (₹) |
| NS-1324 | 520 | 130000 |

DRUM OPENER



| Code | Size (mm) | AL-BR |
|---------|-----------|-------|
| | | (₹) |
| NS-1334 | 290 | 10000 |

| Code | Size (mm) | BRASS |
|---------|-----------|-------|
| | | (₹) |
| NS-1338 | 290 | 10000 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

BOLT CUTTER



| Code | Size (mm) | AL-BR |
|-----------|-----------|--------|
| | | (₹) |
| NS-A-BC10 | 250mm-10 | 11000 |
| NS-A-BC14 | 350mm-14 | 29100 |
| NS-A-BC18 | 450mm-18 | 36000 |
| NS-A-BC24 | 600mm-24 | 40000 |
| NS-A-BC36 | 900mm-36 | 130000 |

| Code | Size (mm) | BE-CU |
|-----------|-----------|--------|
| | | (₹) |
| NS-B-BC10 | 250mm-10 | 22000 |
| NS-B-BC14 | 350mm-14 | 56000 |
| NS-B-BC18 | 450mm-18 | 75000 |
| NS-B-BC24 | 600mm-24 | 88000 |
| NS-B-BC36 | 900mm-36 | 250000 |

TIN SNIP



| Code | Size (mm) | AL-BR |
|---------|-----------|-------|
| | | (₹) |
| NS-1358 | 280 | 14000 |

| Code | Size (mm) | BE-CU |
|---------|-----------|-------|
| | | (₹) |
| NS-1369 | 280 | 27000 |

KNIFE



| Code | Size (mm) | AL-BR |
|---------|----------------|-------|
| | | (₹) |
| NS-1378 | 80x193 (Small) | 5600 |
| NS-1379 | 137x250 (Big) | 6600 |

| Code | Size (mm) | BE-CU |
|---------|----------------|-------|
| | | (₹) |
| NS-1388 | 80x193 (Small) | 9200 |
| NS-1389 | 137x250 (Big) | 11400 |


SCISSOR



| Code | Size (mm) | AL-BR |
|---------|-----------|-------|
| | | (₹) |
| NS-1409 | 225-9 | 8100 |

| Code | Size (mm) | BE-CU |
|---------|-----------|-------|
| | | (₹) |
| NS-1419 | 225-9 | 13600 |

SHEAR TIN SCISSOR



| Code | Size (mm) | AL-BR |
|---------|-----------|-------|
| | | (₹) |
| NS-1430 | 300-12 | 13500 |

| Code | Size (mm) | BE-CU |
|---------|-----------|-------|
| | | (₹) |
| NS-1440 | 300-12 | 21750 |

CYLINDER KEY



| Code | Size (Opening) (mm) | AL-BR |
|---------|---------------------|-------|
| | | (₹) |
| NS-1460 | 6 (Square) | 5500 |
| NS-1461 | 8 (Square) | 7500 |
| NS-1462 | 10 (Square) | 8500 |
| NS-1463 | 8 (Hex) | 7500 |
| NS-1464 | 10 (Hex) | 8500 |

| Code | Size (Opening) (mm) | BE-CU |
|---------|---------------------|-------|
| | | (₹) |
| NS-1475 | 6 (Square) | 9300 |
| NS-1476 | 8 (Square) | 13000 |
| NS-1477 | 10 (Square) | 15150 |
| NS-1478 | 8 (Hex) | 13000 |
| NS-1479 | 10 (Hex) | 15150 |

OXYGEN BOTTLE WRENCH



| Code | Size (mm) | Length (mm) | AL-BR |
|----------|-----------|-------------|-------|
| | | | (₹) |
| NS-A-OW6 | 6 | 125 | 9000 |
| NS-A-OW8 | 8 | 125 | 11000 |

Both Square and Hex

| Code | Size (mm) | Length (mm) | BE-CU |
|----------|-----------|-------------|-------|
| | | | (₹) |
| NS-B-OW6 | 6 | 125 | 14000 |
| NS-B-OW8 | 8 | 125 | 16000 |

Both Square and Hex

TWEEZER



| Code | Size (mm) | AL-BR |
|-----------|-----------|-------|
| | | (₹) |
| NS-A-T150 | 150 | 3000 |
| NS-A-T200 | 200 | 4500 |

| Code | Size (mm) | BE-CU |
|-----------|-----------|-------|
| | | (₹) |
| NS-B-T150 | 150 | 6500 |
| NS-B-T200 | 200 | 10000 |

C-CLAMP



| Code | Size (mm) | AL-BR |
|------------|-----------|-------|
| | | (₹) |
| NS-A-CL60 | 60mm | 11000 |
| NS-A-CL80 | 80mm | 11500 |
| NS-A-CL100 | 100mm | 13000 |
| NS-A-CL150 | 150mm | 16000 |

| Code | Size (mm) | BE-CU |
|------------|-----------|-------|
| | | (₹) |
| NS-B-CL60 | 60mm | 22000 |
| NS-B-CL80 | 80mm | 26000 |
| NS-B-CL100 | 100mm | 27000 |
| NS-B-CL150 | 150mm | 36000 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

BRUSH CUP



| Code | Size (mm) | AL-BR |
|---------|------------|-------|
| | | (₹) |
| NS-1494 | Φ 100x14mm | 17000 |

| Code | Size (mm) | BE-CU |
|---------|------------|-------|
| | | (₹) |
| NS-1505 | Φ 100x14mm | 39000 |

TUBE BRUSH



| Code | Size (mm) | AL-BR |
|---------|------------|-------|
| | | (₹) |
| NS-1515 | Φ 20x100mm | 3800 |

SPARK PLUG CLEANING BRUSH



| Code | Size (mm) | Rows | AL-BR |
|---------|-----------|------|-------|
| | | | (₹) |
| NS-1526 | 196mm | 3x7 | 1800 |

BRUSH



| Code | Size (mm) | Rows | AL-BR |
|---------|-----------|------|-------|
| | | | (₹) |
| NS-1537 | 290x29 | 4x16 | 3500 |

| Code | Size (mm) | Rows | BE-CU |
|---------|-----------|------|-------|
| | | | (₹) |
| NS-1547 | 290x29 | 4x16 | 5500 |

BRUSH SHOE HANDLE



| Code | Size (mm) | Rows | AL-BR |
|---------|-----------|------|-------|
| | | | (₹) |
| NS-1557 | 255 | 4x16 | 3400 |

| Code | Size (mm) | Rows | BE-CU |
|---------|-----------|------|-------|
| | | | (₹) |
| NS-1568 | 255 | 4x16 | 8000 |

Test Certificate is provided for each piece

www.deneerstools.com

ALLEN KEY HEX (MM)



NON SPARKING

| Code | Size (mm) | AL-BR |
|------------|-----------|-------|
| | | (₹) |
| NS-A-AK1.5 | 1.5 | 1600 |
| NS-A-AK2 | 2 | 1800 |
| NS-A-AK2.5 | 2.5 | 1900 |
| NS-A-AK3 | 3 | 1900 |
| NS-A-AK4 | 4 | 2000 |
| NS-A-AK5 | 5 | 2050 |
| NS-A-AK6 | 6 | 2100 |
| NS-A-AK7 | 7 | 2500 |
| NS-A-AK8 | 8 | 2300 |
| NS-A-AK9 | 9 | 3400 |
| NS-A-AK10 | 10 | 2700 |
| NS-A-AK11 | 11 | 3900 |
| NS-A-AK12 | 12 | 3200 |
| NS-A-AK13 | 13 | 4900 |
| NS-A-AK14 | 14 | 4400 |
| NS-A-AK15 | 15 | 6000 |
| NS-A-AK16 | 16 | 6500 |
| NS-A-AK17 | 17 | 5400 |
| NS-A-AK18 | 18 | 7400 |
| NS-A-AK19 | 19 | 6000 |
| NS-A-AK20 | 20 | 11000 |
| NS-A-AK21 | 21 | 11000 |
| NS-A-AK22 | 22 | 7200 |
| NS-A-AK24 | 24 | 10500 |
| NS-A-AK27 | 27 | 12500 |
| NS-A-AK30 | 30 | 15000 |
| NS-A-AK32 | 32 | 19000 |

| Code | Size (mm) | BE-CU |
|------------|-----------|-------|
| | | (₹) |
| NS-B-AK1.5 | 1.5 | 3400 |
| NS-B-AK2 | 2 | 3400 |
| NS-B-AK2.5 | 2.5 | 3600 |
| NS-B-AK3 | 3 | 3700 |
| NS-B-AK4 | 4 | 3800 |
| NS-B-AK5 | 5 | 3800 |
| NS-B-AK6 | 6 | 3800 |
| NS-B-AK7 | 7 | 5000 |
| NS-B-AK8 | 8 | 4200 |
| NS-B-AK9 | 9 | 7000 |
| NS-B-AK10 | 10 | 4900 |
| NS-B-AK11 | 11 | 7000 |
| NS-B-AK12 | 12 | 6000 |
| NS-B-AK13 | 13 | 9000 |
| NS-B-AK14 | 14 | 8000 |
| NS-B-AK15 | 15 | 11000 |
| NS-B-AK16 | 16 | 12000 |
| NS-B-AK17 | 17 | 9500 |
| NS-B-AK18 | 18 | 14000 |
| NS-B-AK19 | 19 | 12500 |
| NS-B-AK20 | 20 | 12000 |
| NS-B-AK21 | 21 | 15000 |
| NS-B-AK22 | 22 | 14000 |
| NS-B-AK24 | 24 | 22000 |
| NS-B-AK27 | 27 | 25000 |
| NS-B-AK30 | 30 | 30000 |
| NS-B-AK32 | 32 | 35000 |

| SETS | | |
|---------|--|-----------|
| Code | Pcs. Per Set | AL-BR (₹) |
| NS-1588 | 9 Pcs. Set (mm) 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 (Pouch Packing) | 15500 |

| SETS | | |
|---------|--|-----------|
| Code | Pcs. Per Set | BE-CU (₹) |
| NS-1599 | 9 Pcs. Set (mm) 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 (Pouch Packing) | 28000 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

ALLEN KEY HEX (SAE)



NON SPARKING

| Code | Size (Sae) | AL-BR |
|----------------|------------|-------|
| | | (₹) |
| NS-A-AK 1/16 A | 1/16 | 2000 |
| NS-A-AK 5/64 A | 5/64 | 2000 |
| NS-A-AK 3/32 A | 3/32 | 2100 |
| NS-A-AK 7/64 A | 7/64 | 2200 |
| NS-A-AK 1/8 A | 1/8 | 2000 |
| NS-A-AK 5/32 A | 5/32 | 2100 |
| NS-A-AK 9/32 A | 9/32 | 2500 |
| NS-A-AK 3/16 A | 3/16 | 2200 |
| NS-A-AK 7/32A | 7/32 | 2300 |
| NS-A-AK 1/4 A | 1/4 | 2400 |
| NS-A-AK 5/16 A | 5/16 | 2600 |
| NS-A-AK3/8 A | 3/8 | 2800 |
| NS-A-AK 9/64A | 9/64 | 2400 |
| NS-A-AK 11/32A | 11/32 | 4000 |
| NS-A-AK 11/16A | 11/16 | 7000 |
| NS-A-AK3/4 A | 3/4 | 8000 |

| Code | Size (Sae) | BE-CU |
|----------------|------------|-------|
| | | (₹) |
| NS-B-AK 1/16 A | 1/16 | 3500 |
| NS-B-AK 5/64 A | 5/64 | 3700 |
| NS-B-AK 3/32 A | 3/32 | 3900 |
| NS-B-AK 7/64 A | 7/64 | 4400 |
| NS-B-AK 1/8 A | 1/8 | 3700 |
| NS-B-AK 5/32 A | 5/32 | 4200 |
| NS-B-AK 9/32 A | 9/32 | 5000 |
| NS-B-AK 3/16 A | 3/16 | 4400 |
| NS-B-AK 7/32A | 7/32 | 4600 |
| NS-B-AK 1/4 A | 1/4 | 4900 |
| NS-B-AK 5/16 A | 5/16 | 5200 |
| NS-B-AK3/8 A | 3/8 | 5600 |
| NS-B-AK 9/64A | 9/64 | 4600 |
| NS-B-AK 11/32A | 11/32 | 6700 |
| NS-B-AK 11/16A | 11/16 | 13000 |
| NS-B-AK3/4 A | 3/4 | 16000 |

ALLEN KEY HEX SET (SAE)



| SETS | | |
|---------|---|-----------|
| Code | Pcs.Per Set | AL-BR (₹) |
| NS-1620 | 10 Pcs. Set (SAE) 1/16,5/64,3/32, 1/8,5/32,3/16, 7/32,1/4,5/16,3/8 (Pouch Packing) | 20000 |

| SETS | | |
|---------|---|-----------|
| Code | Pcs.Per Set | BE-CU (₹) |
| NS-1630 | 10 Pcs. Set (SAE) 1/16,5/64,3/32, 1/8,5/32,3/16, 7/32,1/4,5/16,3/8 (Pouch Packing) | 37000 |

Test Certificate is provided for each piece

www.deneerstools.com

ALLEN KEY BALL END



| Code | Size (mm) | AL-BR |
|-------------|-----------|-------|
| | | (₹) |
| NS-A-AKBE2 | 2 | 4000 |
| NS-A-AKBE3 | 3 | 4500 |
| NS-A-AKBE4 | 4 | 4650 |
| NS-A-AKBE5 | 5 | 4470 |
| NS-A-AKBE6 | 6 | 4800 |
| NS-A-AKBE7 | 7 | 4850 |
| NS-A-AKBE8 | 8 | 5100 |
| NS-A-AKBE9 | 9 | 5360 |
| NS-A-AKBE10 | 10 | 5420 |
| NS-A-AKBE11 | 11 | 6000 |
| NS-A-AKBE12 | 12 | 6230 |

T TYPE ALLEN KEY HEX



| Code | Size (mm) | AL-BR |
|-------------|-----------|-------|
| | | (₹) |
| NS-A-AKTH2 | 2 | 5500 |
| NS-A-AKTH3 | 3 | 5900 |
| NS-A-AKTH4 | 4 | 6400 |
| NS-A-AKTH5 | 5 | 6900 |
| NS-A-AKTH6 | 6 | 7100 |
| NS-A-AKTH8 | 8 | 7300 |
| NS-A-AKTH10 | 10 | 7800 |

| Code | Size (mm) | BE-CU |
|-------------|-----------|-------|
| | | (₹) |
| NS-B-AKTH2 | 2 | 10100 |
| NS-B-AKTH3 | 3 | 10500 |
| NS-B-AKTH4 | 4 | 11100 |
| NS-B-AKTH5 | 5 | 11800 |
| NS-B-AKTH6 | 6 | 12500 |
| NS-B-AKTH8 | 8 | 13500 |
| NS-B-AKTH10 | 10 | 13900 |

Test Certificate is provided for each piece

www.deneerstools.com

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

**NON SPARKING TOOLS SET 10 PCS
KIT NS : A1**

NON SPARKING



| Code | TOOLS | DESCRIPTION | (₹) |
|-------------|------------------------|--------------------|--------------|
| KIT NS : A1 | ADJUSTABLE WRENCH | 300mm | 58800 |
| | COMBINATION PLIER | 8/200mm | |
| | LONG NOSE PLIER | 6/150mm | |
| | SCREW DRIVER | 6x150mm & 8x200mm | |
| | SCREW DRIVER(Phillips) | #2x150mm & 3x200mm | |
| | HAMMER CROSS PEIN | 1000 Gms | |
| | KNIFE, PUTTY | 50mm x 200mm | |
| | TOOL BOX | F-460 | |
| | (METAL OR PLASTIC) | | |

Test Certificate is provided for each piece
www.deneerstools.com

**NON SPARKING TOOLS SET (29 PCS)
KIT NS : B2**



| Code | TOOLS | DESCRIPTION | (₹) |
|-------------|------------------------------|---|--------|
| KIT NS : B2 | SLEDGE HAMMER | 1800 Gms | 177000 |
| | HAMMER BALL PEIN | 910 Gms | |
| | HAMMER CLAW | 450 Gms | |
| | PIPE WRENCH | 300mm & 450mm | |
| | ADJUSTABLE WRENCH | 200mm & 300mm | |
| | COMBINATION SPANNER | 8, 10, 12, 14, 17, 19, 22, 24, 27, 30, 32mm | |
| | COMBINATION PLIER | 200mm | |
| | LONG NOSE PLIER | 200mm | |
| | SLIP JOINT PLIER | 200mm | |
| | PINCH BAR | 25x300mm | |
| | CHISEL FLAT | 25x300mm | |
| | SCREW DRIVER | 100mm & 200mm | |
| | SCREW DRIVER (Phillips) | 100mm & 200mm | |
| | VALVE HANDLE | 400mm | |
| | TOOL BOX (SINDOOK / PLASTIC) | F560 | |

Test Certificate is provided for each piece

www.deneerstools.com

FOR QUERIES CONTACT : DN SAFETY PRODUCTS : 96396 34401, 98106 64401

NON SPARKING TOOLS SET 16 PCS KIT NS : C3

| Code | TOOLS | DESCRIPTION | (₹) |
|-------------|---------------------------|-------------|--------|
| KIT NS : C3 | BRUSH SHOE HANDLE | 100 x 14mm | 144000 |
| | CRATE OPENER | 230mm | |
| | CLAW HAMMER | 450 Gms | |
| | KNIFE BIG | 250mm | |
| | WATER PUMP PLIER | 300mm | |
| | LONG NOSE PLIER | 150mm | |
| | COMBINATION PLIER | 200mm | |
| | DECK SCRAPPER | 380mm | |
| | SPRAY BOOTH SCRAPPER | | |
| | SCREW DRIVER FLATS | 150mm | |
| | SCREW DRIVER PHILIPS | 75mm | |
| | SHEAR TIN SCISSORS | 300mm | |
| | ADJUSTABLE WRENCH | 200 & 300mm | |
| | PIPE WRENCH | 350mm | |
| | DRUM OPENER WITH BUNG WR. | 300mm | |
| | TOOL BOX | F460 | |



NON SPARKING

OIL TANKER SECURITY KIT 3 PCS KIT NS : D4

| Code | TOOLS | DESCRIPTION | (₹) |
|-------------|--------------------|-------------|-------|
| KIT NS : D4 | DOUBLE END SPANNER | 24x26mm | 20200 |
| | RING SPANNER | 24x26mm | |
| | PIPE WRENCH | 300mm | |



NON SPARKING TOOLS SET 12 PCS KIT NS : E5

| Code | TOOLS | DESCRIPTION | (₹) |
|-------------|----------------------|--------------|-------|
| KIT NS : E5 | ADJUSTABLE WRENCH | 250mm | 55000 |
| | CHISEL | 12x150mm | |
| | COMBINATION PLIER | 8/200mm | |
| | CYLINDER KEY | 8MM (SQUARE) | |
| | HAMMER (BALL PEIN) | 450 Gms | |
| | PIPE WRENCH | 200mm | |
| | SCREW DRIVER | 50mm & 75mm | |
| | SCISSOR | 225mm | |
| | SPRAY BOOTH SCRAPPER | 76x235mm | |
| | SLEDGE HAMMER | 1000 Gms | |
| | TOOL BOX | F460 | |



Test Certificate is provided for each piece

www.deneerstools.com

**NON SPARKING TOOLS SET 52 PCS + BOX
KIT NS : F6**



| Code | TOOLS | DESCRIPTION | (₹) |
|-------------|--------------------------|---|---------------|
| KIT NS : F6 | TRAY 1 | | |
| | COMBINATION SPANNERS | 6,8,10,11,12,14,17 19,22,24,26,27mm | |
| | TRAY 2 | | |
| | ALLEN KEY | 2,3,4,5,6,8,10mm | |
| | SOCKET 1/2 Dr. | 6,8,10,11,12,14,17, 19,22,24,27,30,32m | |
| | SLIDING T HANDLE 1/2 Dr. | 250mm | |
| | EXTENSION BAR | 125mm | |
| | TRAY 3 | | |
| | DRUM OPENER | 100*300mm | |
| | SLEDGE HAMMER | 450g | |
| | HAMMER BALL PEIN | 230g | |
| | BRUSH | 4*19 | |
| | PUTTY KNIFE | 25*200mm | |
| | KNIFE | 185mm | |
| | FLAT SCRAPER | 30*200mm | |
| | TRAY 4 | | |
| | ADJUSTABLE WRENCH | 250mm | |
| | COMBINATION PLIER | 150mm | |
| | CYLINDER KEY | 150mm | |
| | SIDE CUTTING PLIER | 150mm | |
| | FLAT FILE | 150mm | |
| | SCREW DRIVER PHILIPS | 1*100mm | |
| | SCREW DRIVER PUNCH | 6*12*150mm | |
| | CHISEL ROUND | 14x160m | |
| | SCREW DRIVER FLAT | 4x75mm | |
| | | 5x100mm | |
| | TOOL BOX | F-560 | |
| | | | 300000 |

Test Certificate is provided for each piece

www.deneerstools.com

DE NEERS®

Revolution in Hand Tools

INSULATED NON SPARKING INJECTION MOULDED INSULATION

Injection Moulding is better for engineered parts that have significant loads and require tight tolerances.



1000V
Manufactured
according to
IEC 60900
Standard

DIPPED MOULDED INSULATION

Dip Moulding is better if physical requirements aren't demanding and close tolerances aren't required.



1000V
Manufactured
according to
IEC 60900
Standard

| Parameters | | Aluminum Bronze | | | | |
|-----------------------|-------------------------------|------------------------|----|----|----|-----|
| | | Cu | Al | Ni | Fe | Mn |
| Chemical Properties | Min. % | 86 | 9 | 4 | 1 | - |
| | Max. % | 93 | 12 | 6 | 3 | 1.5 |
| Physical Properties | Density Weight | 8.10 g/cm ³ | | | | |
| | Magnetic Properties | 1.1 | | | | |
| | Dilation Coefficient | 0.000015% | | | | |
| | Electricity Conductivity | 8/12 | | | | |
| Mechanical Properties | Strength N/mm ² | 782-989 | | | | |
| | Yield Point N/mm ² | 450-550 | | | | |
| | Hardness Brinell | 229/291 | | | | |

Chemical Composition, Other Mechanical & Physical Properties of Non-Sparking Tools Material Aluminum Bronze

**THE BASE MATERIAL
MENTIONED IN
THE INSULATED NON
SPARKING TOOLS
IS AL-BR**

FOR QUERIES CONTACT : DN SAFETY PRODUCTS : 96396 34401, 98106 64401

SINGLE OPEN END SPANNER

| Code | Size (mm) | Injection |
|-----------|-----------|-----------|
| | | (₹) |
| NSI-SE6I | 6 | 3000 |
| NSI-SE7I | 7 | 3000 |
| NSI-SE8I | 8 | 3300 |
| NSI-SE9I | 9 | 3400 |
| NSI-SE10I | 10 | 3600 |
| NSI-SE11I | 11 | 4000 |
| NSI-SE12I | 12 | 4500 |
| NSI-SE13I | 13 | 5000 |
| NSI-SE14I | 14 | 5500 |
| NSI-SE15I | 15 | 5800 |
| NSI-SE16I | 16 | 6200 |
| NSI-SE17I | 17 | 6500 |
| NSI-SE18I | 18 | 7000 |
| NSI-SE19I | 19 | 8000 |
| NSI-SE20I | 20 | 9000 |
| NSI-SE21I | 21 | 9200 |
| NSI-SE22I | 22 | 10000 |
| NSI-SE23I | 23 | 10500 |
| NSI-SE24I | 24 | 11000 |
| NSI-SE25I | 25 | 12000 |
| NSI-SE26I | 26 | 13000 |
| NSI-SE27I | 27 | 14000 |
| NSI-SE28I | 28 | 14500 |
| NSI-SE30I | 30 | 15000 |
| NSI-SE32I | 32 | 17000 |

| Code | Size (mm) | Dipped |
|-----------|-----------|--------|
| | | (₹) |
| NSI-SE6D | 6 | 3000 |
| NSI-SE7D | 7 | 3000 |
| NSI-SE8D | 8 | 3000 |
| NSI-SE9D | 9 | 3000 |
| NSI-SE10D | 10 | 3600 |
| NSI-SE11D | 11 | 4000 |
| NSI-SE12D | 12 | 4500 |
| NSI-SE13D | 13 | 5000 |
| NSI-SE14D | 14 | 5200 |
| NSI-SE15D | 15 | 5400 |
| NSI-SE16D | 16 | 5700 |
| NSI-SE17D | 17 | 6500 |
| NSI-SE18D | 18 | 7500 |
| NSI-SE19D | 19 | 8000 |
| NSI-SE20D | 20 | 8500 |
| NSI-SE21D | 21 | 9000 |
| NSI-SE22D | 22 | 9500 |
| NSI-SE23D | 23 | 10000 |
| NSI-SE24D | 24 | 10500 |
| NSI-SE25D | 25 | 11000 |
| NSI-SE26D | 26 | 12000 |
| NSI-SE27D | 27 | 13000 |
| NSI-SE28D | 28 | 14000 |
| NSI-SE30D | 30 | 15000 |
| NSI-SE32D | 32 | 16000 |



**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**



NON SPARKING INSULATED

SINGLE OPEN END SPANNER SET

| Code | Size (mm) | Injection |
|--------------|-----------|---------------|
| | | (₹) |
| NSI-I-SES20I | 6-32 | 135000 |

| Code | Size (mm) | Dipped |
|--------------|-----------|---------------|
| | | (₹) |
| NSI-D-SES20D | 6-32 | 125000 |

SINGLE RING END SPANNER SET

| Code | Size (mm) | Injection |
|------------|-----------|---------------|
| | | (₹) |
| NSI-I-SR20 | 6-32 | 200000 |

| Code | Size (mm) | Dipped |
|------------|-----------|---------------|
| | | (₹) |
| NSI-D-SR20 | 6-32 | 190000 |

SINGLE DEEP OFFSET RING SPANNER SET

| Code | Size (mm) | Dipped |
|-------------|-----------|---------------|
| | | (₹) |
| NSI-D-SDR20 | 6-32 | 250000 |

NON SPARKING INSULATED

SINGLE RING END SPANNER

| Code | Size (mm) | Injection |
|-----------|-----------|-----------|
| | | (₹) |
| NSI-SR6I | 6 | 4350 |
| NSI-SR7I | 7 | 4350 |
| NSI-SR8I | 8 | 4350 |
| NSI-SR9I | 9 | 5850 |
| NSI-SR10I | 10 | 5850 |
| NSI-SR11I | 11 | 7770 |
| NSI-SR12I | 12 | 7770 |
| NSI-SR13I | 13 | 8770 |
| NSI-SR14I | 14 | 8770 |
| NSI-SR15I | 15 | 9250 |
| NSI-SR16I | 16 | 9250 |
| NSI-SR17I | 17 | 9250 |
| NSI-SR18I | 18 | 10700 |
| NSI-SR19I | 19 | 10700 |
| NSI-SR20I | 20 | 12750 |
| NSI-SR21I | 21 | 12750 |
| NSI-SR22I | 22 | 12750 |
| NSI-SR23I | 23 | 13900 |
| NSI-SR24I | 24 | 13900 |
| NSI-SR25I | 25 | 16700 |
| NSI-SR26I | 26 | 16700 |
| NSI-SR27I | 27 | 16700 |
| NSI-SR28I | 28 | 18350 |
| NSI-SR30I | 30 | 18350 |
| NSI-SR32I | 32 | 21800 |

| Code | Size (mm) | Dipped |
|-----------|-----------|--------|
| | | (₹) |
| NSI-SR6D | 6 | 4220 |
| NSI-SR7D | 7 | 4220 |
| NSI-SR8D | 8 | 4220 |
| NSI-SR9D | 9 | 5700 |
| NSI-SR10D | 10 | 5700 |
| NSI-SR11D | 11 | 7300 |
| NSI-SR12D | 12 | 7300 |
| NSI-SR13D | 13 | 8300 |
| NSI-SR14D | 14 | 8300 |
| NSI-SR15D | 15 | 8700 |
| NSI-SR16D | 16 | 8700 |
| NSI-SR17D | 17 | 8700 |
| NSI-SR18D | 18 | 10000 |
| NSI-SR19D | 19 | 10000 |
| NSI-SR20D | 20 | 12400 |
| NSI-SR21D | 21 | 12400 |
| NSI-SR22D | 22 | 12400 |
| NSI-SR23D | 23 | 13250 |
| NSI-SR24D | 24 | 13250 |
| NSI-SR25D | 25 | 16000 |
| NSI-SR26D | 26 | 17000 |
| NSI-SR27D | 27 | 18000 |
| NSI-SR28D | 28 | 19000 |
| NSI-SR30D | 30 | 20000 |
| NSI-SR32D | 32 | 24000 |



**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

SINGLE DEEP OFFSET RING SPANNER



| Code | Size (mm) | Dipped |
|------------|-----------|--------|
| | | (₹) |
| NSI-SDR6D | 6 | 7000 |
| NSI-SDR7D | 7 | 7500 |
| NSI-SDR8D | 8 | 8000 |
| NSI-SDR9D | 9 | 8500 |
| NSI-SDR10D | 10 | 9000 |
| NSI-SDR11D | 11 | 10000 |
| NSI-SDR12D | 12 | 10500 |
| NSI-SDR13D | 13 | 11000 |
| NSI-SDR14D | 14 | 11500 |
| NSI-SDR15D | 15 | 12000 |
| NSI-SDR16D | 16 | 12500 |
| NSI-SDR17D | 17 | 13000 |

| Code | Size (mm) | Dipped |
|------------|-----------|--------|
| | | (₹) |
| NSI-SDR18D | 18 | 13500 |
| NSI-SDR19D | 19 | 14000 |
| NSI-SDR20D | 20 | 15000 |
| NSI-SDR21D | 21 | 16000 |
| NSI-SDR22D | 22 | 17000 |
| NSI-SDR23D | 23 | 18000 |
| NSI-SDR24D | 24 | 19000 |
| NSI-SDR25D | 25 | 20000 |
| NSI-SDR27D | 27 | 21000 |
| NSI-SDR28D | 28 | 22000 |
| NSI-SDR30D | 30 | 23000 |
| NSI-SDR32D | 32 | 26000 |

HAMMER BALL PEIN



| Code | Weight (Gms.) | Dipped |
|-------------|---------------|--------|
| | | (₹) |
| NSI-HBP230 | 230 | 5400 |
| NSI-HBP340 | 340 | 6800 |
| NSI-HBP450 | 450 | 8800 |
| NSI-HBP680 | 680 | 16000 |
| NSI-HBP910 | 910 | 17000 |
| NSI-HBP1130 | 1130 | 25000 |

ADJUSTABLE WRENCH



| Code | Size (mm) | Injection |
|-----------|-----------|-----------|
| | | (₹) |
| NSI-AW18I | 18x150 | 11000 |
| NSI-AW24I | 24x200 | 15000 |
| NSI-AW30I | 30x250 | 18500 |
| NSI-AW36I | 36x300 | 24000 |

SCREW DRIVER ⊖



| Code | Blade Size (mm) | Injection |
|----------------|-----------------|-----------|
| | | (₹) |
| NSI-SDF50I | 3x50 | 2500 |
| NSI-SDF75I | 3x75 | 2600 |
| NSI-SDF75I(4) | 4x75 | 3000 |
| NSI-SDF100I | 4x100 | 3300 |
| NSI-SDF100I(5) | 5x100 | 3900 |
| NSI-SDF125I | 6x125 | 3900 |
| NSI-SDF150I | 6x150 | 4500 |
| NSI-SDF150I(7) | 7x150 | 5400 |
| NSI-SDF200I | 8x200 | 5500 |
| NSI-SDF250I | 9x250 | 8000 |

SCREW DRIVER - PHILLIPS PATTERN ⊕



| Code | Blade Size (mm) | Injection |
|-------------|-----------------|-----------|
| | | (₹) |
| NSI-SD50PI | PH0 x 50 | 3000 |
| NSI-SD75PI | PH1 x 75 | 3000 |
| NSI-SD100PI | PH1 x 100 | 3400 |
| NSI-SD125PI | PH2 x 125 | 3800 |
| NSI-SD150PI | PH2 x 150 | 5400 |
| NSI-SD200PI | PH3 x 200 | 6600 |
| NSI-SD250PI | PH3 x 250 | 8700 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

COMBINATION PLIER



| Code | Size (mm) | Injection |
|----------|-----------|--------------|
| | | (₹) |
| NSI-CP6I | 150mm-6 | 16000 |
| NSI-CP7I | 175mm-7 | 21000 |
| NSI-CP8I | 200mm-8 | 19000 |

| Code | Size (mm) | Dipped |
|----------|-----------|--------------|
| | | (₹) |
| NSI-CP6D | 150mm-6 | 16000 |
| NSI-CP7D | 175mm-7 | 20000 |
| NSI-CP8D | 200mm-8 | 18500 |

LONG NOSE PLIER / SNIPE NOSE PLIER



| Code | Size (mm) | Injection |
|-----------|-----------|--------------|
| | | (₹) |
| NSI-LNP6I | 150mm-6 | 15500 |
| NSI-LNP8I | 200mm-8 | 20000 |

| Code | Size (mm) | Dipped |
|-----------|-----------|--------------|
| | | (₹) |
| NSI-LNP6D | 150mm-6 | 15000 |
| NSI-LNP8D | 200mm-8 | 19000 |

DIAGONAL SIDE CUTTING PLIER



| Code | Size (mm) | Injection |
|-----------|-----------|--------------|
| | | (₹) |
| NSI-SCP6I | 150mm-6 | 16000 |
| NSI-SCP8I | 200mm-8 | 21000 |

| Code | Size (mm) | Dipped |
|-----------|-----------|--------------|
| | | (₹) |
| NSI-SCP6D | 150mm-6 | 15000 |
| NSI-SCP8D | 200mm-8 | 20000 |

NON SPARKING INSULATED

WIRE STRIPPER



| Code | Size (mm) | Injection |
|----------|-----------|-----------|
| | | (₹) |
| NSI-WS7I | 170 | 24000 |

| Code | Size (mm) | Dipped |
|----------|-----------|--------|
| | | (₹) |
| NSI-WS7D | 170 | 23000 |

ROUND NOSE PLIER



| Code | Size (mm) | Injection |
|-----------|-----------|-----------|
| | | (₹) |
| NSI-RNP6I | 150mm-6 | 20000 |

BENT NOSE PLIER



| Code | Size (mm) | Injection |
|-----------|-----------|-----------|
| | | (₹) |
| NSI-BNP6I | 150mm-6 | 20000 |

WATER PUMP PLIER (SLIP JOINT)



| Code | Size (mm) | Dipped |
|------------|-----------|--------|
| | | (₹) |
| NSI-WPP10D | 250 | 26000 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

SOCKET 3/8 SQUARE DRIVE

| Code | Size (mm) | Injection |
|------------|-----------|-----------|
| | | (₹) |
| NSI-B-S8I | 8 | 4400 |
| NSI-B-S9I | 9 | 4700 |
| NSI-B-S10I | 10 | 6600 |
| NSI-B-S11I | 11 | 7000 |
| NSI-B-S12I | 12 | 7400 |
| NSI-B-S13I | 13 | 7800 |
| NSI-B-S14I | 14 | 8000 |
| NSI-B-S15I | 15 | 8300 |
| NSI-B-S16I | 16 | 8600 |
| NSI-B-S17I | 17 | 9000 |
| NSI-B-S19I | 19 | 9400 |
| NSI-B-S20I | 20 | 10300 |



SOCKET 3/8 SQUARE DRIVE



| Code | Size (mm) | Dipped |
|------------|-----------|--------|
| | | (₹) |
| NSI-B-S8D | 8 | 4200 |
| NSI-B-S9D | 9 | 4600 |
| NSI-B-S10D | 10 | 6300 |
| NSI-B-S11D | 11 | 6600 |
| NSI-B-S12D | 12 | 7000 |
| NSI-B-S13D | 13 | 7400 |
| NSI-B-S14D | 14 | 7800 |
| NSI-B-S15D | 15 | 8000 |
| NSI-B-S16D | 16 | 8200 |
| NSI-B-S17D | 17 | 8700 |
| NSI-B-S19D | 19 | 9000 |
| NSI-B-S20D | 20 | 10100 |

NON SPARKING INSULATED

SOCKET 1/2 SQUARE DRIVE



NON SPARKING INSULATED

| Code | Size (mm) | Injection |
|------------|-----------|-----------|
| | | (₹) |
| NSI-N-S10I | 10 | 6600 |
| NSI-N-S11I | 11 | 6800 |
| NSI-N-S12I | 12 | 7200 |
| NSI-N-S13I | 13 | 7800 |
| NSI-N-S14I | 14 | 8200 |
| NSI-N-S15I | 15 | 8600 |
| NSI-N-S16I | 16 | 9000 |
| NSI-N-S17I | 17 | 9400 |
| NSI-N-S18I | 18 | 10400 |
| NSI-N-S19I | 19 | 10800 |
| NSI-N-S20I | 20 | 11400 |
| NSI-N-S21I | 21 | 11800 |
| NSI-N-S22I | 22 | 12500 |
| NSI-N-S23I | 23 | 12700 |
| NSI-N-S24I | 24 | 12700 |
| NSI-N-S25I | 25 | 14800 |
| NSI-N-S26I | 26 | 15900 |
| NSI-N-S27I | 27 | 15800 |
| NSI-N-S28I | 28 | 17900 |
| NSI-N-S29I | 29 | 19100 |
| NSI-N-S30I | 30 | 20100 |
| NSI-N-S32I | 32 | 22300 |

| Code | Size (mm) | Dipped |
|------------|-----------|--------|
| | | (₹) |
| NSI-N-S10D | 10 | 6200 |
| NSI-N-S11D | 11 | 6600 |
| NSI-N-S12D | 12 | 7000 |
| NSI-N-S13D | 13 | 7400 |
| NSI-N-S14D | 14 | 7800 |
| NSI-N-S15D | 15 | 8300 |
| NSI-N-S16D | 16 | 8700 |
| NSI-N-S17D | 17 | 9000 |
| NSI-N-S18D | 18 | 10200 |
| NSI-N-S19D | 19 | 10800 |
| NSI-N-S20D | 20 | 11000 |
| NSI-N-S21D | 21 | 11600 |
| NSI-N-S22D | 22 | 12000 |
| NSI-N-S23D | 23 | 12300 |
| NSI-N-S24D | 24 | 12300 |
| NSI-N-S25D | 25 | 14400 |
| NSI-N-S26D | 26 | 15400 |
| NSI-N-S27D | 27 | 15400 |
| NSI-N-S28D | 28 | 17400 |
| NSI-N-S29D | 29 | 18400 |
| NSI-N-S30D | 30 | 19600 |
| NSI-N-S32D | 32 | 21700 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

T TYPE SOCKET

| Code | Size (mm) | Dipped |
|------------|-----------|--------|
| | | (₹) |
| NSI-TTS7D | 7 | 3000 |
| NSI-TTS9D | 9 | 3400 |
| NSI-TTS11D | 11 | 4200 |
| NSI-TTS14D | 14 | 5800 |
| NSI-TTS17D | 17 | 6600 |
| NSI-TTS19D | 19 | 12300 |



T TYPE WRENCH

| Code | Drive | Length (mm) | Injection |
|-----------|-------|-------------|-----------|
| | | | (₹) |
| NSI-B-TTW | 3/8 | 140 | 11000 |
| NSI-N-TTW | 1/2 | 140 | 18600 |

EXTENSION BAR

| Code | Drive | Length (mm) | Dipped |
|------------|-------|-------------|--------|
| | | | (₹) |
| NSI-B-EB3 | 3/8 | 75 | 6300 |
| NSI-B-EB6 | 3/8 | 150 | 8200 |
| NSI-N-EB5 | 1/2 | 125 | 12200 |
| NSI-N-EB10 | 1/2 | 250 | 16200 |



T-HANDLE



| Code | Drive | Length (mm) | Dipped |
|------------|-------|-------------|--------|
| | | | (₹) |
| NSI-N-TH10 | 1/2 | 250 | 11400 |
| NSI-B-TH6 | 3/8 | 160 | 18700 |

NON SPARKING INSULATED

RATCHET SOCKET WRENCH

| Code | Size (mm) | Dipped |
|---------------|-----------|--------|
| | | (₹) |
| NSI-RSW14X17D | 14x17 | 33400 |
| NSI-RSW17X19D | 17x19 | 35400 |
| NSI-RSW19X22D | 19x22 | 36900 |
| NSI-RSW22X24D | 22x24 | 38900 |



ALLEN KEY HEX



| Code | Size (mm) | Dipped |
|-----------|-----------|--------|
| | | (₹) |
| NSI-AK3D | 3 | 7400 |
| NSI-AK4D | 4 | 7400 |
| NSI-AK5D | 5 | 7600 |
| NSI-AK6D | 6 | 8000 |
| NSI-AK8D | 8 | 9000 |
| NSI-AK10D | 10 | 9500 |
| NSI-AK12D | 12 | 12000 |

RATCHET HANDLE

| Code | Drive | Dipped |
|----------|-------|--------|
| | | (₹) |
| NSI-N-RR | 1/2 | 22000 |



L-HANDLE / OFFSET HANDLE



| Code | Drive | Length (mm) | Dipped |
|------------|-------|-------------|--------|
| | | | (₹) |
| NSI-B-LH8 | 3/8 | 200 | 10000 |
| NSI-N-LH10 | 1/2 | 230 | 13000 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

NON SPARKING INSULATED TOOLS SET 25 PCS



NON SPARKING INSULATED

| Code | TOOLS | DESCRIPTION | (R) |
|----------------------|-------------------------|---------------------------------|---------------|
| NSI-TS25 | SINGLE OPEN END SPANNER | 10, 11, 12, 13, 14, 17 & 19mm | 196000 |
| | COMBINATION PLIER | 8/200mm | |
| | SIDE CUTTING PLIER | 6/150mm | |
| | SCREW DRIVER | 3x50, 4x100 & 5x100mm | |
| | SCREW DRIVER PHILIPS | #0x50, #1x75, #2x150 & #1x100mm | |
| | SOCKET 1/2 | 10, 11, 12, 13, 14, 17 & 19mm | |
| | T TYPE WRENCH | 1/2 Drive | |
| TOOL BOX (L x W x H) | 400x290x90mm | | |

DE NEERS®

Best Ever Tools

STAINLESS STEEL TOOLS

Austenitic Stainless Steel is the largest family of Stainless Steels. The best known grade of Austenitic Stainless Steel in Type 304, for its austenitic micro structure exclusivity by Nickel & Chromium alloying. It is less electrically & thermally conductive than Carbon Steel & is essentially Non Magnetic. It has Higher Corrosion resistance than regular steel.

USED IN :-

- ➔ CONSTRUCTION INDUSTRIES
- ➔ MEDICAL DEVICES
- ➔ FOOD INDUSTRIES
- ➔ AIRCRAFTS
- ➔ PHARMACEUTICAL INDUSTRIES, ETC.



Chemical Composition, Mechanical & Physical Properties of Stainless Steel Anti Magnetic Tools (304QF) **ANTIMAGNETIC**

| Parameters | | Stainless Steel Tools |
|-----------------------|-----------------------|-------------------------------|
| Chemical Properties | Min.% | C: ≤0.08% |
| | Max.% | Si: ≤0.85% |
| | | Mn: ≤1.8% |
| | | Cr: 18-20% |
| | | Ni: 8.0-10.5% |
| | | S: ≤0.03% |
| | | P: ≤0.045% |
| | | N: ≤0.2% |
| Physical Properties | Density Weight | 7.93g/cm ³ |
| | Magnetic Conductivity | <30nT |
| | Melting Point (°C) | 1398-1454 |
| | Hardness | HV 235-351 |
| | Extensibility | δ ≥40% |
| Mechanical Properties | Yield Strength | σ _{0.2} (MPa)=205MPa |
| | Tensile Strength | σ _b =520 MPa |
| | Reduction of Area | ψ=60% |

Chemical Composition, Mechanical & Physical Properties of Stainless Steel Magnetic Tools (420QF) **MAGNETIC**

| Parameters | | Stainless Steel Tools |
|-----------------------|---------------------|-------------------------------|
| Chemical Properties | Min.% | C : 0.16%-0.25% |
| | Max.% | Si : ≤1.00% |
| | | Mn : ≤1.00% |
| | | Cr : 12.0%-14.0% |
| | | Ni : 0.6% |
| | | S : ≤0.03% |
| | | P : ≤0.04% |
| Physical Properties | Density Weight | 7.75 g/cm ³ |
| | Magnetic Properties | δ ≥20% |
| | Melting Point (°C) | 1427 |
| Mechanical Properties | Hardness | HV 235-351 |
| | Yield Strength | σ _{0.2} (MPa)=440MPa |
| | Tensile Strength | σ _b =365 MPa |
| | Reduction of Area | ψ=50% |

FOR QUERIES CONTACT : DN SAFETY PRODUCTS : 96396 34401, 98106 64401

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

DOUBLE OPEN END SPANNER



**S
T
A
I
N
L
E
S
S
S
T
E
E
L
T
O
O
L
S**

| Code | Size (mm) | (₹) |
|-----------------|---|-------|
| SS-DE6x7 | 6x7 | 1350 |
| SS-DE8x9 | 8x9 | 1500 |
| SS-DE10x11 | 10x11 | 1600 |
| SS-DE12x13 | 12x13 | 2200 |
| SS-DE14x15 | 14x15 | 2700 |
| SS-DE16x17 | 16x17 | 2900 |
| SS-DE18x19 | 18x19 | 4100 |
| SS-DE19x22 | 19x22 | 5000 |
| SS-DE20x22 | 20x22 | 5000 |
| SS-DE21x23 | 21x23 | 5000 |
| SS-DE21x26 | 21x26 | 7000 |
| SS-DE22x24 | 22x24 | 7500 |
| SS-DE24x27 | 24x27 | 8000 |
| SS-DE25x28 | 25x28 | 8500 |
| SS-DE27x30 | 27x30 | 13000 |
| SS-DE30x32 | 30x32 | 12000 |
| SS-DE32x34 | 32x34 | 16000 |
| SS-DE32x36 | 32x36 | 16000 |
| SS-DE34x36 | 34x36 | 18000 |
| SS-DE36x38 | 36x38 | 19000 |
| SS-DE36x41 | 36x41 | 20000 |
| SS-DE41x46 | 41x46 | 26000 |
| SS-DESET 12/12M | SET OF 12 PCS (6x7 - 30x32mm) (Pouch Packing) | 55000 |


RING SPANNER



| Code | Size (mm) | (₹) |
|----------------|---|-------|
| SS-RS6x7 | 6x7 | 1400 |
| SS-RS8x9 | 8x9 | 1500 |
| SS-RS10x11 | 10x11 | 1800 |
| SS-RS12x13 | 12x13 | 2300 |
| SS-RS14x15 | 14x15 | 2900 |
| SS-RS16x17 | 16x17 | 3200 |
| SS-RS18x19 | 18x19 | 4000 |
| SS-RS19x22 | 19x22 | 5000 |
| SS-RS20x22 | 20x22 | 5000 |
| SS-RS21x23 | 21x23 | 5000 |
| SS-RS21x26 | 21x26 | 7000 |
| SS-RS22x24 | 22x24 | 7600 |
| SS-RS24x27 | 24x27 | 8100 |
| SS-RS25x28 | 25x28 | 8600 |
| SS-RS27x30 | 27x30 | 12700 |
| SS-RS30x32 | 30x32 | 12000 |
| SS-RS32x34 | 32x34 | 18000 |
| SS-RS32x36 | 32x36 | 20000 |
| SS-RS34x36 | 34x36 | 24000 |
| SS-RS36x41 | 36x41 | 28000 |
| SS-RS41x46 | 41x46 | 31000 |
| SS-RSSET13/12M | SET OF 12 PCS (6x7 - 30x32mm) (Pouch Packing) | 56000 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

COMBINATION SPANNER



| Code | Size (mm) | (₹) |
|----------------|---|-------|
| SS-CS6 | 6 | 2500 |
| SS-CS7 | 7 | 2600 |
| SS-CS8 | 8 | 2800 |
| SS-CS9 | 9 | 3500 |
| SS-CS10 | 10 | 3500 |
| SS-CS11 | 11 | 3500 |
| SS-CS12 | 12 | 3500 |
| SS-CS13 | 13 | 3600 |
| SS-CS14 | 14 | 3800 |
| SS-CS15 | 15 | 4000 |
| SS-CS16 | 16 | 4300 |
| SS-CS17 | 17 | 4400 |
| SS-CS18 | 18 | 4500 |
| SS-CS19 | 19 | 4600 |
| SS-CS20 | 20 | 6200 |
| SS-CS21 | 21 | 5500 |
| SS-CS22 | 22 | 5700 |
| SS-CS23 | 23 | 7800 |
| SS-CS24 | 24 | 6800 |
| SS-CS25 | 25 | 7600 |
| SS-CS26 | 26 | 8400 |
| SS-CS27 | 27 | 9600 |
| SS-CS28 | 28 | 10500 |
| SS-CS30 | 30 | 11700 |
| SS-CS32 | 32 | 13000 |
| SS-CS34 | 34 | 17400 |
| SS-CS36 | 36 | 20000 |
| SS-CS38 | 38 | 22000 |
| SS-CS41 | 41 | 26000 |
| SS-CS46 | 46 | 32000 |
| SS-CS50 | 50 | 35000 |
| SS-CS55 | 55 | 38000 |
| SS-CS60 | 60 | 40000 |
| SS-CS65 | 65 | 44000 |
| SS-CSSET14/12M | SET OF 12 PCS (6-14,17,19,22mm) (Pouch Packing) | 40000 |

**S
T
A
I
N
L
E
S
S

S
T
E
E
L

T
O
O
L
S**

CONSTRUCTION SINGLE RING WRENCH



| Code | Size (mm) | (₹) |
|--------|-----------|-------|
| SS-001 | 14 | 6500 |
| SS-002 | 17 | 7500 |
| SS-003 | 19 | 8000 |
| SS-004 | 22 | 9500 |
| SS-005 | 24 | 11000 |
| SS-006 | 27 | 13000 |
| SS-007 | 30 | 14000 |
| SS-008 | 32 | 15000 |
| SS-009 | 36 | 20000 |
| SS-010 | 41 | 25000 |
| SS-011 | 46 | 28000 |
| SS-012 | 50 | 35000 |

CONSTRUCTION SINGLE OPEN WRENCH WITH PIN



| Code | Size (mm) | (₹) |
|--------|-----------|-------|
| SS-022 | 17 | 4800 |
| SS-023 | 19 | 5400 |
| SS-024 | 22 | 6200 |
| SS-025 | 24 | 7500 |
| SS-026 | 27 | 8000 |
| SS-027 | 30 | 9000 |
| SS-028 | 32 | 11000 |
| SS-029 | 36 | 12000 |
| SS-030 | 41 | 16000 |
| SS-031 | 46 | 18000 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

SINGLE END SPANNER



| Code | Size (mm) | (₹) |
|---------|-----------|------|
| SS-SE8 | 8 | 1900 |
| SS-SE10 | 10 | 2100 |
| SS-SE12 | 12 | 2700 |
| SS-SE14 | 14 | 3200 |
| SS-SE17 | 17 | 4000 |
| SS-SE19 | 19 | 5000 |
| SS-SE22 | 22 | 6000 |
| SS-SE24 | 24 | 7000 |

| Code | Size (mm) | (₹) |
|---------|-----------|-------|
| SS-SE27 | 27 | 8000 |
| SS-SE30 | 30 | 9000 |
| SS-SE32 | 32 | 10000 |
| SS-SE34 | 34 | 11000 |
| SS-SE36 | 36 | 12000 |
| SS-SE38 | 38 | 13000 |
| SS-SE41 | 41 | 14000 |
| SS-SE46 | 46 | 15000 |

SINGLE RING SPANNER



| Code | Size (mm) | (₹) |
|--------|-----------|-------|
| SS-052 | 8 | 3200 |
| SS-053 | 10 | 4300 |
| SS-054 | 12 | 5400 |
| SS-055 | 14 | 6000 |
| SS-056 | 17 | 6500 |
| SS-057 | 19 | 7000 |
| SS-058 | 22 | 9000 |
| SS-059 | 24 | 10000 |
| SS-060 | 27 | 11000 |

| Code | Size (mm) | (₹) |
|--------|-----------|-------|
| SS-061 | 30 | 12000 |
| SS-062 | 32 | 15000 |
| SS-063 | 36 | 18000 |
| SS-064 | 41 | 20000 |
| SS-065 | 46 | 22000 |
| SS-066 | 50 | 30000 |
| SS-067 | 55 | 32000 |
| SS-068 | 60 | 34000 |
| SS-069 | 65 | 40000 |

SLOGGING OPEN END SPANNER



| Code | Size (mm) | (₹) |
|---------|-----------|------|
| SS-SO17 | 17 | 4400 |
| SS-SO19 | 19 | 4500 |
| SS-SO22 | 22 | 5000 |
| SS-SO24 | 24 | 5000 |
| SS-SO27 | 27 | 6200 |
| SS-SO30 | 30 | 6700 |
| SS-SO32 | 32 | 7800 |

| Code | Size (mm) | (₹) |
|---------|-----------|-------|
| SS-SO36 | 36 | 9300 |
| SS-SO41 | 41 | 11600 |
| SS-SO46 | 46 | 13700 |
| SS-SO50 | 50 | 15500 |
| SS-SO55 | 55 | 18000 |
| SS-SO60 | 60 | 22000 |
| SS-SO65 | 65 | 32000 |

SLOGGING RING SPANNER



| Code | Size (mm) | (₹) |
|---------|-----------|-------|
| SS-SR17 | 17 | 4500 |
| SS-SR19 | 19 | 5000 |
| SS-SR22 | 22 | 5300 |
| SS-SR24 | 24 | 5800 |
| SS-SR27 | 27 | 7000 |
| SS-SR30 | 30 | 7100 |
| SS-SR32 | 32 | 7500 |
| SS-SR34 | 34 | 8200 |
| SS-SR36 | 36 | 9000 |
| SS-SR38 | 38 | 10600 |

| Code | Size (mm) | (₹) |
|---------|-----------|-------|
| SS-SR41 | 41 | 13000 |
| SS-SR46 | 46 | 14800 |
| SS-SR50 | 50 | 17000 |
| SS-SR55 | 55 | 20600 |
| SS-SR60 | 60 | 22000 |
| SS-SR65 | 65 | 23700 |
| SS-SR70 | 70 | 26000 |
| SS-SR75 | 75 | 30000 |
| SS-SR80 | 80 | 41000 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

SCREW DRIVER SLOTTED ⊖

| Code | Blade Size (mm) | (₹) |
|---------------|-----------------|------|
| SS-SD3 x 50 | 3 x 50 | 1500 |
| SS-SD3 x 75 | 3 x 75 | 1900 |
| SS-SD4 x 75 | 4 x 75 | 2000 |
| SS-SD4 x 100 | 4 x 100 | 2000 |
| SS-SD6 x 125 | 6 x 125 | 2100 |
| SS-SD6 x 150 | 6 x 150 | 2500 |
| SS-SD8 x 200 | 8 x 200 | 3000 |
| SS-SD9 x 250 | 9 x 250 | 4000 |
| SS-SD10 x 300 | 10 x 300 | 4800 |
| SS-SD11 x 350 | 11 x 350 | 7500 |
| SS-SD12 x 400 | 12 x 400 | 8500 |



SCREW DRIVER - PHILIPS ⊕

| Code | Blade Size (mm) | (₹) |
|----------------|-----------------|------|
| SS-SDP 0 x 50 | PH0 x 50 | 1800 |
| SS-SDP 1 x 75 | PH1 x 75 | 1900 |
| SS-SDP 1 x 100 | PH1 x 100 | 2400 |
| SS-SDP 2 x 125 | PH2 x 125 | 2400 |
| SS-SDP 2 x 150 | PH2 x 150 | 2500 |
| SS-SDP 3 x 200 | PH3 x 200 | 3000 |
| SS-SDP 3 x 250 | PH3 x 250 | 4000 |
| SS-SDP 4 x 300 | PH4 x 300 | 4800 |
| SS-SDP 4 x 350 | PH4 x 350 | 7500 |
| SS-SDP 4 x 400 | PH4 x 400 | 8800 |
| SS-SDP 4 x 450 | PH4 x 450 | 9300 |



NUT DRIVER (HEX)

| Code | Size (mm) | (₹) |
|--------|-----------|-------|
| SS-090 | 6 | 7500 |
| SS-091 | 8 | 7600 |
| SS-092 | 10 | 8000 |
| SS-093 | 12 | 8800 |
| SS-094 | 14 | 9200 |
| SS-095 | 17 | 10200 |
| SS-096 | 19 | 11000 |
| SS-097 | 22 | 12000 |



ADJUSTABLE WRENCH



| Code | Size (mm) | (₹) |
|---------|-----------|-------|
| SS-AW4 | 100 x 13 | 6300 |
| SS-AW6 | 150 x 18 | 8400 |
| SS-AW8 | 200 x 24 | 8900 |
| SS-AW10 | 250 x 30 | 11000 |
| SS-AW12 | 300 x 36 | 14400 |
| SS-AW15 | 375 x 46 | 22000 |
| SS-AW18 | 450 x 55 | 32100 |
| SS-AW24 | 600 x 65 | 61000 |

PIPE WRENCH



| Code | Size (mm) | (₹) |
|---------|------------|--------|
| SS-PW8 | 200 x 25 | 11500 |
| SS-PW10 | 250 x 30 | 12000 |
| SS-PW12 | 300 x 40 | 13000 |
| SS-PW14 | 350 x 50 | 15500 |
| SS-PW18 | 450 x 60 | 30800 |
| SS-PW24 | 600 x 75 | 43500 |
| SS-PW36 | 900 x 85 | 78200 |
| SS-PW48 | 1200 x 110 | 130700 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

HOOK WRENCH



| Code | Size (mm) | (₹) |
|--------------|-----------|-------|
| SS-HW30-32 | 30-32 | 5500 |
| SS-HW34-36 | 34-36 | 7000 |
| SS-HW45-50 | 45-50 | 9700 |
| SS-HW52-55 | 52-55 | 10900 |
| SS-HW68-75 | 68-75 | 12700 |
| SS-HW95-100 | 95-100 | 16200 |
| SS-HW110-115 | 110-115 | 17900 |
| SS-HW135-145 | 135-145 | 23000 |

HOOK WRENCH (ADJUSTABLE)

| Code | Size (mm) | (₹) |
|----------------|--------------|-------|
| SS-HW 20-35A | 20-35 Adj. | 10100 |
| SS-HW 30-60A | 35-60 Adj. | 11800 |
| SS-HW 60-90A | 60-90 Adj. | 17900 |
| SS-HW 90-155A | 90-155 Adj. | 29000 |
| SS-HW 155-230A | 155-230 Adj. | 46000 |

CHAIN PIPE WRENCH



| Code | Size (mm) | Length (mm) | (₹) |
|----------|-----------|-------------|--------|
| SS-CPW4 | 100 | 600 | 63000 |
| SS-CPW8 | 200 | 600 | 82000 |
| SS-CPW12 | 300 | 900 | 118800 |
| SS-CPW16 | 400 | 900 | 138400 |

COMBINATION PLIER



| Code | Size (mm) | (₹) |
|---------|-----------|-------|
| SS-CP6 | 150mm-6 | 9000 |
| SS-CP7 | 175mm-7 | 11600 |
| SS-CP8 | 200mm-8 | 10600 |
| SS-CP10 | 250mm-10 | 16200 |

DIAGONAL SIDE CUTTING PLIER



| Code | Size (mm) | (₹) |
|---------|-----------|-------|
| SS-SCP6 | 150mm-6 | 8500 |
| SS-SCP8 | 200mm-8 | 11600 |

LONG NOSE PLIER / SNIPE NOSE PLIER



| Code | Size (mm) | (₹) |
|--------|-----------|-------|
| SS-LN6 | 150mm-6 | 8500 |
| SS-LN8 | 200mm-8 | 11000 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

WATER PUMP PLIER (SLIP JOINT)



| Code | Size (mm) | (₹) |
|---------|-----------|-------|
| SS-WP8 | 200mm-8 | 14000 |
| SS-WP10 | 250mm-10 | 15900 |
| SS-WP12 | 300mm-12 | 24000 |

GRIP LOCK PLIER



| Code | Size (mm) | (₹) |
|-------|-----------|-------|
| SS-VG | 225mm-9 | 17600 |

PINCER



| Code | Size (mm) | (₹) |
|--------|-----------|-------|
| SS-PN7 | 175mm-7 | 14700 |

**ALLEN KEY (HEX)
(MM)**



| Code | Size (mm) | (₹) |
|----------|--|-------|
| SS-AK1.5 | 1.5 | 2600 |
| SS-AK2 | 2 | 2900 |
| SS-AK2.5 | 2.5 | 3000 |
| SS-AK3 | 3 | 3000 |
| SS-AK4 | 4 | 3000 |
| SS-AK5 | 5 | 3000 |
| SS-AK6 | 6 | 3000 |
| SS-AK7 | 7 | 3600 |
| SS-AK8 | 8 | 3600 |
| SS-AK9 | 9 | 4000 |
| SS-AK10 | 10 | 4000 |
| SS-AK11 | 11 | 4600 |
| SS-AK12 | 12 | 5100 |
| SS-AK13 | 13 | 6200 |
| SS-AK14 | 14 | 7000 |
| SS-AK15 | 15 | 7600 |
| SS-AK16 | 16 | 8500 |
| SS-AK17 | 17 | 7100 |
| SS-AK18 | 18 | 9400 |
| SS-AK19 | 19 | 8200 |
| SS-AK21 | 21 | 10900 |
| SS-AK22 | 22 | 11600 |
| SS-AK24 | 24 | 13600 |
| SS-AK25 | 25 | 14100 |
| SS-AK26 | 26 | 14700 |
| SS-AK27 | 27 | 15700 |
| SS-AK30 | 30 | 19100 |
| SS-AK32 | 32 | 23900 |
| SS-118 | 1.5 - 10mm (9 Pcs Set) (Pouch Packing) | 32600 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

**ALLEN KEY (HEX)
(SAE)**



| Code | Size (Sae) | (₹) |
|-----------|------------|-------|
| SS-AK1/16 | 1/16 | 6500 |
| SS-AK5/64 | 5/64 | 6800 |
| SS-AK3/32 | 3/32 | 7000 |
| SS-AK1/8 | 1/8 | 7200 |
| SS-AK5/32 | 5/32 | 8000 |
| SS-AK3/16 | 3/16 | 8500 |
| SS-AK7/32 | 7/32 | 9000 |
| SS-AK1/4 | 1/4 | 9500 |
| SS-AK5/16 | 5/16 | 10000 |
| SS-AK3/8 | 3/8 | 11000 |

**ALLEN KEY (HEX) SET
(SAE)**



| Code | Size (Sae) | (₹) |
|--------|--|-------|
| SS-139 | 1/16 - 3/8A (10 Pcs Set) (Pouch Packing) | 95000 |

T TYPE ALLEN KEY



| Code | Size (mm) | (₹) |
|-----------|-----------|------|
| SS-AKT1.5 | 1.5 | 5500 |
| SS-AKT2 | 2 | 5700 |
| SS-AKT2.5 | 2.5 | 5900 |
| SS-AKT3 | 3 | 5900 |
| SS-AKT4 | 4 | 6200 |
| SS-AKT5 | 5 | 6500 |
| SS-AKT6 | 6 | 7000 |
| SS-AKT8 | 8 | 7400 |
| SS-AKT10 | 10 | 7900 |

ALLEN KEY HEX WITH INK BALL END



| Code | Size (mm) | (₹) |
|-----------|-----------|------|
| SS-AKIBE2 | 2 | 3300 |
| SS-AKIBE3 | 3 | 3400 |
| SS-AKIBE4 | 4 | 3500 |
| SS-AKIBE5 | 5 | 3600 |
| SS-AKIBE6 | 6 | 3700 |
| SS-AKIBE7 | 7 | 4000 |

| Code | Size (mm) | (₹) |
|------------|-----------|------|
| SS-AKIBE8 | 8 | 4300 |
| SS-AKIBE9 | 9 | 4500 |
| SS-AKIBE10 | 10 | 4900 |
| SS-AKIBE11 | 11 | 5200 |
| SS-AKIBE12 | 12 | 6200 |
| SS-AKIBE14 | 14 | 8000 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

HAMMER BALL PEIN



| Code | Weight (Gms) | (₹) |
|-----------|--------------|-------|
| SS-HB230 | 230 | 2900 |
| SS-HB340 | 340 | 4400 |
| SS-HB450 | 450 | 5000 |
| SS-HB680 | 680 | 8600 |
| SS-HB910 | 910 | 9900 |
| SS-HB1130 | 1130 | 14000 |

SLEDGE HAMMER



| Code | Weight (Gms) | (₹) |
|---------|--------------|-------|
| SS-SH4 | 450 | 4300 |
| SS-SH10 | 1000 | 9000 |
| SS-SH14 | 1400 | 12600 |
| SS-SH15 | 1500 | 13400 |
| SS-SH18 | 1800 | 18400 |
| SS-SH20 | 2000 | 17700 |
| SS-SH22 | 2200 | 23900 |
| SS-SH25 | 2500 | 27200 |
| SS-SH30 | 3000 | 35000 |

CLAW HAMMER



| Code | Weight (Gms) | (₹) |
|--------|--------------|------|
| SS-158 | 230 | 3800 |
| SS-159 | 450 | 4900 |
| SS-160 | 680 | 8600 |

NYLON HAMMER



| Code | Weight (Gms) | (₹) |
|--------|--------------|-------|
| SS-181 | 150 | 8200 |
| SS-182 | 250 | 11500 |
| SS-183 | 350 | 13400 |
| SS-184 | 500 | 15000 |
| SS-185 | 800 | 28000 |
| SS-186 | 1000 | 31200 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

HACKSAW FRAME

| Code | Size (mm) | (₹) |
|-------|-----------|--------------|
| SS-HF | 500mm | 13300 |



SHOVEL



| Code | Size | (₹) |
|--------|-------------------------|--------------|
| SS-207 | 270x175x1400mm (Square) | 17600 |
| SS-208 | 418x240x1450mm (Round) | 23600 |

PUTTY SCRAPER

| Code | Size (mm) | (₹) |
|--------|-----------|-------------|
| SS-229 | 25x200 | 3400 |
| SS-230 | 50x200 | 4100 |
| SS-231 | 65x200 | 6100 |



WEDGE FLANGE



| Code | Size (mm) | (₹) |
|--------|---------------|--------------|
| SS-252 | 100x50 (10-0) | 2400 |
| SS-253 | 150x25 (13-0) | 1600 |
| SS-254 | 200x40 (40-0) | 15700 |
| SS-255 | 250x40 (30-0) | 14800 |
| SS-256 | 300x50 (40-0) | 29200 |

SOCKET 3/8 SQUARE DRIVE

| Code | Size (mm) | (₹) |
|----------|-----------|------|
| SS-B-S5 | 5 | 1800 |
| SS-B-S6 | 6 | 2200 |
| SS-B-S7 | 7 | 2300 |
| SS-B-S8 | 8 | 2400 |
| SS-B-S9 | 9 | 2600 |
| SS-B-S10 | 10 | 3500 |
| SS-B-S11 | 11 | 3800 |
| SS-B-S12 | 12 | 4200 |
| SS-B-S13 | 13 | 4200 |
| SS-B-S14 | 14 | 4300 |
| SS-B-S15 | 15 | 4600 |
| SS-B-S16 | 16 | 4600 |
| SS-B-S17 | 17 | 4900 |
| SS-B-S19 | 19 | 5000 |
| SS-B-S20 | 20 | 5100 |



SOCKET 1/2 SQUARE DRIVE

| Code | Size (mm) | (₹) |
|----------|-----------|-------|
| SS-N-S6 | 6 | 2900 |
| SS-N-S7 | 7 | 2900 |
| SS-N-S8 | 8 | 3000 |
| SS-N-S9 | 9 | 3300 |
| SS-N-S10 | 10 | 3400 |
| SS-N-S11 | 11 | 3700 |
| SS-N-S12 | 12 | 3900 |
| SS-N-S13 | 13 | 4200 |
| SS-N-S14 | 14 | 4300 |
| SS-N-S15 | 15 | 4600 |
| SS-N-S16 | 16 | 4900 |
| SS-N-S17 | 17 | 5000 |
| SS-N-S18 | 18 | 5100 |
| SS-N-S19 | 19 | 5400 |
| SS-N-S20 | 20 | 5700 |
| SS-N-S21 | 21 | 5800 |
| SS-N-S22 | 22 | 5800 |
| SS-N-S23 | 23 | 6500 |
| SS-N-S24 | 24 | 7000 |
| SS-N-S25 | 25 | 7400 |
| SS-N-S26 | 26 | 7900 |
| SS-N-S27 | 27 | 8600 |
| SS-N-S28 | 28 | 9000 |
| SS-N-S29 | 29 | 9500 |
| SS-N-S30 | 30 | 10200 |
| SS-N-S32 | 32 | 11400 |



**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

SOCKET 3/4 SQUARE DRIVE

**S
T
A
I
N
L
E
S
S
S
T
E
E
L
T
O
O
L
S**

| Code | Size (mm) | (₹) |
|----------|-----------|-------|
| SS-C-S17 | 17 | 6300 |
| SS-C-S19 | 19 | 6300 |
| SS-C-S21 | 21 | 7000 |
| SS-C-S22 | 22 | 7100 |
| SS-C-S24 | 24 | 7800 |
| SS-C-S26 | 26 | 9000 |
| SS-C-S27 | 27 | 9700 |
| SS-C-S29 | 29 | 10700 |
| SS-C-S30 | 30 | 11400 |
| SS-C-S32 | 32 | 12800 |
| SS-C-S34 | 34 | 13900 |
| SS-C-S36 | 36 | 14900 |
| SS-C-S38 | 38 | 15800 |
| SS-C-S41 | 41 | 17400 |
| SS-C-S46 | 46 | 20600 |
| SS-C-S50 | 50 | 22500 |



1/2 DRIVE SOCKET SET- 13 Pcs.

| Code | Contents | (₹) |
|----------|---|-------|
| SS-SS13M | Sockets : 10 Numbers: 8, 10, 11, 12, 14, 17, 19, 22, 24, 27mm Ratchet Wrench 245 mm Swivel Handle 250 mm Socket Box | 88400 |

1/2 DRIVE SOCKET SET- 17 Pcs.

| Code | Contents | (₹) |
|----------|--|--------|
| SS-SS17M | Sockets : 11 Numbers: 10, 11, 12, 14, 17, 19, 22, 24, 27, 30, 32 mm Ratchet Wrench 245 mm Sliding T-Handle 250 mm Speed Brace 400 mm Driver Extension 125 mm & 250 mm Socket Box | 145000 |

1/2 DRIVE SOCKET SET- 25 Pcs.

| Code | Contents | (₹) |
|----------|--|--------|
| SS-SS25M | Sockets : 18 Numbers: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm Ratchet Wrench 245 mm Sliding T-Handle 250 mm Speed Brace 400 mm Driver Extension 125 mm & 250 mm Universal Joint 80 mm Socket Box | 188500 |

EXTENSION BAR

| Code | Drive | Length (mm) | (₹) |
|-----------|-------|-------------|-------|
| SS-B-EB3 | 3/8 | 75 | 4200 |
| SS-N-EB5 | 1/2 | 125 | 6400 |
| SS-N-EB10 | 1/2 | 250 | 8500 |
| SS-C-EB8 | 3/4 | 200 | 13900 |



SLIDING T HANDLE



| Code | Drive | Length (mm) | (₹) |
|-----------|-------|-------------|-------|
| SS-N-TH10 | 1/2 | 250 | 9000 |
| SS-C-TH14 | 3/4 | 350 | 15800 |
| SS-C-TH16 | 3/4 | 400 | 16700 |
| SS-D-TH16 | 1 | 400 | 22600 |

SWIVEL HANDLE / HINGED HANDLE

| Code | Drive | Length (mm) | (₹) |
|------------|-------|-------------|-------|
| SS-B-SW190 | 3/8 | 190 | 5400 |
| SS-N-SW250 | 1/2 | 250 | 7400 |
| SS-N-SW400 | 1/2 | 400 | 13400 |
| SS-C-SW286 | 3/4 | 286 | 13900 |
| SS-D-SW304 | 1 | 304 | 19800 |



RATCHET WRENCH



| Code | Drive | Length (mm) | (₹) |
|------------|-------|-------------|-------|
| SS-B-RR200 | 3/8 | 200 | 10100 |
| SS-N-RR245 | 1/2 | 245 | 13000 |
| SS-C-RR320 | 3/4 | 320 | 26200 |
| SS-D-RR550 | 1 | 550 | 58800 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

UNIVERSAL JOINT

| Code | Drive | Length (mm) | (₹) |
|---------|-------|-------------|-------|
| SS-N-UJ | 1/2 | 80 | 5500 |
| SS-C-UJ | 3/4 | 110 | 13100 |
| SS-D-UJ | 1 | 132 | 33500 |



SPEED BRACE

| Code | Drive | Length (mm) | (₹) |
|------------|-------|-------------|-------|
| SS-B-SB300 | 3/8 | 300 | 9700 |
| SS-N-SB390 | 1/2 | 390 | 10300 |



L-HANDLE / OFFSET HANDLE

| Code | Drive | Length (mm) | (₹) |
|------------|-------|-------------|-------|
| SS-B-LH200 | 3/8 | 200 | 6700 |
| SS-N-LH230 | 1/2 | 230 | 7800 |
| SS-C-LH280 | 3/4 | 280 | 13900 |



ANGULAR BUNG WRENCH



| Code | Size (mm) | (₹) |
|----------|-----------|-------|
| SS-BW385 | 385 | 18700 |

BUNG WRENCH

| Code | Size (mm) | (₹) |
|----------|-----------|-------|
| SS-BW300 | 300 | 18700 |

SHEAR SCISSOR

| Code | Size (mm) | (₹) |
|--------|-----------|-------|
| SS-286 | 120 | 13300 |
| SS-287 | 140 | 14400 |
| SS-288 | 160 | 15500 |
| SS-289 | 180 | 16700 |
| SS-290 | 200 | 17900 |



KNIFE



| Code | Size (mm) | (₹) |
|--------|----------------|------|
| SS-311 | 80x190 (Small) | 5500 |
| SS-312 | 137x250 (Big) | 6700 |

TWEEZER (FLAT NOSE)

| Code | Size (mm) | (₹) |
|--------|-----------|------|
| SS-333 | 150 | 4600 |
| SS-334 | 200 | 7200 |



ROTARY PUMP

| Code | Size (mm) | (₹) |
|--------|-----------|--------|
| SS-355 | 100 | 140800 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

CHISEL



| Code | Size (mm) | (₹) |
|---------------|-----------|-------|
| SS-CSL 160x14 | 160x14 | 3100 |
| SS-CSL 160x16 | 160x16 | 2700 |
| SS-CSL 160x18 | 160x18 | 3200 |
| SS-CSL 200x18 | 200x18 | 4000 |
| SS-CSL 200x20 | 200x20 | 4800 |
| SS-CSL 250x24 | 250x24 | 8200 |
| SS-CSL 300x24 | 300x24 | 10300 |
| SS-CSL 300x25 | 300x25 | 13000 |
| SS-CSL 400x25 | 400x25 | 18600 |
| SS-CSL 500x25 | 500x25 | 23500 |
| SS-CSL 500x30 | 500x30 | 33500 |

C-CLAMP



| Code | Size (mm) | (₹) |
|-----------|-----------|-------|
| SS-CLP50 | 50 | 21400 |
| SS-CLP75 | 75 | 24000 |
| SS-CLP100 | 100 | 28300 |
| SS-CLP150 | 150 | 37800 |
| SS-CLP200 | 200 | 46200 |
| SS-CLP250 | 250 | 55000 |
| SS-CLP300 | 300 | 58600 |

WIRE BRUSH



SS-420

| Code | Size (mm) | (₹) |
|------|-------------------------------|-----|
| WBSS | WIRE BRUSH STAINLESS STEEL | 520 |

FLAT FILE (HEAVY DUTY)

| Code | Size | (₹) |
|----------|-------|-------|
| SS-FF200 | 200mm | 8200 |
| SS-FF250 | 250mm | 10000 |



TRIANGLE FILE

| Code | Size | (₹) |
|----------|-------|-------|
| SS-TF200 | 200mm | 8200 |
| SS-TF250 | 250mm | 10000 |



HALF ROUND FILE

| Code | Size | (₹) |
|-----------|-------|-------|
| SS-HRF200 | 200mm | 8200 |
| SS-HRF250 | 250mm | 10000 |



ROUND FILE

| Code | Size | (₹) |
|----------|-------|-------|
| SS-RF200 | 200mm | 8200 |
| SS-RF250 | 250mm | 10000 |



**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

STAINLESS STEEL TOOLS SET (27 PCS)

STAINLESS STEEL TOOLS

| Code | TOOLS | DESCRIPTION | (₹) |
|--------------------|-----------------------|--------------------|--------|
| SS-TS27 | ALLEN KEY | 5 & 6mm | 170000 |
| | REVERSIBLE RATCHET | 1/2 DRIVE | |
| | SOCKET (1/2 Drive) | 12, 14 & 16mm | |
| | COMBINATION SPANNER | 13mm | |
| | RING SPANNER | 12x13mm | |
| | SCREWDRIVER | 5x100 & 8x150mm | |
| | SCREWDRIVER PHILIPS | PH 100, 150, 250mm | |
| | SLIDING T HANDLE | 1/2 Drive (12.7mm) | |
| | SIDE CUTTING PLIER | 150mm | |
| | LONG NOSE PLIER | 150mm | |
| | PIPE WRENCH | 350mm | |
| | CHISEL | 18x200mm | |
| | SLOGGING OPEN SPANNER | 36mm | |
| | SLOGGING RING SPANNER | 36mm | |
| | COMBINATION PLIER | 200mm | |
| | SLEDGE HAMMER | 1000 Gms | |
| | ADJUSTABLE WRENCH | 250mm | |
| | SINGLE END SPANNER | 24mm | |
| WATER PUMP PLIER | 250mm | | |
| DOUBLE END SPANNER | 12x13mm | | |
| TOOL BOX | | | |



TOOL BOX WITH COMPARTMENTS ANTIMAGNETIC



SS
304

» Easy to Handle

» Convenient to Move

| Code | Set No. | Weight in Gms | (₹) |
|-----------|-----------------|---------------|-------|
| SS-TB19-3 | 475mm = 3 Trays | 3800 | 12000 |
| SS-TB21-5 | 525mm = 5 Trays | 5900 | 14000 |

DE NEERS[®]

Revolution in Hand Tools

INSULATED STEEL TOOLS

INJECTION MOULDED SLEEVES



Insulated Steel Tools belongs to the Safety protection product and can work normally under 1000 Volts. It is widely used in power facilities, precision instruments, electronic instruments, electric utensils, automatic switches and other Installation and Maintenance work which can achieve the ideal effect of Safety, comfort, dexterity and durability. Insulated tools are used by electricians to protect and reduce electrical related incidents such as: electrocution, arc flash, and arc blasts.

**MANUFACTURED
TO IEC 60900 STANDARD**

**Stands normally
under 1000 V**

DIPPED INSULATED SLEEVES



FOR QUERIES CONTACT : DN SAFETY PRODUCTS : 96396 34401, 98106 64401

www.deneerstools.com

DE NEERS®


Revolution in Hand Tools

Quality Assurance

ADHESION TEST



DIELECTRIC TEST



FLAME RETARDANCY TEST



IMPACT TEST



INDENTATION TEST



MARKING DURABILITY TEST



SINGLE OPEN END SPANNER

INSULATED STEEL TOOLS

| Code | Size (mm) | Injection |
|-------------|-----------|-----------|
| | | |
| IST-I-S/E 6 | 6 | 870 |
| IST-I-S/E 7 | 7 | 870 |
| IST-I-S/E 8 | 8 | 890 |
| IST-I-S/E 9 | 9 | 900 |
| IST-I-S/E10 | 10 | 910 |
| IST-I-S/E11 | 11 | 940 |
| IST-I-S/E12 | 12 | 1100 |
| IST-I-S/E13 | 13 | 1100 |
| IST-I-S/E14 | 14 | 1120 |
| IST-I-S/E15 | 15 | 1120 |
| IST-I-S/E16 | 16 | 1240 |
| IST-I-S/E17 | 17 | 1280 |
| IST-I-S/E18 | 18 | 1420 |
| IST-I-S/E19 | 19 | 1420 |
| IST-I-S/E20 | 20 | 2750 |
| IST-I-S/E21 | 21 | 1700 |
| IST-I-S/E22 | 22 | 1800 |
| IST-I-S/E23 | 23 | 3300 |
| IST-I-S/E24 | 24 | 2100 |
| IST-I-S/E25 | 25 | 3580 |
| IST-I-S/E26 | 26 | 4130 |
| IST-I-S/E27 | 27 | 2600 |
| IST-I-S/E28 | 28 | 4900 |
| IST-I-S/E30 | 30 | 3600 |
| IST-I-S/E32 | 32 | 3600 |



| Code | Size (mm) | Dipped |
|--------------|-----------|--------|
| | | |
| IST-D-S/E 6 | 6 | 810 |
| IST-D-S/E 7 | 7 | 810 |
| IST-D-S/E 8 | 8 | 810 |
| IST-D-S/E 9 | 9 | 810 |
| IST-D-S/E 10 | 10 | 880 |
| IST-D-S/E 11 | 11 | 890 |
| IST-D-S/E 12 | 12 | 950 |
| IST-D-S/E 13 | 13 | 990 |
| IST-D-S/E 14 | 14 | 1020 |
| IST-D-S/E 15 | 15 | 1100 |
| IST-D-S/E 16 | 16 | 1190 |
| IST-D-S/E 17 | 17 | 1250 |
| IST-D-S/E 18 | 18 | 1370 |
| IST-D-S/E 19 | 19 | 1370 |
| IST-D-S/E 20 | 20 | 2310 |
| IST-D-S/E 21 | 21 | 1700 |
| IST-D-S/E 22 | 22 | 1700 |
| IST-D-S/E 23 | 23 | 3080 |
| IST-D-S/E 24 | 24 | 2520 |
| IST-D-S/E 25 | 25 | 3360 |
| IST-D-S/E 26 | 26 | 3850 |
| IST-D-S/E 27 | 27 | 3100 |
| IST-D-S/E 28 | 28 | 4460 |
| IST-D-S/E 30 | 30 | 3500 |
| IST-D-S/E 32 | 32 | 3850 |



**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

SINGLE DEEP OFFSET RING SPANNER

| Code | Size (mm) | Injection |
|-------------|-----------|-----------|
| | | (₹) |
| IST-I-SDR6 | 6 | 1110 |
| IST-I-SDR7 | 7 | 1110 |
| IST-I-SDR8 | 8 | 1120 |
| IST-I-SDR9 | 9 | 1120 |
| IST-I-SDR10 | 10 | 1180 |
| IST-I-SDR11 | 11 | 1220 |
| IST-I-SDR12 | 12 | 1240 |
| IST-I-SDR13 | 13 | 1290 |
| IST-I-SDR14 | 14 | 1510 |
| IST-I-SDR15 | 15 | 1510 |
| IST-I-SDR16 | 16 | 1540 |
| IST-I-SDR17 | 17 | 1540 |
| IST-I-SDR18 | 18 | 1680 |
| IST-I-SDR19 | 19 | 1680 |
| IST-I-SDR20 | 20 | 3300 |
| IST-I-SDR21 | 21 | 2200 |
| IST-I-SDR22 | 22 | 2200 |
| IST-I-SDR23 | 23 | 3850 |
| IST-I-SDR24 | 24 | 2600 |
| IST-I-SDR25 | 25 | 4400 |
| IST-I-SDR26 | 26 | 4950 |
| IST-I-SDR27 | 27 | 3100 |
| IST-I-SDR28 | 28 | 5500 |
| IST-I-SDR30 | 30 | 3900 |
| IST-I-SDR32 | 32 | 3900 |



| Code | Size (mm) | Dipped |
|--------------|-----------|--------|
| | | (₹) |
| IST-D-SDR 6 | 6 | 950 |
| IST-D-SDR 7 | 7 | 950 |
| IST-D-SDR 8 | 8 | 1100 |
| IST-D-SDR 9 | 9 | 1100 |
| IST-D-SDR 10 | 10 | 1130 |
| IST-D-SDR 11 | 11 | 1130 |
| IST-D-SDR 12 | 12 | 1220 |
| IST-D-SDR 13 | 13 | 1220 |
| IST-D-SDR 14 | 14 | 1470 |
| IST-D-SDR 15 | 15 | 1470 |
| IST-D-SDR 16 | 16 | 1660 |
| IST-D-SDR 17 | 17 | 1750 |
| IST-D-SDR 18 | 18 | 1840 |
| IST-D-SDR 19 | 19 | 1840 |
| IST-D-SDR 20 | 20 | 3190 |
| IST-D-SDR 21 | 21 | 2130 |
| IST-D-SDR 22 | 22 | 2420 |
| IST-D-SDR 23 | 23 | 3740 |
| IST-D-SDR 24 | 24 | 2650 |
| IST-D-SDR 25 | 25 | 4350 |
| IST-D-SDR 26 | 26 | 4900 |
| IST-D-SDR 27 | 27 | 3280 |
| IST-D-SDR 28 | 28 | 5450 |
| IST-D-SDR 30 | 30 | 3880 |
| IST-D-SDR 32 | 32 | 4390 |

**I
N
S
U
L
A
T
E
D
S
T
E
E
L
T
O
O
L
S**

RING GEAR WRENCH



| Code | Size (mm) | Dipped |
|-------------|-----------|--------|
| | | (₹) |
| IST-D-RGW10 | 10 | 2750 |
| IST-D-RGW11 | 11 | 2810 |
| IST-D-RGW12 | 12 | 2970 |
| IST-D-RGW13 | 13 | 3080 |
| IST-D-RGW14 | 14 | 3300 |
| IST-D-RGW15 | 15 | 3520 |
| IST-D-RGW16 | 16 | 3800 |
| IST-D-RGW17 | 17 | 4020 |
| IST-D-RGW18 | 18 | 4130 |
| IST-D-RGW19 | 19 | 4350 |

PIPE WRENCH

| Code | Size (mm) | Dipped |
|------------|-----------|--------|
| | | (₹) |
| IST-D-PW6 | 150 | 3200 |
| IST-D-PW8 | 200 | 3500 |
| IST-D-PW10 | 250 | 4000 |
| IST-D-PW12 | 300 | 4800 |
| IST-D-PW14 | 350 | 6400 |
| IST-D-PW18 | 450 | 8800 |

ADJUSTABLE WRENCH



| Code | Size (mm) | Injection |
|------------|-----------|-----------|
| | | (₹) |
| IST-I-AW6 | 150mm-6 | 3400 |
| IST-I-AW8 | 200mm-8 | 5500 |
| IST-I-AW10 | 250mm-10 | 7150 |
| IST-I-AW12 | 300mm-12 | 9100 |
| IST-I-AW15 | 375mm-15 | 19250 |

| Code | Size (mm) | Dipped |
|------------|-----------|--------|
| | | (₹) |
| IST-D-AW6 | 150mm-6 | 2500 |
| IST-D-AW8 | 200mm-8 | 3600 |
| IST-D-AW10 | 250mm-10 | 5250 |
| IST-D-AW12 | 300mm-12 | 6900 |
| IST-D-AW15 | 375mm-15 | 13750 |

T-ALLEN KEY (HEX)



| Code | Size (mm) | Injection |
|---------------|-----------|-----------|
| | | (₹) |
| IST-I-TAK 2.5 | 2.5 | 2500 |
| IST-I-TAK 3 | 3 | 3400 |
| IST-I-TAK 4 | 4 | 4000 |
| IST-I-TAK 5 | 5 | 4400 |
| IST-I-TAK 6 | 6 | 4800 |
| IST-I-TAK 8 | 8 | 6400 |

| Code | Size (mm) | Dipped |
|-------------|-----------|--------|
| | | (₹) |
| IST-D-TAK 4 | 4 | 4000 |
| IST-D-TAK 5 | 5 | 4400 |
| IST-D-TAK 6 | 6 | 4800 |
| IST-D-TAK 7 | 7 | 5600 |
| IST-D-TAK 8 | 8 | 6400 |
| IST-D-TAK 9 | 9 | 7200 |
| IST-D-TAK10 | 10 | 7900 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

ALLEN KEY (HEX)



| Code | Size (mm) | Injection |
|-------------|-----------|-----------|
| | | (₹) |
| IST-I-AK1.5 | 1.5 | 1900 |
| IST-I-AK2 | 2 | 1900 |
| IST-I-AK2.5 | 2.5 | 1950 |
| IST-I-AK3 | 3 | 1440 |
| IST-I-AK4 | 4 | 1440 |
| IST-I-AK5 | 5 | 1750 |
| IST-I-AK6 | 6 | 2050 |
| IST-I-AK8 | 8 | 2180 |
| IST-I-AK10 | 10 | 2700 |
| IST-I-AK12 | 12 | 3500 |

| Code | Size (mm) | Dipped |
|------------|-----------|--------|
| | | (₹) |
| IST-D-AK3 | 3 | 1420 |
| IST-D-AK4 | 4 | 1420 |
| IST-D-AK5 | 5 | 1720 |
| IST-D-AK6 | 6 | 2010 |
| IST-D-AK8 | 8 | 2130 |
| IST-D-AK10 | 10 | 2650 |
| IST-D-AK12 | 12 | 3470 |

ALLEN KEY SET (HEX)



| Code | Size (mm) | Injection |
|-------------|--|-----------|
| | | (₹) |
| IST-KIT-O-1 | ALLEN KEY SET 7 Pcs (6+1) (3MM TO 10MM) | 11750 |
| IST-KIT-P-1 | ALLEN KEY SET 8 Pcs (7+1) (3MM TO 12MM) | 15250 |
| IST-KIT-W-1 | ALLEN KEY SET 10 Pcs (9+1) (1.5MM TO 10MM) | 18200 |

| Code | Size (mm) | Dipped |
|-------------|---|--------|
| | | (₹) |
| IST-KIT-O-2 | ALLEN KEY SET 7 Pcs (6+1) (3MM TO 10MM) | 11450 |
| IST-KIT-P-2 | ALLEN KEY SET 8 Pcs (7+1) (3MM TO 12MM) | 15050 |

INSULATED STEEL TOOLS

SCREW DRIVER- FLAT SLOTTED ⊖

Fasten & Unload Slotted Bolts (Screw Nails) under 1000V of Electricity

| Code | Length (mm) | Injection |
|-------------|-------------|-----------|
| | | (₹) |
| IST-I-SD50 | 3x50 | 440 |
| IST-I-SD60 | 3x60 | 440 |
| IST-I-SD75 | 3x75 | 530 |
| IST-I-SD80 | 3x80 | 530 |
| IST-I-SD100 | 4x100 | 600 |
| IST-I-SD125 | 5.5x125 | 800 |
| IST-I-SD150 | 6.5x150 | 900 |
| IST-I-SD175 | 8x175 | 1280 |
| IST-I-SD200 | 8x200 | 2400 |
| IST-I-SD250 | 10x250 | 3800 |
| IST-I-SD300 | 12x300 | 4500 |



SCREW DRIVER - PHILIPS PATTERN ⊕

Fasten & Unload Philips Bolts (Ph. Screw nails) under 1000V of Electricity

| Code | Length (mm) | Injection |
|--------------|-------------|-----------|
| | | (₹) |
| IST-I-SD50P | Ph0x50 | 440 |
| IST-I-SD60P | Ph0x60 | 440 |
| IST-I-SD75P | Ph1x75 | 530 |
| IST-I-SD80P | Ph1x80 | 530 |
| IST-I-SD100P | Ph2x100 | 600 |
| IST-I-SD125P | Ph2x125 | 800 |
| IST-I-SD150P | Ph3x150 | 900 |
| IST-I-SD175P | Ph3x175 | 1280 |
| IST-I-SD200P | Ph3x200 | 2400 |
| IST-I-SD250P | Ph3x250 | 3800 |
| IST-I-SD300P | Ph3x300 | 4500 |



SCREW DRIVER - POZI DRIVE ⊕

Fasten & Unload Pozi Drive Bolts (Pz Screw Nails) under 1000V of Electricity

| Code | Specification | Injection |
|---------------|---------------|-----------|
| | | (₹) |
| IST-I-SD80PZ | PZ 1x80 | 530 |
| IST-I-SD100PZ | PZ 2x100 | 600 |
| IST-I-SD150PZ | PZ 3x150 | 900 |
| IST-I-SD175PZ | PZ 4x175 | 1750 |
| IST-I-SD200PZ | PZ 5x200 | 2800 |



**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

SCREW DRIVER - TORX

Fasten & Unload Slotted Bolts (Screw Nails) under 1000V of Electricity

| Code | Size | Length (mm) | Injection |
|---------|------|-------------|-----------|
| | | | (₹) |
| IST-001 | T5 | 75 | 900 |
| IST-002 | T6 | 75 | 900 |
| IST-003 | T7 | 75 | 900 |
| IST-004 | T8 | 75 | 900 |
| IST-005 | T9 | 75 | 1000 |
| IST-006 | T10 | 75 | 1050 |
| IST-007 | T15 | 80 | 1100 |
| IST-008 | T20 | 100 | 1200 |
| IST-009 | T25 | 125 | 1300 |
| IST-010 | T27 | 125 | 1400 |
| IST-011 | T30 | 130 | 1600 |
| IST-012 | T40 | 175 | 1700 |
| IST-013 | T45 | 175 | 1800 |

SELF CLAMPING SLIP ON CAPS

| Code | Size (mm) | Dipped |
|---------|-----------|--------|
| | | (₹) |
| IST-024 | 10 | 2250 |
| IST-025 | 20 | 2500 |
| IST-026 | 30 | 2800 |

PLASTIC SLIP ON CAPS CONICAL

| Code | Size | Dipped |
|---------|------|--------|
| | | (₹) |
| IST-037 | #1 | 1800 |
| IST-038 | #2 | 2000 |
| IST-039 | #3 | 2100 |

DIPPED 4 WAY RIM WRENCH

| Code | Size (mm) | Dipped |
|---------|-----------|--------|
| | | (₹) |
| IST-049 | 230 | 21000 |

T-HANDLE NUT DRIVER



| Code | Size (mm) | Injection |
|---------|-----------|-----------|
| | | (₹) |
| IST-051 | 4x130 | 2450 |
| IST-052 | 5x130 | 2450 |
| IST-053 | 6x130 | 2490 |
| IST-054 | 7x130 | 2560 |
| IST-055 | 8x130 | 2700 |
| IST-056 | 9x130 | 2940 |
| IST-057 | 10x130 | 3220 |
| IST-058 | 12x130 | 3500 |
| IST-059 | 13x130 | 3680 |
| IST-060 | 14x130 | 4130 |

SCREWDRIVER NUT DRIVER



| Code | Size (mm) | Injection |
|---------|-----------|-----------|
| | | (₹) |
| IST-081 | 5x125 | 1260 |
| IST-082 | 6x125 | 1470 |
| IST-083 | 7x125 | 1540 |
| IST-084 | 8x125 | 1680 |
| IST-085 | 9x125 | 1820 |
| IST-086 | 10x125 | 1990 |
| IST-087 | 12x125 | 2170 |
| IST-088 | 13x125 | 2310 |
| IST-089 | 14x125 | 2520 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**


**SCREW DRIVER SET (11 Pcs)
(10 PCS + 1 TOOL BOX)
(KIT-A)**

| Code | Contents | (₹) |
|-----------|--|--------------|
| IST-KIT-A | Screw Driver Flat : 75, 100, 150, 175mm Screw Driver Philips : 60, 80, 100, 150mm Screw Driver Pozi Drive : 100, 150mm | 11000 |

KIT-A



INTERCHANGEABLE SCREWDRIVER SET



| Code | Contents : | (₹) |
|------------|---|--------------|
| IST-ISDS12 | 12 Pcs Set Slotted : 0.4*2.0*100, 0.4*2.5*100, 0.5*3.0*100, 0.6*3.5*100, 0.8*4.0*100, 1.0*5.5*100, 1.2*6.5*100 Philips : PH0*100, PH1*100, PH2*100 Voltage Tester : 3.0*70 mm Handle : 31*105mm | 8750 |
| IST-ISDS50 | 50 Pcs Set ⊕ 2.0, 2.5, 3.0, 3.5, 4.0, 5.5, 6.5mm (L=100mm) S2 ⊕ Ph0, Ph1, Ph2 (L=100mm) S2 ⊕ PZ0, PZ1, Pz2 (L=100mm) S2 ⊙ T6, T8, T9, T10, T15, T20, T25, T27, T30 (L=100mm) S2 ⊙ 2.5, 3, 4, 5, 6mm (L=100mm) S2 ⊙ R1, R2 (L=100mm) S2 ⊙ 1, 2, 3, 4mm (L=100mm) S2 ⊕ 4, 6, 8, 10mm (L=100mm) S2 ⊕ 4, 6, 8, 10mm (L=100mm) S2 ⊙ M4, M5, M6 (L=100mm) S2 Tester : 4X150mm : 250 V | 19900 |

**I
N
S
U
L
A
T
E
D

S
T
E
E
L

T
O
O
L
S**

VOLTAGE TESTER



| Code | Size (mm) | Voltage | (₹) |
|---------|-----------|---------|-----|
| IST-097 | 60 | 10-250 | 350 |
| IST-098 | 70 | 10-250 | 350 |
| IST-099 | 105 | 10-250 | 350 |

PRIME VOLTAGE TESTER



| Code | Size (mm) | Voltage | (₹) |
|----------|-----------|----------|-----|
| IST-0111 | 3.00x140 | 100-500V | 800 |

TEST PENCIL



| Code | Size (mm) | Voltage | (₹) |
|----------|-----------|---------|------|
| IST-0116 | 140 | 12-250 | 2400 |

INTELLIGENT VOLTAGE TESTER



| Code | Size (mm) | Voltage | (₹) |
|----------|-----------|----------|------|
| IST-0126 | 158 | 12-1000V | 3000 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

HACKSAW FRAME (DIPPED)



| Code | Size (mm) | Dipped |
|---------|-----------|--------|
| | | (₹) |
| IST-137 | 470mm | 19250 |

HACKSAW FRAME (INJECTION)



| Code | Size (mm) | Injection |
|---------|----------------|-----------|
| | | (₹) |
| IST-169 | 150mm (Junior) | 13750 |
| IST-170 | 300mm (Senior) | 19250 |

PRECISION TWEEZER



| Code | Size (mm) | Injection |
|---------|-----------------------|-----------|
| | | (₹) |
| IST-148 | 6x160 (with Teeth) | 4900 |
| IST-149 | 6x135 (without Teeth) | 4900 |

HAMMER Mallet



| Code | Size (mm) | Dipped |
|---------|-----------|--------|
| | | (₹) |
| IST-178 | 300 | 31500 |

CLAMP (INJECTION)



| Code | Length (mm) | Injection |
|---------|-------------|-----------|
| | | (₹) |
| IST-158 | 150 | 2750 |

RATCHETING CABLE CUTTER



| Code | Size (mm) | Injection |
|---------|-----------|-----------|
| | | (₹) |
| IST-189 | 380 | 45000 |

COMBINATION PLIER / LINEMAN PLIER



| Code | Size (mm) | Injection |
|-----------|-----------|-----------|
| | | (₹) |
| IST-I-CP6 | 150mm-6 | 1760 |
| IST-I-CP7 | 175mm-7 | 1980 |
| IST-I-CP8 | 200mm-8 | 2250 |



| Code | Size (mm) | Dipped |
|-----------|-----------|--------|
| | | (₹) |
| IST-D-CP6 | 150mm-6 | 1190 |
| IST-D-CP7 | 175mm-7 | 1300 |
| IST-D-CP8 | 200mm-8 | 1400 |

LONG NOSE PLIER / SNIPE NOSE PLIER



| Code | Size (mm) | Injection |
|------------|-----------|-----------|
| | | (₹) |
| IST-I-LNP6 | 150mm-6 | 1540 |
| IST-I-LNP7 | 175mm-7 | 1980 |
| IST-I-LNP8 | 200mm-8 | 2200 |



| Code | Size (mm) | Dipped |
|------------|-----------|--------|
| | | (₹) |
| IST-D-LNP6 | 150mm-6 | 1100 |
| IST-D-LNP7 | 175mm-7 | 1200 |
| IST-D-LNP8 | 200mm-8 | 1300 |

DIAGONAL SIDE CUTTING PLIER



| Code | Size (mm) | Injection |
|------------|-----------|-----------|
| | | (₹) |
| IST-I-SCP6 | 150mm-6 | 1760 |
| IST-I-SCP7 | 175mm-7 | 1980 |
| IST-I-SCP8 | 200mm-8 | 2200 |



| Code | Size (mm) | Dipped |
|------------|-----------|--------|
| | | (₹) |
| IST-D-SCP6 | 150mm-6 | 1100 |
| IST-D-SCP7 | 175mm-7 | 1250 |
| IST-D-SCP8 | 200mm-8 | 1500 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

PLIER PRO SERIES



| Code | Item | Size (mm) | Dipped |
|--------------|------------------------------|-----------|-------------|
| | | | (₹) |
| IST-D-CP8PP | Combination Plier | 200mm-8 | 1980 |
| IST-D-LNP6PP | Long Nose Plier | 150mm-6 | 1780 |
| IST-D-SCP6PP | Diagonal/ Side Cutting Plier | 150mm-6 | 1800 |

FLAT NOSE PLIER



| Code | Size (mm) | Injection |
|------------|-----------|-------------|
| | | (₹) |
| IST-I-FNP6 | 150mm-6 | 4950 |
| IST-I-FNP8 | 200mm-8 | 5800 |

CIRCLIP PLIER

| Code | Size (mm) | Dipped |
|------------|-----------|-------------|
| | | (₹) |
| IST-D-CRP7 | 175 | 1900 |

ROUND NOSE PLIER



| Code | Size (mm) | Injection |
|------------|-----------|-------------|
| | | (₹) |
| IST-I-RNP6 | 150mm-6 | 7500 |

| Code | Size (mm) | Dipped |
|------------|-----------|-------------|
| | | (₹) |
| IST-D-RNP6 | 150mm-6 | 4500 |

BENT NOSE PLIER



| Code | Size (mm) | Injection |
|------------|-----------|-----------|
| | | (₹) |
| IST-I-BNP6 | 150mm-6 | 5800 |
| IST-I-BNP8 | 200mm-8 | 7700 |

| Code | Size (mm) | Dipped |
|------------|-----------|--------|
| | | (₹) |
| IST-D-BNP6 | 150mm-6 | 3900 |

WATER PUMP PLIER



| Code | Size (mm) | Injection |
|-------------|-----------|-----------|
| | | (₹) |
| IST-I-WPP8 | 200mm-8 | 2750 |
| IST-I-WPP10 | 250mm-10 | 3400 |
| IST-I-WPP12 | 300mm-12 | 3800 |



| Code | Size (mm) | Dipped |
|-------------|-----------|--------|
| | | (₹) |
| IST-D-WPP8 | 200mm-8 | 1500 |
| IST-D-WPP10 | 250mm-10 | 1800 |
| IST-D-WPP12 | 300mm-12 | 2500 |

WIRE STRIPPER



| Code | Size (mm) | Injection |
|-----------|-----------|-----------|
| | | (₹) |
| IST-I-WS6 | 150mm-6 | 2600 |



| Code | Size (mm) | Dipped |
|-----------|-----------|--------|
| | | (₹) |
| IST-D-WS6 | 150mm-6 | 1200 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

CABLE CUTTING PLIER



| Code | Size (mm) | Injection |
|-------------|-----------|-----------|
| | | (₹) |
| IST-I-CCP6 | 150mm-6 | 2750 |
| IST-I-CCP8 | 200mm-8 | 3300 |
| IST-I-CCP9 | 225mm-9 | 3850 |
| IST-I-CCP10 | 250mm-10 | 4400 |



| Code | Size (mm) | Dipped |
|-------------|-----------|--------|
| | | (₹) |
| IST-D-CCP6 | 150mm-6 | 1375 |
| IST-D-CCP8 | 200mm-8 | 2200 |
| IST-D-CCP9 | 225mm-9 | 3100 |
| IST-D-CCP10 | 250mm-10 | 3300 |

CABLE CUTTER (JUMBO SIZES)



| Code | Size (mm) | Injection |
|-------------|-----------|-----------|
| | | (₹) |
| IST-I-CC24J | 600mm-24 | 71500 |
| IST-I-CC32J | 800mm-32 | 105000 |

SCISSOR



| Code | Length (mm) | Injection |
|---------|-------------|-----------|
| | | (₹) |
| IST-205 | 150 | 4400 |

STICK TAPE VDE



| Code | Size (mm) | (₹) |
|---------|-----------|-----|
| | | |
| IST-226 | 10x20mm | 400 |

SOCKET 1/4 SQUARE DRIVE



| Code | Size (mm) | INJECTION |
|-----------|-----------|-----------|
| | | (₹) |
| IST-I-A4 | 4 | 1020 |
| IST-I-A5 | 5 | 1020 |
| IST-I-A6 | 6 | 1020 |
| IST-I-A7 | 7 | 1020 |
| IST-I-A8 | 8 | 1030 |
| IST-I-A9 | 9 | 1030 |
| IST-I-A10 | 10 | 1080 |
| IST-I-A11 | 11 | 1130 |
| IST-I-A12 | 12 | 1140 |
| IST-I-A13 | 13 | 1150 |
| IST-I-A14 | 14 | 1280 |

SOCKET DEEP 1/4 SQUARE DRIVE

| Code | Size (mm) | INJECTION |
|-----------|-----------|-----------|
| | | (₹) |
| IST-I-A6D | 6 | 5600 |
| IST-I-A7D | 7 | 6300 |
| IST-I-A8D | 8 | 7000 |

2 LAYER INSULATED ADAPTOR



| Code | Size (mm) | INJECTION |
|------------------|-----------|-----------|
| | | (₹) |
| IST-I-ADP1/2x3/8 | 1/2Fx3/8M | 10500 |
| IST-I-ADP3/8x1/2 | 3/8Fx1/2M | 10500 |
| IST-I-ADP3/8x1/4 | 3/8Fx1/4M | 10500 |
| IST-I-ADP1/4x3/8 | 1/4Fx3/8M | 10500 |

1/4 INSULATED BIT ADAPTOR



| Code | Drive | INJECTION |
|---------|---------|-----------|
| | | (₹) |
| IST-248 | 1/4 Dr. | 880 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

SOCKET 3/8 SQUARE DRIVE



INSULATED STEEL TOOLS

| Code | Size (mm) | Injection |
|-----------|-----------|-----------|
| | | (₹) |
| IST-I-B7 | 7 | 2900 |
| IST-I-B8 | 8 | 2915 |
| IST-I-B9 | 9 | 3080 |
| IST-I-B10 | 10 | 3300 |
| IST-I-B11 | 11 | 3410 |
| IST-I-B12 | 12 | 3575 |
| IST-I-B13 | 13 | 3630 |
| IST-I-B14 | 14 | 3795 |
| IST-I-B15 | 15 | 3850 |
| IST-I-B16 | 16 | 3960 |
| IST-I-B17 | 17 | 4180 |
| IST-I-B18 | 18 | 4620 |
| IST-I-B19 | 19 | 4620 |
| IST-I-B20 | 20 | 4950 |
| IST-I-B21 | 21 | 5225 |
| IST-I-B22 | 22 | 5445 |

| Code | Size (mm) | Dipped |
|-----------|-----------|--------|
| | | (₹) |
| IST-D-B8 | 8 | 1100 |
| IST-D-B9 | 9 | 1100 |
| IST-D-B10 | 10 | 1210 |
| IST-D-B11 | 11 | 1210 |
| IST-D-B12 | 12 | 1210 |
| IST-D-B13 | 13 | 1375 |
| IST-D-B14 | 14 | 1375 |
| IST-D-B15 | 15 | 1650 |
| IST-D-B16 | 16 | 1650 |
| IST-D-B17 | 17 | 1925 |
| IST-D-B18 | 18 | 1925 |
| IST-D-B19 | 19 | 2200 |
| IST-D-B20 | 20 | 2200 |
| IST-D-B21 | 21 | 2475 |
| IST-D-B22 | 22 | 2475 |

SOCKET 3/8 SQUARE DRIVE (DEEP)

| Code | Size (mm) | Injection |
|------------|-----------|-----------|
| | | (₹) |
| IST-I-B8D | 8 | 3000 |
| IST-I-B10D | 10 | 3400 |
| IST-I-B12D | 12 | 3600 |

RATCHETING GEAR SOCKET WRENCH



| Code | Size (mm) | Dipped |
|---------|-----------|--------|
| | | (₹) |
| IST-271 | 13x17 | 16500 |
| IST-272 | 14x17 | 19000 |
| IST-273 | 17x19 | 24700 |
| IST-274 | 19x22 | 27500 |
| IST-275 | 19x24 | 28000 |
| IST-276 | 22x24 | 31900 |

SOCKET 1/2 SQUARE DRIVE



| Code | Size (mm) | Injection |
|-----------|-----------|-----------|
| | | (₹) |
| IST-I-N10 | 10 | 1650 |
| IST-I-N11 | 11 | 1760 |
| IST-I-N12 | 12 | 1870 |
| IST-I-N13 | 13 | 1925 |
| IST-I-N14 | 14 | 2090 |
| IST-I-N15 | 15 | 4125 |
| IST-I-N16 | 16 | 2475 |
| IST-I-N17 | 17 | 2530 |
| IST-I-N18 | 18 | 2750 |
| IST-I-N19 | 19 | 2860 |
| IST-I-N20 | 20 | 3025 |
| IST-I-N21 | 21 | 3190 |
| IST-I-N22 | 22 | 3300 |
| IST-I-N23 | 23 | 3465 |
| IST-I-N24 | 24 | 3575 |
| IST-I-N25 | 25 | 3740 |
| IST-I-N26 | 26 | 3850 |
| IST-I-N27 | 27 | 4015 |
| IST-I-N28 | 28 | 4125 |
| IST-I-N29 | 29 | 4290 |
| IST-I-N30 | 30 | 4510 |
| IST-I-N32 | 32 | 4620 |

| Code | Size (mm) | Dipped |
|-----------|-----------|--------|
| | | (₹) |
| IST-D-N10 | 10 | 1540 |
| IST-D-N11 | 11 | 1540 |
| IST-D-N12 | 12 | 1540 |
| IST-D-N13 | 13 | 1540 |
| IST-D-N14 | 14 | 1540 |
| IST-D-N15 | 15 | 2200 |
| IST-D-N16 | 16 | 2090 |
| IST-D-N17 | 17 | 2090 |
| IST-D-N18 | 18 | 2200 |
| IST-D-N19 | 19 | 2310 |
| IST-D-N20 | 20 | 2420 |
| IST-D-N21 | 21 | 2420 |
| IST-D-N22 | 22 | 2475 |
| IST-D-N23 | 23 | 2585 |
| IST-D-N24 | 24 | 2640 |
| IST-D-N25 | 25 | 2640 |
| IST-D-N26 | 26 | 2695 |
| IST-D-N27 | 27 | 2750 |
| IST-D-N28 | 28 | 2805 |
| IST-D-N29 | 29 | 2860 |
| IST-D-N30 | 30 | 2970 |
| IST-D-N32 | 32 | 3025 |

FOR QUERIES CONTACT : DN SAFETY PRODUCTS : 96396 34401, 98106 64401

1/4 DRIVE ALLEN SOCKET (HEXAGONAL)



| Code | Size (mm) | Injection |
|---------|-----------|-----------|
| | | (₹) |
| IST-297 | 3 | 1460 |
| IST-298 | 4 | 1460 |
| IST-299 | 5 | 1460 |
| IST-300 | 6 | 1460 |
| IST-301 | 8 | 1460 |

3/8 DRIVE ALLEN SOCKET (HEXAGONAL)



| Code | Size (mm) | Dipped |
|---------|-----------|--------|
| | | (₹) |
| IST-306 | 4 | 2010 |
| IST-307 | 5 | 2010 |
| IST-308 | 6 | 2010 |
| IST-309 | 8 | 2010 |
| IST-310 | 10 | 2010 |

1/2 DRIVE ALLEN SOCKET (HEXAGONAL)



| Code | Size (mm) | Dipped |
|---------|-----------|--------|
| | | (₹) |
| IST-321 | 4 | 2360 |
| IST-322 | 5 | 2360 |
| IST-323 | 6 | 2360 |
| IST-324 | 8 | 2360 |
| IST-325 | 10 | 2360 |

INSULATION BITS SOCKET HEX



| Code | Size (mm) | Injection |
|---------|-----------|-----------|
| | | (₹) |
| IST-336 | 4x75 | 3500 |
| IST-337 | 4x120 | 7000 |
| IST-338 | 5x75 | 4200 |
| IST-339 | 5x120 | 7700 |
| IST-340 | 6x75 | 4900 |
| IST-341 | 6x120 | 8400 |
| IST-342 | 8x75 | 5600 |
| IST-343 | 8x120 | 9100 |
| IST-344 | 10x120 | 9800 |

TORX SOCKET (3/8 DRIVE)



| Code | Size | Length (mm) | Injection |
|---------|------|-------------|-----------|
| | | | (₹) |
| IST-352 | T10 | 75 | 5040 |
| IST-353 | T15 | 75 | 5040 |
| IST-354 | T15 | 157 | 5250 |
| IST-355 | T20 | 75 | 5250 |
| IST-356 | T20 | 157 | 5320 |
| IST-357 | T25 | 75 | 5320 |
| IST-358 | T25 | 157 | 5390 |
| IST-359 | T30 | 75 | 5390 |
| IST-360 | T30 | 157 | 5460 |
| IST-361 | T40 | 75 | 5600 |
| IST-362 | T40 | 157 | 5740 |
| IST-363 | T45 | 75 | 5880 |
| IST-364 | T45 | 157 | 5950 |

T-TYPE SOCKET

| Code | Size (mm) | Length (mm) | Dipped |
|---------|-----------|-------------|--------|
| | | | (₹) |
| IST-379 | 10 | 200 | 2700 |
| IST-380 | 12 | 200 | 2800 |
| IST-381 | 13 | 200 | 2800 |
| IST-382 | 14 | 200 | 3100 |
| IST-383 | 16 | 200 | 3100 |
| IST-384 | 17 | 200 | 3100 |
| IST-385 | 18 | 200 | 3100 |
| IST-386 | 19 | 200 | 3600 |
| IST-387 | 10 | 300 | 3600 |
| IST-388 | 12 | 300 | 3600 |
| IST-389 | 13 | 300 | 3600 |
| IST-390 | 14 | 300 | 3600 |
| IST-391 | 16 | 300 | 4100 |
| IST-392 | 17 | 300 | 4100 |
| IST-393 | 18 | 300 | 4100 |
| IST-394 | 19 | 300 | 4500 |



T TYPE WRENCH



| Code | Drive | Length (mm) | Injection |
|---------|-------|-------------|-----------|
| | | | (₹) |
| IST-415 | 3/8 | 200 | 4400 |
| IST-416 | 1/2 | 200 | 6050 |



| Code | Drive | Length (mm) | Dipped |
|---------|-------|-------------|--------|
| | | | (₹) |
| IST-426 | 3/8 | 200 | 3850 |
| IST-427 | 1/2 | 200 | 5600 |

T HANDLE



| Code | Drive | Length (mm) | Dipped |
|------------|-------|-------------|--------|
| | | | (₹) |
| IST-D-B-TH | 3/8 | 180 | 7700 |
| IST-D-N-TH | 1/2 | 250 | 10450 |

INSULATED Z TYPE ADAPTER 3/8 DRIVE

For Use under the special position.

Chrome Vanadium Steel.

Each tool individual tested at 10,000 Voltage



| Code | Drive | A/F Size | Injection |
|---------|-------|----------|-----------|
| | | | (₹) |
| IST-439 | 3/8 | 10 | 17500 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

EXTENSION BAR



| Code | Drive | Length (mm) | Injection |
|--------------|-------|-------------|-----------|
| | | | (₹) |
| IST-I-B-EB3 | 3/8 | 75 | 3800 |
| IST-I-B-EB5 | 3/8 | 125 | 4300 |
| IST-I-B-EB6 | 3/8 | 150 | 4600 |
| IST-I-B-EB10 | 3/8 | 250 | 4700 |
| IST-I-A-EB4 | 1/4 | 100 | 1600 |
| IST-I-A-EB6 | 1/4 | 150 | 1900 |
| IST-I-N-EB5 | 1/2 | 125 | 4100 |
| IST-I-N-EB10 | 1/2 | 250 | 4800 |

| Code | Drive | Length (mm) | Dipped |
|--------------|-------|-------------|--------|
| | | | (₹) |
| IST-D-B-EB3 | 3/8 | 75 | 3700 |
| IST-D-B-EB5 | 3/8 | 125 | 4200 |
| IST-D-B-EB6 | 3/8 | 150 | 4500 |
| IST-D-B-EB10 | 3/8 | 250 | 4600 |
| IST-D-N-EB5 | 1/2 | 125 | 4000 |
| IST-D-N-EB10 | 1/2 | 250 | 4700 |

L HANDLE / OFFSET HANDLE

| Code | Drive | Length (mm) | Dipped |
|-------------|-------|-------------|--------|
| | | | (₹) |
| IST-D-B-LH8 | 3/8 | 200 | 8250 |
| IST-D-N-LH9 | 1/2 | 230 | 11000 |



RATCHET



| Code | Drive | Length (mm) | Injection |
|------------|-------|-------------|-----------|
| | | | (₹) |
| IST-I-A-RR | 1/4 | 145 | 8900 |
| IST-I-B-RR | 3/8 | 200 | 13750 |
| IST-I-N-RR | 1/2 | 250 | 13200 |



| Code | Drive | Length (mm) | Dipped |
|------------|-------|-------------|--------|
| | | | (₹) |
| IST-D-B-RR | 3/8 | 200 | 11550 |
| IST-D-N-RR | 1/2 | 250 | 7150 |

TORQUE WRENCH



| Code | N.m | Drive | Injection |
|---------------|------------|-------|-----------|
| | | | (₹) |
| IST-I-B-TW25 | 5-25 N.m | 3/8 | 75000 |
| IST-I-B-TW50 | 10-50 N.m | 3/8 | 80000 |
| IST-I-N-TW50 | 10-50 N.m | 1/2 | 60000 |
| IST-I-N-TW100 | 20-100 N.m | 1/2 | 120000 |
| IST-I-N-TW200 | 40-200 N.m | 1/2 | 166000 |

**INSULATED SOCKET SET 21 PCS
(1/4 DRIVE)
(20 Pcs + 1 Tool Box)
(KIT-T)**

KIT-T

| Code | TOOLS | DESCRIPTION | (₹) |
|-----------|---|---|-------|
| IST-KIT-T | RATCHET WRENCH | 145mm | 37400 |
| | EXTENSION BAR | 100, 150mm | |
| | 1/4 INSULATED HEXAGON SOCKETS | 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm | |
| | 1/4 INSULATED BIT SOCKET FOR HEXAGON SCREWS | H3, H4, H5, H6, H8 | |
| | TOOL BOX | DOUBLE COLOR PLASTIC BOX | |



**INSULATED SOCKET SET 19 PCS
(3/8 DRIVE)
(18 Pcs + 1 Tool Box)
(KIT-U)**

KIT-U

| Code | TOOLS | DESCRIPTION | (₹) |
|-----------|---|---|-------|
| IST-KIT-U | RATCHET WRENCH | 200mm | 53000 |
| | EXTENSION BAR | 250mm | |
| | T HANDLE | 200mm | |
| | 3/4 INSULATED HEXAGON SOCKETS | 10, 11, 12, 13, 14, 16, 17, 18, 19, 21 & 22mm | |
| | 3/8 INSULATED BIT SOCKET FOR HEXAGON SCREWS | H4, H5, H6, H8 | |
| TOOL BOX | DOUBLE COLOR PLASTIC BOX | | |

**INSULATED SOCKET SET 21 PCS
(1/2 DRIVE)
(20 Pcs + 1 Tool Box)
(KIT-S)**

KIT-S

| Code | TOOLS | DESCRIPTION | (₹) |
|-----------|---|--|-------|
| IST-KIT-S | RATCHET WRENCH | 250mm | 55000 |
| | EXTENSION BAR | 250mm | |
| | T HANDLE WRENCH | 200mm | |
| | 1/2 INSULATED HEXAGON SOCKETS | 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24, 27mm | |
| | 1/2 INSULATED BIT SOCKET FOR HEXAGON SCREWS | H4, H5, H6, H8 | |
| | TOOL BOX | DOUBLE COLOR PLASTIC BOX | |

FOR QUERIES CONTACT : DN SAFETY PRODUCTS : 96396 34401, 98106 64401

INSULATED CHANGEABLE CABLE KNIFE

| Code | Size (mm) | Injection |
|---------|-----------|-----------|
| | | (₹) |
| IST-401 | 50x180 | 3500 |



INSULATED SEMI CIRCLE KNIFE

| Code | Size (mm) | Injection |
|---------|-----------|-----------|
| | | (₹) |
| IST-402 | 50x180 | 3500 |



INSULATED HALF MOON LONG HOOK KNIFE

| Code | Size (mm) | Injection |
|---------|-----------|-----------|
| | | (₹) |
| IST-403 | 50x180 | 3500 |



INSULATED STRAIGHT KNIFE

| Code | Size (mm) | Injection |
|---------|-----------|-----------|
| | | (₹) |
| IST-404 | 50x180 | 3500 |



INSULATED GUARD CABLE KNIFE

| Code | Size (mm) | Injection |
|---------|-----------|-----------|
| | | (₹) |
| IST-405 | 50x180 | 3500 |



INSULATED DISMANTLING & SHEATHING KNIFE

| Code | Size (mm) | Injection |
|---------|-----------|-----------|
| | | (₹) |
| IST-406 | 50x180 | 3500 |



INSULATED KNIFE SET OF 7 PC (6 Pcs. + 1) (KIT-V)

KIT-V

| Code | Description | Injection |
|-----------|--------------|-----------|
| | | (₹) |
| IST-KIT-V | SET OF 7 PCS | 21000 |



SINGLE DEEP OFFSET RING SPANNER
20 PCS SET (POUCH PACKING)
(KIT-C-1)



| Code | Item Details | Dipped |
|--------------|------------------------------------|--------------|
| | | (₹) |
| IST-D-KIT-C1 | (6-32MM) 20 PCS SET (Dipped) | 35200 |

KIT-C-1

SINGLE DEEP OFFSET RING SPANNER
20 PCS SET (POUCH PACKING)
(KIT-C-2)



KIT-C-2

| Code | Item Details | Injection |
|--------------|---------------------------------------|--------------|
| | | (₹) |
| IST-I-KIT-C2 | (6-32MM) 20 PCS SET (Injection) | 37400 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

**SINGLE DEEP OFFSET RING SPANNER (KIT-D-1)
20 PCS SET
(IN SPECIAL POWDER COATED STEEL TOOL BOX)**

KIT-D-1



| Code | Item Details | Dipped (₹) |
|--------------|------------------------------------|---------------|
| IST-D-KIT-D1 | (6-32MM) 20 PCS SET (Dipped) | 39160 |

**SINGLE DEEP OFFSET RING SPANNER (KIT-D-2)
20 PCS SET
(IN SPECIAL POWDER COATED STEEL TOOL BOX)**

KIT-D-2



| Code | Item Details | Injection (₹) |
|--------------|---------------------------------------|------------------|
| IST-I-KIT-D2 | (6-32MM) 20 PCS SET (Injection) | 41800 |

SINGLE OPEN END SPANNER SET
20 PCS SET (POUCH PACKING)
(KIT-E-1)

| Code | Item Details | Dipped (₹) |
|--------------|------------------------------------|---------------|
| IST-D-KIT-E1 | (6-32MM) 20 PCS SET (Dipped) | 30800 |

KIT-E-1



SINGLE OPEN END SPANNER SET
20 PCS SET (POUCH PACKING)
(KIT-E-2)



KIT-E-2

| Code | Item Details | Injection (₹) |
|--------------|---------------------------------------|------------------|
| IST-I-KIT-E2 | (6-32MM) 20 PCS SET (Injection) | 33000 |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

**INSULATED TOOLS SET 25 PCS
(24 Pcs + 1 Tool Box) (KIT-F1)**

KIT-F1



| Code | TOOLS | DESCRIPTION | (₹) |
|----------------|--------------------------------------|-------------|-------|
| IST-KIT-F1 | Single Open End Spanner (Injection) | 8, 13mm | 39900 |
| | Single Open End Spanner (Dipped) | 10, 15mm | |
| | Single Deep Ring Spanner (Injection) | 8, 10mm | |
| | Single Deep Ring Spanner (Dipped) | 13, 15mm | |
| | Adjustable Wrench (Dipped) | 200mm | |
| | Allen Key (Dipped) | 3, 4mm | |
| | Allen Key (Injection) | 5, 6mm | |
| | Screw Driver Flat | 100, 150mm | |
| | Screw Driver Philips | 75, 100mm | |
| | Combination Plier (Injection) | 200mm | |
| | Combination Plier (Dipped) | 150mm | |
| | Side Cutting Plier (Dipped) | 150mm | |
| | Side Cutting Plier (Injection) | 200mm | |
| | Long Nose Plier (Dipped) | 200mm | |
| | Long Nose Plier (Injection) | 150mm | |
| Straight Knife | 180mm | | |

KIT-G

**INSULATED TOOLS SET 22 PCS (KIT-G)
(21 Pcs + 1 Special Powder Coated Steel Tool Box)**



| Code | TOOLS | DESCRIPTION | (₹) |
|-----------|----------------------------|---|-------|
| IST-KIT-G | COMBINATION PLIER | 200mm | 41000 |
| | WIRE STRIPPER | 160mm | |
| | CABLE CUTTER | 225mm | |
| | DIAGONAL CUTTING PLIER | 175mm | |
| | SLOTTED SCREWDRIVER | 75, 100, 125, 175mm | |
| | PHILIPS SCREWDRIVER | #80, #150mm | |
| | SINGLE OPEN END SPANNER | 12, 13, 14, 17mm | |
| | SINGLE DEEP OFFSET SPANNER | 10, 13, 14, 17, 19, 22, 24mm | |
| | TOOL BOX | Powder Coated Steel Tool Box 21" (5 Tray) | |

INSULATED PLIER SET OF 6 PCS (5 PCS + 1 ALUMINUM TOOL BOX) (KIT-H)



KIT-H

| Code | TOOLS | DESCRIPTION | (₹) |
|-----------|--------------------|-------------|-------|
| IST-KIT-H | COMBINATION PLIER | 200mm | 19360 |
| | WIRE STRIPPER | 160mm | |
| | WATER PUMP PLIER | 250mm | |
| | LONG NOSE PLIER | 200mm | |
| | SIDE CUTTING PLIER | 150mm | |
| | TOOL BOX | Aluminum | |

INSULATED TOOL SET (KIT - Z) (54 Pcs.+ Box)

| Code | TOOLS | DESCRIPTION | ₹ |
|-------------------------|---|---|--------|
| IST-KIT-Z | COMBINATION PLIER | 200MM | 145000 |
| | LONG NOSE PLIER | 160MM | |
| | DIAGONAL CUTTER | 160MM | |
| | WIRE STRIPPER | 160MM | |
| | SLOTTED SCREW DRIVERS | 2.5x75MM | |
| | SLOTTED SCREW DRIVERS | 3x100MM | |
| | SLOTTED SCREW DRIVERS | 6.5x150MM | |
| | PHILLIPS SCREW DRIVER | 0x75MM | |
| | PHILLIPS SCREW DRIVER | 2x100MM | |
| | PHILLIPS SCREW DRIVER | 3x150MM | |
| | (HEX) SOCKETS (3/8 Dr.) | 8, 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22MM | |
| | ALLEN BIT SOCKET (3/8 Dr.) | H4, H5, H6, H8 | |
| | EXTENSION BAR (3/8 Dr.) | 125, 250MM | |
| | T-TYPE WRENCH (3/8 Dr.) | 200MM | |
| | RATCHET WRENCH (3/8 Dr.) | 200MM | |
| | OPEN END WRENCH | 8, 10, 12, 13, 14, 17, 19MM | |
| TORQUE WRENCH (3/8 Dr.) | 10-50 NM | | |
| DEEP RING WRENCH | 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24MM | | |
| TOOL BOX | | | |

INSULATED TOOLS SET OF 8 PCS (7 PCS + 1 ALUMINUM TOOL BOX) (KIT-I)



KIT-I

| Code | TOOLS | DESCRIPTION | (₹) |
|-----------|-----------------------|-------------|-------|
| IST-KIT-I | SCREW DRIVER POZI DR. | 100mm | 15400 |
| | SCREW DRIVER FLAT | 75mm | |
| | VOLTAGE TESTER | 60mm | |
| | WIRE STRIPPER | 160mm | |
| | LONG NOSE PLIER | 150mm | |
| | COMBINATION PLIER | 150mm | |
| | SIDE CUTTING PLIER | 150mm | |
| | TOOL BOX | Aluminum | |

INSULATED TOOL SET (KIT - T-28) (27 Pcs.+ Box)

| Code | TOOLS | DESCRIPTION | (₹) |
|--------------|------------------------------|----------------------------|--------|
| IST-KIT-T-28 | SINGLE OPEN END SPANNER | 7, 8, 10, 12, 14MM | 111000 |
| | DEEP RING SPANNER | 7, 8, 10, 12, 14MM | |
| | (HEX) SOCKETS (3/8 Dr.) | 7, 8, 10, 12, 14MM | |
| | PHILLIPS SCREW DRIVERS | PH1X80, PH2X100, PH3X150MM | |
| | FLAT SCREW DRIVERS | 2.5X75, 3X100, 6.5X150MM | |
| | EXTENSION BAR (3/8 Dr.) | 125, 250MM | |
| | T-TYPE WRENCH (3/8 Dr.) | 200MM | |
| | TORQUE WRENCH (3/8 Dr.) | 5-25NM | |
| | RATCHET WRENCH (3/8 Dr.) | 200MM | |
| | (HEX) SOCKETS DEEP (3/8 Dr.) | 10MM | |
| | TOOL BOX | | |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

**INSULATED TOOLS SET OF 9 PCS
(8 PCS + 1 ALUMINUM TOOL BOX)
(KIT-J)**



KIT-J

| Code | TOOLS | DESCRIPTION | (₹) |
|-----------|-----------------------|-------------|--------------|
| IST-KIT-J | SCREW DRIVER POZI DR. | 80mm | 17160 |
| | SCREW DRIVER FLAT | 75, 150mm | |
| | SCREW DRIVER PHILIPS | 150mm | |
| | VOLTAGE TESTER | 60mm | |
| | WIRE STRIPPER | 160mm | |
| | LONG NOSE PLIER | 200mm | |
| | SIDE CUTTING PLIER | 150mm | |
| | TOOL BOX | Aluminium | |

**INSULATED SCREW DRIVER & PLIER SET 13 PCS
(12 PCS + 1 TOOL BOX)
(KIT-K)**



KIT-K

| Code | TOOLS | DESCRIPTION | (₹) |
|-----------|------------------------|---------------------------|--------------|
| IST-KIT-K | COMBINATION PLIER | 200mm | 19360 |
| | WIRE STRIPPER | 160mm | |
| | WATER PUMP PLIER | 250mm | |
| | SLOTTED SCREWDRIVER | 3x50, 3x75, 4x75, 4x100mm | |
| | PHILIPS SCREWDRIVER | #0x60, #1x80, #1x80 | |
| | POZI DRIVE SCREWDRIVER | Pz 1x80 | |
| | TOOL BOX | Plastic Tool Box | |

**INSULATED TOOL SET SET 13 PCS
(12 PCS + 1 TOOL BOX)
(KIT-L)**

KIT-L

| Code | TOOLS | DESCRIPTION | (₹) |
|-----------|------------------------|--------------------------|--------------|
| IST-KIT-L | INSULATING TAPE | 20mmx10m | 15400 |
| | COMBINATION PLIER | 200mm | |
| | WIRE STRIPPER | 160mm | |
| | WATER PUMP PLIER | 250mm | |
| | SLOTTED SCREWDRIVER | 3x75, 4x75, 4x100, 125mm | |
| | PHILIPS SCREWDRIVER | #0x60MM | |
| | POZI DRIVE SCREWDRIVER | Pz 80, 100mm | |
| | VOLTAGE TESTER | | |
| | TOOL BOX | Aluminum | |



**INSULATED TOOLS SET 21 PCS
(20 Pcs + 1 Aluminum Case)
(KIT-M)**

KIT-M

| Code | TOOLS | DESCRIPTION | (₹) |
|-----------|------------------------|-----------------------------|--------------|
| IST-KIT-M | VOLTAGE TESTER | | 30360 |
| | STICK TAPE VDE | | |
| | COMBINATION PLIER | 150mm | |
| | COMBINATION PLIER | 200mm | |
| | LONG NOSE PLIER | 150mm | |
| | LONG NOSE PLIER | 200mm | |
| | DIAGONAL CUTTING PLIER | 150mm | |
| | WIRE STRIPPER | 160mm | |
| | WATER PUMP PLIER | 250mm | |
| | CABLE CUTTER | 150mm | |
| | ADJUSTABLE WRENCH | 200mm | |
| | SLOTTED SCREWDRIVER | 3x75, 4x100, 5x150, 8x175mm | |
| | PHILIPS SCREWDRIVER | #0x60, #2x100, #3x150mm | |
| | POZI SCREWDRIVER | 2x100 & 3x150 | |
| | TOOL BOX (LxWxH) | 400x290x90mm | |



**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

**INSULATED TOOLS SET 26 PCS
(25 Pcs + 1 Tool Box)
(KIT-N)**

KIT-N



| Code | TOOLS | DESCRIPTION | (₹) |
|-----------|-------------------------|------------------------------|--------------|
| IST-KIT-N | COMBINATION PLIER | 200mm | 48500 |
| | DIAGONAL CUTTING PLIER | 150mm | |
| | SLOTTED SCREWDRIVER | 75, 100, 125mm | |
| | PHILIPS SCREWDRIVER | #60, #80, #100mm | |
| | Knife | Straight, Semi Circle | |
| | SINGLE OPEN END SPANNER | 10, 11, 12, 13, 14, 17, 19mm | |
| | SOCKETS 1/2 DR. | 10, 11, 12, 13, 14, 17, 19mm | |
| | T TYPE WRENCH 1/2 DR. | 200mm | |
| | TOOL BOX (LxWxH) | F460 | |

**INSULATED TOOLS SET 41 PCS
(40 Pcs + 1 Tool Box)
(KIT-R)**



KIT-R-1

| Code | TOOLS | DESCRIPTION | DIPPED |
|------------|-------------------------|------------------|--------------|
| | | | (₹) |
| IST-KIT-R1 | SINGLE OPEN END SPANNER | 6-32mm | 77000 |
| | SINGLE RING SPANNER | 6-32mm | |
| | | TOOL BOX (LxWxH) | |

KIT-R-2

| Code | TOOLS | DESCRIPTION | INJECTION |
|------------|-------------------------|------------------|--------------|
| | | | (₹) |
| IST-KIT-R2 | SINGLE OPEN END SPANNER | 6-32mm | 76000 |
| | SINGLE RING SPANNER | 6-32mm | |
| | | TOOL BOX (LxWxH) | |

**INSULATED TOOLS SET 54 PCS
(53 Pcs + 1 Tools Case)
KIT-Q**



INSULATED STEEL TOOLS

| Code | TOOLS | DESCRIPTION | (₹) |
|-------------------------|--|--|--------|
| IST-KIT-Q | Tray A : | | |
| | Cable Cutter | 150mm | 162000 |
| | Water Pump Plier | 250mm | |
| | Combination Plier | 175mm | |
| | Long Nose Plier | 200mm | |
| | Diagonal Cutting Plier | 150mm | |
| | Wire Stripper | 150mm | |
| | Tray B: | | |
| | Screw Driver (Phillips) | PH0x60, PH1x80, PH2x100, PH3x150 | |
| | Screw Driver (Slotted) | 2.5x75, 3x100, 4x100, 5.5x125, 6.5x150 | |
| | Straight Knife | 180mm | |
| | Voltage Tester | 105mm | |
| | Tray C: | | |
| | Socket Bits | 4, 5, 6, 8mm | |
| Sockets | 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24, 27mm | | |
| Extension Bar | 125 & 250mm | | |
| T Handle | 250mm | | |
| Ratchet Handle | 250mm | | |
| Tray D: | | | |
| Adjustable Wrench | 200mm | | |
| Single Open End Spanner | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24mm | | |

**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

**INSULATED TOOL SET 10 PCS
(KIT - T9)
(9 Pcs. + Box)**

| Code | TOOLS | DESCRIPTION | (₹) |
|------------|-----------------------|------------------|--------|
| IST-KIT-T9 | TORQUE WRENCH | 5-25NM - 3/8 DR. | 105000 |
| | SOCKET 3/8 Dr. | 8, 10, 12mm | |
| | RATCHET 3/8 Dr. | 200mm | |
| | T TYPE WRENCH 3/8 Dr. | 200mm | |
| | EXT BAR 3/8 Dr. | 125mm | |
| | TORX SOCKET 3/8 Dr. | T-25X75mm | |
| | SCREW DRIVER FLAT | 100mm | |
| | TOOL BOX | Plastic Tool Box | |



**INSULATED TOOL SET
(KIT - T-71)
(70 Pcs. + Trolley)**

| Code | TOOLS | DESCRIPTION | (₹) |
|--------------|--------------------------|---|--------|
| IST-KIT-T-71 | Combination Plier | 200mm | 325000 |
| | Long Nose Plier | 160mm | |
| | Diagonal Cutting Plier | 160mm | |
| | Wire Stripper | 160mm | |
| | Screw Driver (Slotted) | 75, 100, 150mm | |
| | Screw Driver (Phillips) | PH0x75, PH2x100, PH3x150 | |
| | Socket 3/8 (Dr.) | 8, 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22 | |
| | Allen Key Hex | 3, 4, 5, 6, 8, 10, 12 | |
| | Extension Bar (3/8 Dr.) | 125 & 250mm | |
| | T Type Wrench | 3/8 Dr. - 200mm | |
| | Ratchet Handle | 3/8 Dr. - 200mm | |
| | Single Open End Spanner | 8, 10, 12, 13, 14, 17, 19mm | |
| | Torque Wrench (1/2 Dr.) | 10-50NM 40-200NM | |
| | Single Deep Ring Spanner | 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm | |
| | Hammer Mallet | 30mm | |
| | Straight Knife | 180mm | |
| | Adjustable Wrench | 250mm | |
| | Torx Screw Driver | T6x75, T7x75, T8x75, T9x75, T10x75, T15x80, T20x100, T25x125, T30x130mm | |
| | Tool Trolley | 7 Drawer | |



INSULATED STEEL TOOLS

**INSULATED TOOL SET
(KIT - JBM)
100 Pcs + 2 Box**

INSULATED STEEL TOOLS

| Code | TOOLS | DESCRIPTION | (₹) |
|-------------|--|-------------|--------|
| IST-KIT-JBM | Part - I | | 385000 |
| | Tray A: Cable Cutter 150mm Water Pump Plier 250mm Combination Plier 175mm Long Nose Plier 200mm Diagonal Cutting Plier 150mm Wire Stripper 150mm Tray B: Screw Driver (Phillips) PH0x75, PH1x80 PH2x100, PH3x150 Screw Driver (Slotted) 2.5x75, 3x100, 4x100, 5.5x125, 6.5x150 Straight Knife 180mm Voltage Tester 105mm Tray C: Allen Socket 4, 5, 6, 8mm Sockets 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24, 27mm Extension Bar 125 & 250mm T Type Wrench (1/2 Dr.) 200mm Ratchet Handle (1/2 Dr.) 250mm Tray D: Adjustable Wrench 200mm Single Open End Spanner 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24mm Tool Box Steel | | |
| | Part - II | | |
| | Torque Wrench 1/2 Dr. 10-60NM Single Deep Offset Ring Spanner 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm Allen Key 3, 4, 5, 6, 8, 10, 12mm Interchangeable Screw Driver Set 50 Pcs. Adjustable Wrench 300mm Cable Cutter 250mm L Handle (1/2 Dr.) 200mm Plastic Clamp Single Open End Spanner 6, 7, 27, 30, 32mm Tweezer 130mm Sockets 1/2 Dr. 30, 32mm Knife Straight Insulated Bit Socket 4x120mm 5x120mm 6x120mm 8x120mm 10x120mm Insulated Ratcheting Cable Cutter 380mm Tool Box Steel | | |



**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

**INSULATED TOOL SET
(KIT - X)
(22 Pcs.+ Bag)**

| Code | TOOLS | DESCRIPTION | ₹ |
|------------|--------------------------------------|-----------------------------|--------|
| IST-KIT- X | T Type Wrench | 1/2 Dr. | 138800 |
| | Adjustable Wrench | 200mm | |
| | Kit-P (Dip) Allen key Set | (3-12mm) | |
| | Combination Plier | 175mm | |
| | Diagonal Cutting Plier | 150mm | |
| | Long Nose Plier | 150mm | |
| | Screw Driver Phillips (Inj) | 60, 80, 100,150mm | |
| | Screw Driver (Flat) (Inj) | 75, 100(3 Pc.) , 125, 150mm | |
| | Ins. Bits Socket Hex | 4x120, 5x120, 6x120mm | |
| | Kit-C (Dip) S/Ring Spanner Set | 20 Pcs Set | |
| | Interchangeable Sc. Drivers Set(Inj) | 12 Pcs Set | |
| | Kit-E (Dip) S/End Spanner Set | 20 Pcs Set | |
| | Bag | Tool Bag | |



**INSULATED TOOL SET
(KIT - Y) 9 Pcs + Box**

| Code | TOOLS | DESCRIPTION | (₹) |
|-----------|--------------------------------------|-------------|-------|
| IST-KIT-Y | TORQUE WRENCH (3/8 Dr.) | 5-25 NM | 88000 |
| | 3/8 INSULATED HEXAGON SOCKETS (DEEP) | 8,10,12MM | |
| | 3/8 TORX BIT SOCKET | T25X75 | |
| | RATCHET WRENCH (3/8 Dr.) | 200MM | |
| | T TYPE WRENCH (3/8 Dr.) | 200MM | |
| | SLOTTED SCREW DRIVER | 5.5x125MM | |
| | EXTENSION BAR (3/8 Dr.) | 125MM | |
| | TOOL BOX | | |

**INSULATED TOOL SET
(KIT - T-24) (23Pcs.+ Box)**

| Code | TOOLS | DESCRIPTION | (₹) |
|---------------|-------------------------|--------------------------|-------|
| IST-KIT- T-24 | SINGLE OPEN END SPANNER | 7,8,10,12,14MM | 40000 |
| | DEEP RING SPANNER | 7,8,10,12,14MM | |
| | HEX SOCKETS (3/8 Dr.) | 7,8,10,12,14MM | |
| | PHILLIPS SCREW DRIVERS | PH1X80, 2x100, 3x150MM | |
| | FLAT SCREW DRIVERS | 2.5X75, 3X100, 6.5X150MM | |
| | EXTENSION BAR (3/8 Dr.) | 125,250MM | |
| | TOOL BOX | | |


**FOR QUERIES CONTACT : DN SAFETY PRODUCTS :
96396 34401, 98106 64401**

ELECTRIC SAFETY PPE GLOVES



| Code | Class of Gloves | Length (mm) | Hand Size | AC Proof Test Voltage rms.V | Maximum AC Use Voltage ac rms.V | DC Proof Test Voltage avg.V | Maximum DC Use Voltage avg.V | (₹) |
|----------|-----------------|-------------|-----------|-----------------------------|---------------------------------|-----------------------------|------------------------------|-------|
| PPE-IG00 | 00 | 410 | 9 | 2500 | 500 | 10000 | 750 | 10500 |
| PPE-IG0 | 0 | 410 | 9 | 5000 | 1000 | 20000 | 1500 | 13300 |
| IST-IG1 | 1 | 410 | 9 | 10000 | 7500 | 40000 | 11250 | 23100 |
| IST-IG2 | 2 | 410 | 9 | 20000 | 17000 | 50000 | 25500 | 39200 |
| IST-IG3 | 3 | 410 | 9 | 30000 | 26500 | 60000 | 39750 | 48000 |
| IST-IG4 | 4 | 410 | 9 | 40000 | 36000 | 70000 | 54000 | 75000 |

ELECTRICAL INSULATION MAT



| Code | Voltage | Size | (₹) |
|-----------|---------|----------------|-------|
| PPE-EIM5 | 5 KV | 1000x3000x3mm | 13500 |
| PPE-EIM10 | 10 KV | 1000x2000x5mm | 14500 |
| PPE-EIM20 | 20 KV | 1000x2000x6mm | 15500 |
| PPE-EIM25 | 25 KV | 1000x2000x8mm | 26500 |
| PPE-EIM30 | 30 KV | 1000x2000x10mm | 28500 |

INSULATION RESCUE HOOKS



| Code | Voltage | Length | (₹) |
|-----------|---------|---------|------|
| PPE-IRH10 | 10 KV | 1 Meter | 4800 |

SAFETY GOGGLES



| Code | LENS | (₹) |
|--------|------|-----|
| PPE-SG | PC | 300 |

HELMET WITH FACE SHIELD



| Code | MATERIAL | (₹) |
|---------|----------|------|
| PPE-HFS | PE | 4800 |

FIRE BLANKET



| Code | Material | Size | (₹) |
|------------|-------------|-------------|------|
| PPE-FB-1 | Fiber Glass | 1M X 1M | 2400 |
| PPE-FB-1.2 | Fiber Glass | 1.2M x 1.2M | 3200 |
| PPE-FB-1.8 | Fiber Glass | 1.2M X 1.8M | 4000 |

INJECTION MOULDED SLEEVES

DE NEERS[®]

Revolution in Hand Tools



www.deneerstools.com

DE NEERS[®]

Revolution in Hand Tools




www.deneerstools.com

DIPPED INSULATED SLEEVES

DE NEERS®

Revolution in Hand Tools



Terms & Conditions :

1. The Prices and specification may Change without prior notice.
2. This Cancels our Previous Price List.
3. All Orders will be dispatched in Standard packing.

DE NEERS TOOLS LIMITED

468, F.I.E, PATPARGARJ INDUSTRIAL AREA,
DELHI - 110 092
E-mail : sales@deneerstools.com

DN SAFETY PRODUCTS PVT.LTD.

33 NO., ARYA HOUSE, RAMA ROAD
NEW DELHI - 110 015
E-MAIL : sales@deneerstools.com

Website : www.deneerstools.com